# • A Money Back Guarantee • Free Customer Technical Support New! PUBLISH IT IN LESS THAN AN HOUR!

**Introducing The... TIMEWORKS DESKTOP PUBLISHER ST™...** A full-featured, fully integrated desktop publishing


powerhouse with word processing. page layout, typesetting, and graphics.

Even if you have no design skills or publishing experience, you can get results in less than an hour with THE TIMEWORKS DESKTOP PUBLISHER ST!

For all its state-of-the-art ability, PUBLISHER ST is incredibly easy to learn refreshingly so. PUBLISHER ST combines the familiar GEM User Interface, our Ouick-Start Mini-Manual, a full complement of Help Screens, and the practical WYSIWYG (What-You-See-Is-What-You-Get) display—all designed to get you up and running in less than one hour!

#### **SPECIAL FEATURES**

- GEM User Interface: It's fast and easy. Pull-down menus, icons, scroll bars, and dialogue boxes help you learn and use the program quickly. Your display screen shows you exactly what your final product will look like when you print-What-You-See-Is-What-You-Get!
- Flexible Page Layout: Use your mouse to overlap, reposition, or resize your text columns & graphics. Change your layout or experiment—almost effortlessly!
- Built-In Fonts: Chose from thousands of possible type-style combinations! Opt for bold, italic, underlined, outlined, light, and superscript or subscript characters. Type sizes range from 7 to 96 point.
- Premium Quality Printouts: PUBLISHER ST uses a special high density printout format to give you superior quality printouts on your dot matrix or laser printer.
- Built-In Word Processor: All the features necessary for everyday word processing, plus most of the sophisticated features found in complete word processing programs.
- Text Importing: Load documents directly from WORD WRITER ST, FIRST WORD, and FIRST WORD PLUS,\* or from any standard ASCII file.



- Built-In Graphic Toolbox: Draw lines. boxes, circles, polygons, and more. Plus, choose from a wide variety of built-in line and fill patterns.
- Graphics Importing: Import graphics created with popular drawing programssuch as DEGAS, NEOCHROME. & EASY DRAW.\* Crop & scale to fit your document.
- Kerning & Leading: Adjustable letter and word spacing add those professional "finishing touches" to your document.
- Automatic Text Flow & Word Wrap: Flows text around graphics; and from column to column on the same page, or carries it over to subsequent pages.

For Atari 520, 1040, & Mega ST Computers.\* Sug. Retail Price . . . . \$129.95

Available at your local dealeror order direct from Timeworks. Call 1-312-948-9202

444 Lake Cook Rd., Deerfield, IL 60015 312-948-9200

· Multiple Page Views: View, edit, and layout pages at actual, double or halfsize. Or, reduce them so the entire page fills the screen.

SALES FORCAST

- Professionally Drawn Graphics: Readyto-use art makes your documents even more eye-catching.
- Plus you get special time-saving features, sample documents & more!



(Documents do not print out in color.)

© 1988 Timeworks, Inc. All Rights Reserved. \*Registered Trademarks of their respective companies.

### American Techna-Vision

For Orders Only - 1-800-551-9995 CA. Orders / Information 415-352-3787 "Providing 8 Bit support with one of the Worlds largest inventories of Atari replacement parts"

- No surcharge for VISA/MasterCard
- Your card is not charged until we ship

#### 800 4 PIECE BOARD SET

Includes Main Board, Power Supply Assembly, CPU Module and 10K Revision B Operating System Module. All boards are new, tested and complete \$2850 with all components.

#### 1050 MECHANISM

Factory fresh TANDON mechs, make difficult repairs a snap, Units are complete with Head, Stepper, Spindle motor etc. Just plug in, no difficult alignments or adjustments required. required. \$4750

#### 2400 BAUD MODEM

Mitak Hayes compatible. Auto dial, auto answer. 0-300/1200/2400 baud Internal speaker. Auto baud rate and format adjustment. Touch tone and pulse dialing. Auto busy redial. Works with All Atlar's 8 bit requires interface. \$ 1595 ST Cable sold seperately.

#### **POWER PACKS**

Exact replacement transformer for 800/400, 1050, 810, 1200XL, 850 and 1020 units. Replaces older "weaker" units. Atari part #CO17945.

\$ 1450

#### 400 3 PIECE BOARD SET

Includes Main Board, Power Supply Assembly and CPU Module. All boards are new, tested and complete with all components.

\$ 1950

### JOYSTICK

Works with all Atari Computers ORIGINAL STYLE \$ 700

#### ATARIWRITER CARTRIDGE

Popular cartridge version turns any 8 bit Atari into a powerful word processor. Written by Atari. Disk drive supported but not required.

For all Atari's except ST \$ 995

#### 600XL 64K UPGRADE

Easy to install internal modification allows you to hook up a disk drive and run all 800XL software. Kit includes all parts and detailed instructions. Soldering required to install 3 jumpers. \$2995

800 10K "B" O.S. Module Older 800 units need the revision "B"
Operating system to run newer software. Type the following peek in BASIC to see which revision you BASIC to see which levision have. PRINT PEEK(58383). \$ 950

If the result is 56 order now!

#### PILOT PROGRAMMING LANGUAGE PACKAGE

Includes PILOT cart. with "Turtle Graphics", Pilot Primer and Student Pilot manuals. PILOT is an excellent learning or teaching tool.

Works with all Atari's

except ST.

#### PADDLE CONTROLLERS

(Pair). Required for numerous 8 bit programs and applications. Use these to add two changeable variables to your BASIC or machine language programs.

\$650

#### SERIAL I/O CABLE

High quality 13 pin cable used to connect 8 bit Atari's to disk drives, interfaces, etc.

New low price

\$ 5 95

\$5.00 \$5.00

#### 800/400 MODULES NEW PARTS COMPLETE WITH IC'S

800 Main Board
 800/400 CPU with GTIA
 800 10K "B" O.S. Module

• 400 Main Board EACH : 800 Power Supply Board 400 Power Supply Board

16K Ram Module \$14.50

#### INTEGRATED CIRCUITS

	• CPU	CO14806
	<ul> <li>POKEY</li> </ul>	CO12294
¢ 450	• PIA	CO14795
\$450	• GTIA	CO14805
	· ANTIC	CO12296
	• CPU	CO10745
FACH	• PIA	CO10750
LACIT	• CPU	CO14377
	<ul> <li>DELAY</li> </ul>	CO60472

#### MORE IC'S

CO60302 XL BASIC ROM.	\$13.50
1050 O.S. ROM	\$13.50
2793 1050 FDC	
CO10444 2600 TIA	. \$4.50
1771 810 FDC	\$10.00
1050 5713 STEP DRIVER	\$5 25

#### REPAIR MANUALS

SAMS Service Manuals for the SAMS Service Manuals for the following units contain schematics, parts listings, labelled photographs showing the location of checkpoints and more! A special section gives oscilloscope and logic probe readings allowing you to narrow the malfunction down to specific phin or trapsisted. a specific chip or transistor! 800, 800XL, 130XE, 400, 1025 and 1050 . . . . . \$19.50 each 520ST Service Manual. \$37.50

#### MISC. HARDWARE

1050 Track 0 Sensor 1050 Stepper Motor 1030 Power Pack Fastchip for 800/400 Atari Joystick	\$6. \$14. \$9. \$15. \$7.	.50 .50 .50
850 or PR Modem Cable	\$14.	
850 or PR Printer Cable	\$12	.50
P:R: Connection	\$59	95
	\$39	
I/O 13 Pin PC mount	\$4.	
I/O 13 Pin Plug Kit	\$4	.50
ST 6' Drive Cable	\$14	.00
820 Printer Mechanics	. \$9	50
Joystick Extension Cable		
EDOM Capie		
EPROM Eraser	\$34	
810 Door Latch Assy	\$15.	.00
Serial I/O Cable	\$5.	95
1027 Transformer	CA	11
ICD Multi I/O	CA	
OLO TAMENTO		
810 Tandon Drive Mech.	\$49.	95

#### GORF SPACE GAME

Well done cart. vers. of famous arcarde game. 800/400 only. \$4.00

#### COMPUTER BOOKS

Inside Atari Basic . . . . \$5.00 Atari Basic Ref. manual. \$5.00 Assembly Language Guide \$19.95 XE Users Handbook . \$17.95 XL Users Handbook . \$17.95 Advanced Programming \$19.50 ATARI 850 INTERFACE

Bare PC Board with parts list and crystal allows you to build your own serial/parallel interface for attaching modems and printers to all 8 bit Atari computers... \$7.50 Bare Board & all plug in IC's \$39.50

#### ATARI XM301 MODEM

Direct connect 300 Baud modem works with all 8 bit Atari's. No seperate interface required. \$44.95

#### P:R: CONNECTION

Serial & Parallel interface allows you to attach standard modems and printers. For all 8 bit. (1200XL requires modification). . . \$59.95

#### BASIC CARTRIDGE

Basic Rev. "A" Cart. works with all Atari Computers except ST 800XL Owners Note! Use this cartridge while programming to eliminate the severe errors in the built in "B" Basic. . . . . . . \$10.00 Pac-Man cartridge . . . \$4.00 Deluxe Invaders Cart . \$4.00 Journey to the Planets . \$4.00 Edt/Asm cart, w/o man. \$10.00 Q\*bert cartridge . . . . . \$10.00 Donkey Kong cart. . Eastern Front Cart. \$5.00 \$5.00 Springer Cart. . \$5.00 Hard Hat Mack disk . . \$5.00 D-Bug childware disk. Home filing manager... Musical Pilot Ed. Disk Big Math Attack Disk... \$5.00 \$7.50

ADDITIONAL SOFTWARE

Big Main Attack Disk . . . \$5.00
Pathfinder disk . . . . . \$5.00
O.S.S. Action Cart . . . \$57.50
O.S.S. Mac-65 Cart . \$57.50
O.S.S. Basic XE Cart . \$47.50

#### SERVICE RATES

Flat Service Rates below include Parts & Labor, 60 Day Warranty.

800 Computer . . . . \$39.50 850 Interface . . . . \$39.50 810 Disk Drive . . . . \$69.50 1050 Disk Drive . . . \$75.00 800 Keyboard only. \$25.00

Include \$7.00 return shipping and insurance. Include \$4.00 shipping for 800 keyboard repair only.

CALL TOLL FREE 1-800-551-9995 IN CALIF. OR OUTSIDE U.S. CALL 415-352-3787

#### AMERICAN TECHNA-VISION

Mail Order: 15338 Inverness St., San Leandro, Ca. 94579 Repair Center: 2098 Pike Ave., San Leandro, Ca. 94577

Terms: NO MINIMUM ORDER. We accept money orders, personal checks or C.O.D.s. VISA, Master/Card okay. Credit cards restricted to orders over \$20.00. No personal checks on C.O.D. - Shipping: \$4.00 shipping and handling on orders under \$150.00. Add \$2.25 for C.O.D. orders. In Canada total \$6.00 for shipping and handling. Foreign shipping extra. Calif. residents include 7% sales tax. All items guaranteed 30 days from date of delivery. No refunds or exchanges.

Prices subject to change without notice. Send SASE for free price list. Atari is a reg, trademark of Atari Corp



# Lyco Computer

Marketing & Consultants

Order processed within 24 hours.

#### New for '88



### Great Performance Great Price

#### SEIKOSHA SL-80Ai

Letter quality 54 cps

Quiet (52 dBA)

 Automatic paper loading

• 16 K buffer

2-year warranty)

\$29995



# ST Computer

- Built-in
   Drive
- Thomson 4120 Monitor

\$769<sup>95</sup>





☆ Full mfg. warranty applies.

#### 

Since 1981, we have led the industry by continuing to offer the lowest national prices while providing quality service. Many companies have come and gone trying to imitate our quality and service. If by some oversight we do not have the lowest prices advertised on the products you desire, then we would appreciate the opportunity to rectify this oversight.

#### SKC T120 VHS VIDEO TAPE

Each......\$4.49 3 Pack ......\$11.99 10 Pack.....\$37.50

#### TO ORDER, CALL TOLL-FREE: 1-800-233-8760 New PA Wats: 1-800-233-8760 Outside Continental US Call: 1-717-494-1030

Hours: 9AM to 8PM, Mon. - Thurs. 9AM to 6PM, Friday — 10AM to 6PM, Saturday

For Customer Service, call 1-717-494-1670, 9AM to 5PM, Mon. - Fri. Or write: Lyco Computer, Inc. P.O. Box 5088, Jersey Shore, PA 17740

# See our 2-page ad elsewhere in this Magazine

CIRCLE **019** ON READER SERVICE CARD

#### **Risk Free Policy**

In-stock items shipped within 24 hrs. of order. NO deposit on C.O.D. orders. Free shipping on prepaid cash orders over \$50 with the Continental U.S. Volume discounts available. PA residents add sales tax. APO, FPO and international orders add \$5.00 plus 3% for priority mail. Advertised prices show 4% discount for cash, add 4% for MasterCard and VISA. Personal checks require 4 weeks clearance before shipping. We cannot guarantee compatibility. We only ship factory fresh merchandise. Ask about USP Blue and Red Label shipping. All merchandise carried under manufacturers' warranty. Return restriction applicable. Return authorization required. We check for stolen credit cards. We accept purchase orders from educational institutions. All Items subject to change without notice. prepaid orders under \$50 add \$3.00.

1-800-233-8760



Escape From Hell! Page 13



Super CZ. Page 51

#### **FEATURES**

JUNE 1988, VOL. 7, NO. 2

27 P.S. ENVELOPE MAKER by Stanley Harrison Automate your "Print Shop" envelopes

Type-In Software

29 STRING ARRAY SIMULATOR by Richard Whitsell List processing power upgrade

Type-In Software

- 33 POWER TOOLS FOR 8-BIT ATARI by Charles Cherry and Matthew Ratcliff Programmers' and power users' plethora!
- 40 MORE \* SECRETS OF ATARIWRITER by Kevin Steele Mail merge, RAMdisks, macros, wildcards and more . . .
- 42 ATARI'S 12 NEW ENTERTAINMENT CARTRIDGES by David Plotkin Bonanza for ALL 8-bit gamesters!
- 46 NEW SUPER DISK DRIVE FROM ATARI by Rich Tietjens First look inside the XF551

#### **DEPARTMENTS**

9 8-BIT PRODUCT REVIEWS

Covox Voice Master Jr., SSI's Shiloh, Panasonic KX-P1091i Printer GAME OF THE MONTH

13 ESCAPE FROM HELL! by Tony Barnes Abandon all hope, ye who don't use TYPO II SUPER DISK BONUS

Type-In Software

- 14 GRAND UNDERGROUND TEXT ADVENTURE by Stephen Lee New challenge for Zork fans **BONUS GAME**
- 17 SLEUTH by Heath Lawrence Challenging memory game, no reading required

Type-In Software

- 18 ATARI SX212 & SUPRAMODEM 2400 by Charles Jackson and Gregg Pearlman Two breakthrough values in online hardware **EDUCATION**
- 20 BIG BIRD, ERNIE, TINK TONKS—ONLY \$9.95 EACH by Paul Waxman Renaissance in educational software reissues FEATURE APPLICATION
- 37 GTIA JOYSTICK PAINTER by Robin Alan Sherer Powerful Atari animation tool

Type-In Software

80 TECH TIPS: DOS 2 TRANSFUSION, MAKE A MEM.SAVE by Charles Jackson

#### SOFTWARE LIBRARY

#### 65 TYPE-IN LISTINGS SECTION

#### ST RESOURCE

51 SUPER CZ by Jim Pierson-Perry Real-time MIDI special effects

- Type-In Software
- 52 MIDI RESOURCES by Jim Pierson-Perry Guide for ST electronic musicians
- 56 ST TOOLBOX Smooth Talker, Superbase
- **60 ST NEW PRODUCTS**
- 62 ST GAMES GALLERY: Pinball Wizard, Airball, President Elect, Tanglewood



Power Tools For 8-Bit Atari. Page 33

- 4 MASTHEAD
- 4 EDITORIAL
- 6 I/O BOARD
- 12 NEW PRODUCTS

- **65 THE CATALOG**
- 77 SHOPPERS MARKET
- 78 CLASSIFIED ADS
- **79 ADVERTISERS LIST**



Publisher James Capparell

#### Editorial

Nat Friedland, Editor; Charles Jackson, Technical and Online Editor; Gregg Pearlman, Assistant Editor; Heidi Brumbaugh, Programs Editor; Carolyn Cushman, Editorial Assistant.

Contributing Writers Charles Cherry, Harvey Bernstein, Stephen Everman, Marian Lorenz, Bill Marquardt, Lt. Cmdr. Rich Moore, Allan Moose, Steve Panak, Jim Pierson-Perry, David Plotkin, Paul Pratt, Matthew Ratcliff, Stephen Roquemore, Jeffrey

#### Art

Summers MD, Rick Teverbaugh.

David Hebenstreit, Director of Creative Services; Gregory Silva, Assistant Art Director; Jim Warner, Design/Production Assistant; Debra Stella, Ad Production Coordinator; Julianne Ososke, Collateral Printing Coordinator; Mary Rhomberg Peloquin, Contributing Artist; Terrific Graphics, Typesetting.

#### Circulation

Les Torok, Director; Dixie Nicholas, Subscription Coordinator; Dennis Swan, Distribution Coordinator.

Antic Publishing, Inc. James Capparell, President and Chairman of the Board; Donald F. Richard and Richard D. Capparella, Directors; Lee Isgur, Advisor to the Board; John Cady, Controller; John Taggart, Advertising Sales; Gary Yost, Marketing; Jack Powell, Product Development; Lisa W. Kipp, Catalog Sales; Tom Chandler, Ken Warner, Retail Sales; Scot Tumlin, Technical Support; Pamela Grady, Customer Service; Lorene Kaatz, Credit and Collections Manager; Evelyn Heinzman, Accounts Payable; Brenda Oliver, Accounts Receivable; Juliah Cook, Administrative Assistant.

Advertising Sales John Taggart, Director Karen Gordon, Advertising Sales Coordinator (For Area Sales Representatives, see page 79.)

> General Offices (415) 957-0886 Antic, 544 Second Street San Francisco, CA 94107

Credit Card Subscriptions & Catalog Orders (800) 234-7001 Visa or MasterCard only!

Subscription Customer Service (614) 383-3141 Antic, P.O. Box 1919, Marion, OH 43306

June, 1988, Volume 7, Number 2

Antic—The Atari Resource is published monthly by Antic Publishing. Editorial offices are located at 544 Second Street, San Francisco, CA 94107. ISSN 0745-2527. Second Class Postage paid at San Francisco, California and additional mailing offices. POST-MASTER: Send address change to Antic, The Atari Resource, P.O. Box 1919, Marion, OH 43306.

Subscriptions: One year (12 issues) \$28. Canada and Mexico add \$8, other foreign add \$12. Disk Edition (12 issues with disks) \$79.95, all foreign add \$25. (California residents add 6½ % sales tax for disk subscriptions.

Editorial submissions should include text and program listings on disk and paper. Submissions will be returned if stamped, self-addressed mailer is supplied. Antic assumes no responsibility for unsolicited editorial material.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Antic is a registered trademark of Antic Publishing, Inc. An Information Technology Company Copyright ⊚1988 by Antic Publishing. All Rights Reserved. Printed in USA.

# **Super 8-Bit Contest**

Win ICD's 1Mb Multi I/O

Because of all the interest created by last year's Practical Program Contest and the fine type-in software it produced (Antic, November 1987), we're going to run an even bigger 8-bit contest in 1988. This time there are *two* grand prizes—ICD onemegabyte Multi I/O boards. The progamming categories are wide open and, for the first time, there's a grand prize for a *non-program* article!

The three runner-up programs and the three runner-up articles will each get a pair of prizes from ICD—an R-Time 8 clock/calendar cartridge and a SpartaDOS Construction Set disk.

Also, any entries accepted by **Antic** (including prizewinners) will be paid at our standard authors' rate, upon publication. In fact, all 8-bit programs accepted by **Antic** between January 1, 1988 and the contest deadline of August 1, 1988 will automatically be evaluated as potential contest winners. Winning programs and articles will be published in the December 1988 **Antic**.

#### **ARTICLES CONTEST**

The Feature Article Division of the 1988 **Antic** Contest is for: Best articles explaining the authors' real-life uses of their own **power-enhanced** Atari 8-bit computers. The authors must describe their own personal experiences and techniques using a nonstandard 8-bit Atari that has—a memory upgrade of at least 256K, *or* a RAMdisk of at least 256K, *or* a hard disk of at least 10Mb, *or* other significant hardware modification.

Entries cannot be longer than 1,200 words and will be judged on the interest of the computer application as well as on quality of the writing. Either black & white photos or color slides (not color prints) can be submitted for publication along with an article, but photos are *not* required.

#### **PROGRAMMING CONTEST**

We are also looking for the best type-in programs for 8-bit Atari computer—any type of program. Practical applications, games, graphics or music software, powerful programming utilities, educational tools are all eligible. No program will be disqualified because of its category. Winning programs will be chosen for their interest, usefulness and imaginative originality, as well as for excellence and clean elegance of programming technique.

Please note and follow *every* technical rule given below. Some excellent programs had to be disqualified in last year's contest for secondary rule violations such as not being in renumberable code.

### PROGRAM TECHNICAL RULES

• All entries must be original, unpublished works. Programs must be written in standard Atari BASIC (machine language subroutines are okay) and must RUN under DOS 2 or DOS 2.5 on all Atari computers having at least 48K memory (800, XL/XE). Programs must be self-contained and work without additional software, but compatibility with other pro-

grams is a plus.

- Maximum length for a SAVEd BASIC program entry (including any sub-listings) is 165 single-density disk sectors. Line numbers cannot be higher than 32000. No overlong program lines of more than 112 characters (after expansion of BASIC abbreviations). Program listings must be renumberable.
- Thorough error-trapping is required. And please do not include authors' copyright statements in your listing. Programs must be accompanied by an article that fully explains what the program does and provides a walk-through tutorial about how to operate it, as well as discussing the structure and techniques of the program. If your program uses a printer, your article should describe how to change the listing to work with different printer brands.

#### **HOW TO ENTER**

Programs must be submitted on DOS 2 or DOS 2.5 disks accompanied by a printout of the listing. Articles must also be submitted on disk as well as printed out. Text files must be readable by one of the following word processors—PaperClip, AtariWriter, First XLEnt, Word Magic, or Antic Writer.

Entries must be received no later than August 1, 1988. You can submit as many entries as you like. Entries will be returned *only* if the author provides a stamped, self-adressed envelope. Send your entries to: Contest '88, Antic Magazine, 544 Second Street, San Francisco, CA 94107.


Nat Friedland

Nat Friedland Editor, **Antic** 

#### LATE-BREAKING ATARI NEWS

ATARI SUES CHIP SUPPLIER: Atari Corp. filed suit in U.S. District Court against Micron Technology Inc. of Boise, Idaho, accusing Micron of illegally cancelling a telephone order for 3 million dynamic random-access memory (DRAM) chips, then offering an unspecified number of chips to Atari at a much higher price.

ATARI/SOVIET DEAL: Atari Corp. could be part of the first Soviet joint venture with a Western computer company. Early negotiations are reported by Alwin Stumpf, managing director of the Atari Corp. (Deutschland) GMBH. In 1987, Atari sold a record 100,000 computers to the Eastern bloc, including 4,600 8-bit units to East Germany and 10,500 to Czechoslovakia.



# When you want to talk Atari

XL/XE HARDWARE	ST HARDWARE	PRINTERS
INTERFACES		Atari 1020 XL/XE Plotter
P:R Connection       59.99         Printer Connection       39.99         Supra       38.99	- max -	
1151 (1200 XL)	THE STATE OF THE	
Atari 850 Interface	520 ST FM RGB/COLOR \$789	
COMPUTERS	Includes: 520 ST FM with 3½" drive built-in, mouse, power supply and	Atari XMM 801 \$189
LIIII	1224 color monitor. 1040 RGB/Color System 939.00 1040 Monchrome System	XM-M801 XL/XE Dot Matrix 189.00 XM-M804 ST Dot Matrix 179.00 XDM 121 Letter Qlty. XL/XE 199.00
	520ST FM Monochrome System (Includes: 520 ST, internal drive, modulator, mouse, Basic and monochrome monitor)	Brother M-1109 100 cps Dot Matrix 199.00 M-1409 180 cps Dot Matrix 309.00 HR-20 22 cps Daisywheel 339.00 Citizen
Atari 130XE \$135	SM1224 Color Monitor	120D 120 cps Dot Matrix 149.00 180D 180 cps Dot Matrix 169.00 Premier-35 35 cps Daisywheel . 479.00
Atari 65 XE	<b>Atari</b> XF551 Drive (XL/XE)	<b>Epson</b> LX-800 150 cps, 80 col 179.00 Hi-80 4 pen plotter
XL/XE ENHANCEMENTS Axlon 32K Mem. Board (400/800) . 19.99 Atari 80 Column Card 79.99	AA354 SS/DD Disk (ST)	FX-86E 240 cps, 80 col.       Call         FX-286E 240 cps, 132 col.       Call         LQ-500 180 cps, 24-wire       Call         LQ-850 330 cps, 80 col.       Call
MODEMS		EX-800 300 cps, 80 col
<b>Atari</b> SX212 300/1200 (ST)	SUPADTIVE SUPATOTI HOTE DISK	P2200 pinwriter 24-wire
XMM301	Atari SHD204	Okidata Okimate 20 color printer 129.00 ML-182 120 cps, 80 column 239.00
1200 HC	I.B.	ML-192 + 200 cps, 80 column359.00 ML-193 + 200 cps, 132 col 469.00 Panasonic
<b>Supra</b> 2400 Baud XL, XE	5¼ ST Drive	KX-P1080i 144 cps, 80 col 189.00 KX-P1091i 194 cps, 80 col 199.00
2400 Baud (no software) 140.00	GT Drive (XL/XE) 179.00	Star Micronics



GTS 100 31/2" Drive (ST) . . . . . . 199.00 GT Drive (XL/XE) ......179.00

20 Meg Hard Drive (XL/XE) . . . . 639.00 20 Meg Hard Drive (ST) . . . . . 549.00

30 Meg Hard Drive (ST) . . . . . . . . . . . 689.00

**Star Micronics** 

NX-1000 140 cps, 80 column ...169.00

NX-15 120 cps, 132 column ....319.00

P321-SL 216 cps, 24-wire . . . . . . 499.00

Supra

2400 Baud (no software) . . . . . . 149.00

CM8502 13" Comp. & cables . . . 179.00

MONITORS

Magnavox

**COMPUTER MAIL ORDER** 

# .....you want to talk to us.

XL/XE SUFTWARE
Access Leaderboard Golf (pk.) 15.99 Tournament Disk 13.99 Accolade Hardball 19.99 Atari Filemanager 11.99 Music Painter 11.99
I ATARI



Atariwriter Plus	*35°
Atari Program Exchange	
Misc. Programs (cassettes) Broderbund	at 1.99
Printshop	26.99
Karateka	14.99
Cygnus Starfleet I	32 00
Starrieet	

221 Baker St				. 21.99
Electronic Arts				
Touchdown Football .				.11.99
Pinball Construction .				9.99
Microprose				
Top Gunner				. 15.99
F-15 Eagle Strike				.21.99
Silent Service				.21.99

Alternate Reality (city) .......23.99 Alternate Reality (dungeon) .....25.99

Official deliving
Origin Systems Ultima 4
Roklyn SPECIAL
Gorf/Wizard of Wor/AT Deluxe/
Anti-Sub/Journey to Planet (ea.) 3.99
Strategic Simulations
Gemstone Warrior11.99
Sublogic
Flight Simulator II
Scenery FL, NC, SC14.99
X-Lent X-Lent
Typesetter 22.99

Printshop Interface .........21.99

#### **ACCESSORIES**

Maxell MD1-M SS/DD 51/4" MD2-DM DS/DD 51/4" MF-1DDM SS/DD 31/2" MF2-DDM DS/DD 31/2" Sony	8.99 12.49
MD1D SS/DD 5¼"	9.49
Allsop Disk Holders Disk File 60-51/4" Disk File 30-31/2" Curtis	
Emerald	19.99
ICD (XL/XE) Sparta DOS Construction Set US Doubler/Sparta DOS Real Time Clock Rambo XL Multi I/O Board 256K Multi I/O Board 1 Meg US Doubler	28.99 47.99 48.99 29.99 169.00

#### ST SOFTWARE



#### BATTERIES INCLUDED

Degas Elite	\$38 <sup>99</sup>
Access Leaderboard Golf Activision	22.99
Hacker II Doomsday	29.99
Stereo CAD 3-D	54.99
Algebra I Vol II GRD 7-9	16.99
Avant Garde PC Ditto	64.99
Comnet ST Term	21.99

#### ST SOFTWARE

Flootrenia Auto
Electronic Arts Gridiron Fooball/Auto Duel.(ea.) .30.99 Isgur Portfolio
Firebird Jewels of Darkness21.99
Infocom Beyond Zork
Michtron Major Motion
Microprose Gunship
Miles Software
ST Wars
C119.00
ParadoxWanderer (3D)25.99War Zone/Fireblaster26.99
Psygnosis Barbarian/Deep Space (ea.) 26.99
Soft Logik Corp. Publishing Partner
Strategic Simulations Rings of Zilfin23.99
Sublogic Flight Simulator II
Timeworks Swiftcalc/Wordwriter (ea.) 47.99 Partner ST



DAC Easy Accounting	\$59 <sup>99</sup>
Unison World Printmaster Plus	28.99

In the U.S.A. and in Canada

# Call toll-free: 1-800-233-8950

Outside the U.S.A. call 717-327-9575, Fax 717-327-1217

Educational, Governmental and Corporate Organizations call toll-free 1-800-221-4283 CMO. 477 East Third Street, Dept. B6, Williamsport, PA 17701 ALL MAJOR CREDIT CARDS ACCEPTED.

POLICY: Add 3% (minimum \$7.00) shipping and handling. Larger shipments may require additional charges. Personal and company checks require 3 weeks to clear. For faster delivery use your credit card or send cashier's check or bank money order. Credit Cards are NOT charged until we ship. Pennsylvania residents add 6% sales tax. All prices are U.S.A. prices and are subject to change and all items are subject to availability. Defective software will be replaced with the same item only. Hardware will be replaced or repaired at our discretion within the terms and limits of the manufacturer's warranty. We cannot guarantee compatibility. All sales are final and returned shipments are subject to a restocking fee.

#### **BALLPARK LISTING 2**

Listing 2 for *Ballpark Figures*, which makes it easier to type the special characters in lines 1072-74, got left out of the April 1988 **Antic**.

The data for this listing is printed below. In order to use these data lines num-

bered 1000-1080, you must add them to the end of **Antic's** standard BASIC loader routine—which you'll find in this issue as **lines 60-250** of Listing 2 for the Game of the Month, *Escape From Hell*.

To merge both *Ballpark Figures* listings, follow the Listing 2 instructions in this issue's *Escape From Hell* article.

### Don't type the TYPO II Codes!

JE	1000 DATA 247
MO	1010 DATA 0490480550500320830790820840
	36040049044054053041061034216104056233
	003133217104133204104133203
HG	1020 DATA 1041332151041332141041332101
- 10	04133209162000104104157000001232228217
7.554	208246056165209233002133209
DM	1030 DATA 1652102330001332100481081652
D	09133211165210133212165204133206133034
	155049048055051032083079082
ZJ	1040 DATA 0840360400540540440490510480
	41061034208165203133205024101214133207
	165208101215133208160000185
FP	1050 DATA 0000011900020011342181900010
	01200200200132216168136177205209207240
	012165218208004144016176046
UX	1060 DATA 1440441760102002022082341642
	16196217208210198034155049048055052032
	083079082084036040049051049
JY	1070 DATA 0440490560500410610342111692
3.	
	55197211208006166212240011198212165208
	133206165207024144172165213
NX	1080 DATA 2400041342132081480961342131
	60000177205170177207145205138145207200
	196214208241240203034155

#### **COLLEEN MUSIC CREATOR**

Colleen Music Creator, reviewed in Antic, March 1988, is no longer distributed in the U.S. However, you can order Colleen directly from the overseas manufacturer. Send \$29.95 to Colleen Ltd., 18 Bishop Street, Penygraig, Mid-Glamorgan, Wales CF40-1PQ, UK. Phone: 0443-434846 or 0443-435709.—ANTIC ED

#### NO-FRILLS N.E.R.D.S.

Our N.E.R.D.S. Disks of map icons (New Products, **Antic**, February 1988) are now distributed through No Frills Software in both 8-bit (Print Shop) and ST (Print Master) formats. For information, send a stamped, self-addressed envelope to: No Frills Software, 800 E. 23rd Street, Kearney, NB 68847.

Don Loeffler N.E.R.D.S. Software continued on page 10



### DISCOUNT SOFTWARE

#### XL/XE SOFTWARE Micro League Baseball . . . \$25.00 Leader Board Golf . . . . . . \$14.95 M.L. Box Score/ Bop 'N Wrestle . . . . . . . . \$19.00 Stats. Compiler . . . . . . \$16.00 Auto Duel .....\$36.00 M.L. General Manager ... \$19.00 Spitfire 40 . . . . . . . . . . \$23.00 Team/Player Disk . . . . . . \$14.00 Karateka .....\$10.00 . . . . . . . . \$29.00 Hardball . . . . . . . . . . . . . \$19.00 Print Shop . . . Ace of Aces ......\$19.95 P.S. Graphics Library #1, 2 & 3 . . . . . ea. \$16.00 Infiltrator . . . . . . . . . . . \$23.00 Cycle Knight ..... \$14.00 P.S. Companion . . . . . . . \$26.00 Summer Games . . . . \$15.00 A.R. "The Dungeon" . . . \$26.00 Plundered Hearts ..... \$25.00 Rambo XL . . . . . . . . . \$29.00 Math Blaster . . . . . . . . . . \$32.00 Syn-File . .....\$36.00 Flight Simulator II . . . . . . \$39.00 Word Attack ......\$32.00 Scenery Set (1-6) .... \$74.00 MRCA Mach 2 .... \$16.00 Scenery Disk (1-7) . . ea. \$16.00 US Doubler w/Sparta DOS \$49.00 Zork Trilogy . . . . . . . . . \$42.00 US Doubler w/o Sparta DOS . . \$29.00 F-15 Strike Eagle . . . . . . . \$23.00 Hitchhiker's Guide .....\$19.00 Atariwriter Plus . . . . . . . \$39.00 Eternal Dagger .....\$25.00

# XL/XE HARDWARE & ACCESSORIES Atari 65 XE Computer . . . CALL Atari 130XE Computer . . . CALL Xetec Printer Interface .

Atari 130XE Computer . . . CALL
Atari XF551 Disk Drive . . . CALL
Indust G.T. Disk Drive . . . CALL
Atari XMM801 Printer . . CALL
Star NX-1000 Printer . . CALL
Panasonic 1080i-2 Printer . . CALL
Panasonic 1091i-2 Printer . . CALL
Panasonic 1092i Printer . . CALL
Atari SX212
(300/1200) Modem . . CALL
Avatex 1200 HC Modem . . CALL

Atari 1020 Color Plotter \$26.95
Xetec Printer Interface \$35.95
ICD P.R. Connector \$62.95
ICD Printer Connection \$42.95
Epyx 500XJ Joystick \$15.00
Wico Boss Joystick \$12.50
Wico Super Three-Way \$22.50
Kraft Disk Notcher \$4.50
Mouse House \$5.95
Mouse Mats \$7.50
Ribbons For All Printers ... CALL

#### NASHUA DISKS

DS/DD 5¼" W/Sleeves \$39.00 a Hundred or \$33.00 a Hundred In Quantities of a Thousand

#### **MEMOREX WORK STATION**

20 - SS/DD 51/4" Disks With File Box Holds 50 Disks Only ... \$12.95

WE CARRY A COMPLETE LINE OF SOFTWARE, ACCESSORIES & PERIPHERALS FOR THE ATARI XL/XE & ST - PLEASE CALL FOR CURRENT PRICES

Order Line 1-800-282-0333



10 a.m.-8 p.m. Monday-Thursday 10 a.m.-6 p.m. Friday 10 a.m. to 3 p.m. Saturday

11 S. Wright Avenue, Fairborn, OH 45324

Customer Service & Ohio Residents 1-513-879-9699

AD #AT-048



SOFTWARE ONLY — Prepaid orders over \$50 receive free shipping via UPS in continental U.S. Please add \$2 orders under \$50. HARDWARE and all briders requiring shipment via U.S. Post Office are subject to additional freight charges. C.O.D. orders under \$100.00 accepted - add \$5. Charge card orders add \$2 service charge. Ohio residents add 6% sales tax. Personal checks require a three-week waiting period. No waiting when paid by credit ard, certified check or money order. All items subject to availability and price change. PLEASE CITE AD NUMBER WHEN ONDERING. ALL RETURNS MUST BE ACCOMPANIED BY AN AUTHORIZATION NUMBER. FOR YOUR PROTECTION WE CHECK FOR CREDIT CARD FRAUD.

VISA

CIRCLE **002** ON READER SERVICE CARD

# 8-Bit Product Reviews

Covox Voice Master Jr., SSI Shiloh, Panasonic KX-1091 Printer



#### COVOX VOICE MASTER JR.

The inexpensive (\$39.95) Covox Voice Master Junior is a hardware addition to your 8-bit Atari that's not only an interesting diversion, but also a useful and educational addition to your programming tools. It lets you record and digitize any sound as well as "train" your computer to recognize certain words, which can then be responded to in a program.

The Voice Master Junior consists of a small box that plugs into a joystick port and a disk full of software. The box contains a microphone for recording sounds, either for playback or recognition. (Covox is no longer making its regular \$89.95 Voice Master for the Atari. The Junior model reviewed here has a few less features, at a savings of \$50.—ANTIC ED)

The most important piece of software is the BASIC wedge, which essentially adds new commands to Atari BASIC. When the Covox BASIC wedge is installed, you can use commands such as SPEAK, LEARN, RE- COG and SPEED to make use of the Voice Master Junior.

Voice Master Junior can record as many as 64 words or phrases in memory, but since speech can be loaded from disk, the available vocabulary is virtually unlimited. To record a word, you type (in BASIC): LEARN 1. The computer then waits for you to start speaking and records until you stop, or until the section of memory for recording that word is exhausted.

To play a LEARNed phrase, type SPEAK. There are other commands for saving and loading speech files, clearing memory, turning off the screen (which improves speech reproduction) and varying the speed of playback. Further, any of these commands can be used in a BASIC program, subject to certain syntax constraints.

Using the command TRAIN, you can teach the computer to recognize 31 words. (Each word must be less than two seconds long.) Upon using the RECOG command, the number of the word that was recognized is placed into a PEEKable memory location. You can then respond to each TRAINed word in a different way, effectively giving voice control of the computer.

There are commands to narrow the choices and make recognition of the spoken word more reliable, and the TRAINed words are also saved when you save a speech file. Some sample programs in the well-written documentation and several programs on disk illustrate how to use TRAIN and RECOG in your own programs. Also included is a program for fine-tuning the digitized data to try to make the voice sound better.

If you couldn't include speech generated with Voice Master Junior in your own programs, then this device would merely be an interesting oddity. Fortunately, you can. Including a small subroutine (provided on the disk) in your program lets you load speech files and SPEAK words. You cannot LEARN new words or use the recognition features, but you couldn't without the hardware anyway. Creating a standalone program that speaks in your voice is a lot of fun and extraordinarily simple.

The sound reproduction quality is decent, considering that reproducing the human voice is difficult. The results tend to be a bit harsh and fuzzy, but not hard to understand. The documentation includes sections on memory usage and tips for improving performance. This is a well-thought-out product that is worth the money. Can you see the look on a friend's face when your Atari speaks with your voice, or responds to a spoken command?—DAVID PLOTKIN

\$39.95, 48K disk. Covox, 675-D Conger Street, Eugene, Oregon 97402. (503) 342-1271.

CIRCLE 207 ON READER SERVICE CARD

#### PANASONIC KX-P1091i

The **Panasonic KX-P1091i**, **Model II** printer is a steady little performer for a 10-inch carriage, 9-pin dot-matrix printer. It has the usual feed switches and a slide switch for selecting draft quality, near letter quality (NLQ) courier, near print quality, bold proportional spacing and compressed print.

This compact printer (15  $1/2 \times 11 \ 1/4 \times 4 \ 1/2$  inches) prints 10, 12, 15, or 17 characters per inch (cpi), allows downloading of 40 custom characters, produces elongated, italic and bold text, as well as half-size sub-

continued on page 16

continued from page 8

#### BILLBOARD HELP

Because of Charles Cherry's review of Billboard (See "8-Bit Enhancements," Antic, February 1988.), I bought the program. In the review he mentioned that he changed the code to make the program work with a Gemini 10-X printer. I'd like to know what changes he made.

> James Wind Salt Lake City, UT

Charles Cherry writes, "As Chris Warebam says in his Billboard documentation, the printer codes are used in only three lines: 1020, 1600, and 2100. It's just a matter of changing those lines and inserting the codes for your printer. For the Gemini 10-X printer, I added some lines to make it easier. Make the changes in lines 1020, 1600 and 2100, then add lines 1601-1604 and 2101-2104." The new code follows:

1020 POKE 764,255:CLOSE #N4:OPEN #N4,N8,Z," P:":? #N4;"@A";CHR\$(N8);"1M";CHR\$

(LMAR);:RETURN

1600 SCR = SCR + 320/H:FOR I = N1 TOHT/N8

1601 IF MODE=0 THEN ? #N4; "K"; CHR\$(COLL);CHR\$(COLH);PRNT\$ (N1,LIM):GOTO 1610

1602 IF MODE=1 THEN ? #N4;"L"; CHR\$(COLL);CHR\$(COLH);PRNT\$(N1, LIM):GOTO 1610

1603 IF MODE=3 THEN ? #N4;"z"; CHR\$(COLL); CHR\$(COLH); PRNT\$(N1, LIM):GOTO 1610

1604 IF MODE=6 THEN ? #N4; "y"; CHR\$(COLL);CHR\$(COLH);PRNT\$(N1, LIM):GOTO 1610

2100 FOR J=N1 TO W

2101 IF MODE=0 THEN ? #N4; "K"; CHR\$(COLL);CHR\$(COLH);PRNT\$(N1, LIM):GOTO 2110

2102 IF MODE=1 THEN ? #N4;"L"; CHR\$(COLL);CHR\$(COLH);PRNT\$(N1, LIM):GOTO 2110

2103 IF MODE = 3 THEN ? #N4; "z"; CHR\$(COLL);CHR\$(COLH);PRNT\$(N1, LIM):GOTO 2110

2104 IF MODE = 6 THEN ? #N4;"y"; CHR\$(COLL);CHR\$(COLH);PRNT\$(N1, LIM):GOTO 2110

#### **DESIGNER LABELS FIXES**

Designer Labels (Antic, April 1987) doesn't display the directory of pictures saved with Broderbund's Print Shop Companion, even though you can load a picture if you know the filename. To display the directory, change line 3040 to:

3040 FOR X=CO TO 96 STEP 32:IF B\$(X+20,X+20)<>"X" AND B\$(X+20,X+20)<>"x" THEN 3060

The above program line comes from Iconverter (Antic, December 1987).

Also, after each run of labels, the printer platen must be rolled back so that the next run will print in the vertical center of the labels. But the following line modifica-

#### HACK BACK Special OFFER

The Alpha Systems HACK PACK contains all our

Intest products for making Back-up copies,
Analyzing, Understanding and Protecting your
Attain programs. If comes complete with Atari
Protection Techniques (Book and Disk I), Advanced Protection Techniques (Book and Disk II), The
Chipmunk, The Scanalyzer, The Impersonator and Disk Pack 1000. Worth over \$150. Get them all
for the special price of Just \$99.95

Atari Software Protection Techniques Vol I & II

These Book and Disk packages detail the most advanced copy protection methods in use today. They guide you through the methods used to create the protection as well as the copying techniques to get around them. They include information on Phreaking - Hacking - On-line security - Black boxes - Self-destructing programs - Pirate bulletin board systems - Logic bombs - New piracy laws - Hardware data keys - Weak sectoring (Phantom, Fuzzy and unstable sectors) - Overfilled tracks - CRC errors - Bank Select cartridges and MUCH, MUCH MORE. The disks include automatic program protectors, Protection Scanners, directory hiding and more.

800K | and DISK |

BOOK Land DISK I BOOK I (Advanced protection) and DISK II Special Offer, Order both sets for Only

Automatic Disk Back-Up System. Make perfectly running unprotected back-up copies of hundreds of the most popular Atari programs. Chipmunk's sophisticated programming Automatically finds and REMOVES copy protection from most Atari programs. Back-up even heavily protected programs with ease. Finally, a back-up system that needs no special hardware or skills.

(If you need a full list of what Chipmunk copies, call or write for our free catalog) \$34.95

Scanalyzer Automatically scan & analyze commercial programs. Unlock programming secrets and learn from the masters \$29.95

Impersonator Cartridge to Disk back up system. Create running back-up copies of any cartridge (up to 16K) \$29.95 NEW

Get more from your games with CHEAT Tired of spending days trying to beat a game? Tired of getting stuck just when you need another life? Cheat is an innovative new product that gives you the chance you need to beat your favorite games. Cheat works with hundreds of Alari games to give you unlimited lives or power. End the frustration and get hours more enjoyment from your games. (Call or write Alpha Systems for our free catalog with a full list of the programs that work with Cheat) ONLY \$24.95

#### **BASIC TURBOCHARGER**

BASIC TURBOCHARGER

NOW for the first lime a BASIC programmer can get the power, flexibility and incredible speed of machine language. BASIC TURBOCHARGER is a **book and disk package** that contains over 150 ready to use machine language routines. Complete instructions show how to add them to your own BASIC programs to get these features and more: •Smooth Scrolling •Player/Missile control •Load & Save Picture files •Sorting and Searching •Special Effects Graphics •Incredible Speed • Much, Much More • Over 150 programs. You've heard of the power of Assembler, now harness if for your own needs. \$24.95



24 HOUR 216-374-7469 VISA & MASTERCARD, ORDER BY PHONE, OR SEND MONEY ORDER TO:

PARROT II
An All New Parrot sound digitizer for your Atari. Parrot II is a sophisticated new hardware device that plugs into your joystick port. Parrot II has two inputs, One for a microphone and one for a powered source such as a tape player, radio or Compact Disk

The Powerful Parrot II software lets you record sounds into your computer and play them back on any Atari. Parrot II turns your computers keyboard into a musical instrument with nine different sounds covering three octaves each. The sounds can be anything, a dogs bark, a piano, a complete drum set, a symphony or your own voice.

Parrot II lets you modify the sounds on a graphic display to create brand new sounds and special effects. Best of all, the sounds and voices can be put into your own programs that can be used on any standard Atari. Explore the world of digital sound and music. ONLY \$59.95

Pre-Recorded Sound Disk More pre-recorded sounds for Parrot \$4.95
PARROT II Demo Disk (Does not require Parrot to run) \$5.00

POP-N-ROCKER

a fast paced, multi-player trivia game that mixes questions

with real songs (digitized with Parrot). Be the first to identify the songs and answer the music trivia questions. Pop-N-Rocker comes with three data disks and lets you add new questions so it will never get old. You can use Parrot Sound digitizer to add new songs too! Use any kind of music from Rock to Classical to Nursery Rhymes. A new concept in entertainment and a perfect add-on for Parrot. \$24.

#### **COMPUTEREYES & MAGNIPRINT II +**

Turn your computer into a digital portrait studio. This complete package lets you capture, save & print digital images from your Video Camera, VCR or TV. COMPUTEREYES hardware plugs directly into your joystick ports for easy use. Print your picture on a 6 foot poster. \$119.95

ComputerEyes camera system
Comes complete with everything above, plus a black and white video camera and connecting cable. \$329.95
Graphics 9 Software – Add a new dimension to your COMPUTEREYES

captures images in 16 shades of grey. \$12.00

Magnipriri ii +
Easily the most powerful print program available today. Print graphics from almost any format in hundreds of shapes, sizes, and shades. Supports color printing and lets you create giant posters. Magniprint III+ lets you stretch and squeeze, invert, add text, adjust shading and much more Works with EPSON, NEC, Citch, Panasonic, Gemini, Star, XMM801, and compatible printers. (850) interface or equivalent required).

**Graphics Transformer** 

Now you can combine the most powerful features of all your graphics programs. Create print shop icons from a Koala pad picture, from a photo digitized with ComputerEyes, or any picture file.

Graphics Transformer lets you **Shrink**, **Enlarge and Merge** pictures for unequaled flexibility. **\$22**.

#### YOUR ATARI COMES ALIVE

SAVE MONEY Finally an alternative to buying expensive computer add-ons. Your Atari Comes Alive shows you how to **built them yourself.** This 'How-To' **book and disk package** gives you complete step by step instructions and programs needed to built and control these exciting devices and MORE:

- Light Pen + Light & Motor Controllers - Alarm Systems • Voice Recognition • Environmental Sensors Data Decoders
 More than 150 pages. Your Atari Comes Alive

ALPHA SYSTEMS 1012 SKYLAND DRIVE MACEDONIA, OH 44056 FREE BONUS: DELUXE SPACE GAMES (3 games on a disk) Free with any order of 3 or more items. Include \$3.00 shp & hdlg (US Canado) Ohio res. add 51/2% sales tax. Foreign orders add \$8.00 shp & hldg. Call or write for free catalog. Customer Service Line (216) 467-5665 M-F 9-3.

CIRCLE **001** ON READER SERVICE CARD

GIANT WALL SIZED POSTERS.

tions take care of this—on Epson and Gemini printers:

2260 FOR I = C1 TO NLABELS:IF I = C1 THEN GOTO 2270

2262 ? #C2:? #C2:IF PEEK(53279) = C3 THEN POP:CLOSE #C2:RETURN

2310 IF P=-C1 THEN ? #C2:GOTO 2330

2320 ? #C2

These modifications delete some printer control codes. Turn your printer off and back on again before booting another program that uses the printer.

Phil Snider Chattanooga, TN

#### **VENDORS HELP ONLINE**

Type GO ATARIVEN to get to the Atari Vendor Support Forum, a new SIG in the Atari section of CompuServe. As of late February, 1988, six vendors, ICD. Inc., Intersect Software, Michtron, Drafix, QMI and Regent Software have uploaded libraries full of short programs, patches, text files of tips, etc. Company representatives are also available to read your comments and answer your questions—ANTIC ED

#### **BIORHYTHM FIX**

Three readers pointed out a mistake in BASIC Biorbythms (Antic, January 1988). In line 2232, change the GOTO statement from GOTO 2240 to GOTO 2234. Also, "February" is misspelled in line 4020.

Antic thanks Rick Weissmann of Colorado Springs, Colorado; Dennis Leitch of Yakima, Washington and Gordon Haddrell of Summerland, British Columbia.—ANTIC ED

Antic welcomes your feedback, but we regret that the large volume of mail makes it impossible for the Editors to reply to everyone. Although we do respond to as much reader correspondence as time permits, our highest priority must be to publish I/O answers to questions that are meaningful to a substantial number of readers.

Send letters to: Antic I/O Board, 544 Second Street, San Francisco, CA 94107.

#### THE BEST-SELLER YOU'VE BEEN ASKING FOR-

# The Newsroom is now available for your 8-bit Atari.

The Newsroom includes everything you need to create great looking newsletters: Choose from over 600 pieces of clip art • Modify clip art or create your own with powerful drawing tools • Use the built-in word processor to write in any of five fonts • Change your page easily—text automatically wraps around pictures to simplify layout and editing • Add Clip Art Collection™ Volumes for truly professional results!

Over 350,000 families, schools and businesses are using The Newsroom to tell their story. Now it's your turn.





Mix text and graphics in two-column layouts with dramatic full-width banners!

#### SAVE up to \$70 (over 50%!) on The Newsroom and Clip Art Collection™ Volumes.

- Clip Art Collection Volume 1: Over 600 pieces of all occasion art.
- Clip Art Collection Volume 2: Over 800 pieces of business art.
- Clip Art Collection Volume 3: Over 600 pieces of sports and recreation art.

Product(s)	Suggested Retail	Special Offer	You Save
The Newsroom	\$ 49.95	\$39.95	\$10.00
The Newsroom + any 1 Clip Art Vol.	79.90	\$49.90	30.00
The Newsroom + any 2 Clip Art Vols.	109.85	\$59.85	50.00
The Newsroom + all 3 Clip Art Vols.	139.80	\$69.80	70.00
Each Clip Art Collection Volume has a suggested retail va these Atari 8-bit computers: 800XL™ 130XE™ 65XE™ A			are available for

To order by phone, call toll-free:

#### 1-800-445-4780, ext. 3004

Phone orders accepted 24 hours (VISA/Mastercard only). Ask for "The Newsroom Atari Offer." 30-day money-back guarantee! This is an exclusive offer directly from Springboard. This offer ends July 31, 1988.

TO ORDER BY MAIL Complete the order form and mail it with payment to: Springbard Software PD. Box 141079 Minneapolis, MN 55414-6079 FORM NO. 3004 Offer expires July 31, 1988		Address (No P.O. Box) City Phone ()		Zip	The state of the state of the state of
		Check the volume(s) you w	ant		
Check the Atari 8-Bit offer you want	Clip Art Vol. 1 C1011	Clip Art Vol. 2 C1012	Clip Art Vol. 3 C1013	You pay only	Write in your price
☐ The Newsroom only N1010				\$39.95	
☐ The Newsroom + 1 Clip Art				\$49.90	
☐ The Newsroom + 2 Clip Arts				\$59.85	
☐ The Newsroom + 3 Clip Arts				\$69.80	
Please check one:  ☐ Check/Money Order (Payable to Spr	ingboard)   VISA	☐ MasterCard ☐ School P.O.	Attached MN residen	SUBTOTAL ts add 6% sales tax	
Card No.		Exp. Date		ipping fee per order total in U.S. Dollars	\$5.00
ignature (required)			THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW		
MPORTANT INFORMATION: Springboard will	accept orders by pho	one or mail within the U.S. and U.S	Dollars only. No cash, C.O.D.	or P.O. boxes accepted. Ple	ease allow 2 to 3 wee

IMPORTANT INFORMATION: Springboard will accept orders by phone or mail within the U.S. and U.S. Dollars only. No cash, C.O.D. or P.O. boxes accepted. Please allow 2 to 3 weeks for delivery.

Please copy this form for additional orders.

for General this form for additional orders.

Springboard. The Newsroom and Cilip Art Collection are trademarks or registered trademarks of Springboard Software, Inc. Atari 800XL, 1050, 65XE and 130XE are trademarks or registered trademarks of Springboard Software, Inc. Atari 800XL, 1050, 65XE and 130XE are trademarks or registered trademarks of Atari Corporation. The Newsroom Atari does not include The Wire Service feature.



New Products notices are compiled by the Antic staff from information provided by the products' manufacturers. Antic welcomes such submissions, but assumes no responsibility for the accuracy of these notices or the performance of the products listed.

#### IC1050 CONTROLLER

(disk enhancement) Innovative Concepts 31172 Shawn Drive Warren, MI 48093 (313) 293-0730 \$21.95, 1050 disk drive CIRCLE 219 ON READER SERVICE CARD

Write to the back side of a 5 1/4 inch floppy without having to notch it. The IC1050 Controller works on all 1050s, including those with upgrades. The three-position switch on the IC1050 Controller has the following modes—Standard, Protect Off (will write to any disk) and Protect On (will not write at all). The Controller has a two-color LED for monitoring its write-protect status, and no soldering is required.



#### FLOPPICLENE

(disk drive cleaner)
Tech-Sa-Port
P.O. Box 5295
Pittsburgh, PA 15206
(412) 661-2629
\$34.95
CIRCLE 222 ON READER SERVICE CARD

The wet portion of the Floppiclene wet/dry system cleaning disk loosens foreign particles, and the dry portion wipes them off. Floppiclene contains 20 100% disposable cleaning disks (so there's no recontamination of the head), plenty of cleaning solvent, a reusable disk envelope, two anti-static screen wipes and two lint-free wipes for drying off the monitor.



#### STAR NR-10

(dot-matrix printer)
Star Micronics America, Inc.
200 Park Avenue, New York, NY 10166
(212) 986-6770
(800) 537-8270
\$549
CIRCLE 221 ON READER SERVICE CARD

How does 60 characters per second (cps) sound—in near letter quality? How about 240 cps in draft? That's the speed of the Star NR-10 and the wider-carriage NR-15 (\$799), according to the manufacturer. These parallel printers require no DIP switch manipulation—all controls are on the front panel. Features include auto paper feed, tractor feed and forward or reverse feed, an expandable 12.6K print buffer.

#### PRINTPOWER .

(printing software)
Hi Tech Expressions
1700 Northwest 65th Avenue
Suite 9
Plantation, FL 33313
(800) 848-9273
(305) 584-6386 In Florida
\$14.95, 64K disk

Print greeting cards, invitations and announcements in two-fold horizontal, two-fold vertical and tent card formats with **PrintPower** from the people who gave you AwardWare (reviewed in **Antic**, November 1987). PrintPower prints signs, posters, flyers, stationery, letterhead, memos, notepaper and banners, and the onscreen template lets you visualize your work as you create it. The program features six typefaces with seven variations each and three different type sizes; line-by-line editing; 40 different borders and 60 different graphic designs.

#### 1050 DETECTIVE

(disk utility)
Del Com Services
803 Eisenhower Drive
Augusta, GA 30904
(404) 738-2139
Requires 48K, 1050 disk drive,
BASIC Rev. A or C
\$19.95

The 1050 Detective lets you explore the Serial Input/Output area of Atari 8-bit computers and shows you how to control your 1050 drive—even one with modifications. Included programs are in BASIC, sometimes including machine language subroutines, and several type-in programs are included in the 29-page documentation.

### CHILDHOOD SOFTWARE SURVEY

(resource list)
High/Scope Educational Research Foundation
600 N. River Street
Ypsilanti, MI 48198-2898
(313) 485-2000
\$20
CIRCLE 220 ON READER SERVICE CARD

Yes, there is a significant amount of Atari 8-bit software listed in this book. The 1988 Survey of Early Childhood Software helps parents and teachers find just the right software for children aged 3 to 6. Nearly 300 comprehensive, practical descriptions rate each program on ease of use, educational value, instructional design, computer compatibility, skills required and amount of adult supervision needed. Titles are listed by computer brand name, content area and overall rating.

Return the favor. When you call a manufacturer or supplier about a product you've seen advertised or otherwise mentioned in ANTIC, please tell them so. This will help us to continue to bring you the latest information about products that will make your Atari computer an even more valuable investment in the future.

—ANTIC ED

Program By TONY BARNES

# **Escape From Hell!**

Abandon all hope, ye who don't use TYPO II

Your programming sins have condemned you to eternal suffering! But maybe—just maybe—you can gain absolution and ascend through the heavenly gates. Escape from Hell! is a BASIC program that works on 8-bit Atari computers with at least 48K memory, disk or cassette.

here must be some mistake," whimpered Myron. "I didn't deserve to be sent to Hell!" But his guilty thoughts nagged at him, "Is it because I wrote yet another game ripping off Lode Runner? Or could it be. . . because I never used TYPO II, found in every issue of the Antic Software Library?"

Disconsolate, Myron began to wail, "But I didn't do anything bad enough to be damned to eternal torment! Let me out!" However, his pleas fell on deaf horns. And he knew he must learn to program the **Antic** way in order to *Escape from Hell!* 

Step into the cloven hooves of Myron the Damned and walk through the infernal flames of the lowest and most fiendish levels of Hades—reserved for those who never use TYPO II even after continually getting all sorts of avoidable program errors and blaming everything on Antic.

You've got a time-limit to race through each of the six levels of Hell and snatch up every single back issue of **Antic**. If you succeed, you go up to the next level. If you fail, you must overcome an extra death.

Oh, and did anybody mention the Devil? Hey, that kooky Satan isn't going to make things easy or fair for you. That's why he's the Devil. He's going to chase you till he catches you, and if you lose your four deaths, not only will you burn in Hell forever—you'll also be forced to listen to constant bragging from owners of Commodore computers.

#### **HOW TO PLAY**

Type in Listing 1, HELL.BAS, check it with TYPO II (if you don't want to end up like Myron the Damned) and SAVE a copy before you RUN it.

If you have trouble typing the special characters in lines 9022 and 10001-10009, don't type them in. Instead, type Listing 2, check it with TYPO II and SAVE a copy. When

you RUN Listing 2, it creates these hard-to-type lines and stores them in a file called LINES.LST.

To merge the two programs, disk users LOAD "D:HELL.BAS" then ENTER "D:LINES.LST". Cassette users CLOAD Listing 1, then insert the separate cassette used for Listing 2 and ENTER "C:". Remember to SAVE the completed program before you RUN it.

After the title screen engulfs you in flame, press the joystick button to play Escape from Hell! Myron is the little green guy, and Satan's the little red one waving his pitchfork. Move around with the joystick, grabbing every **Antic** "A" logo you can. If you get them all without being dusted by the Devil, you'll go up to the next level.

You get between five and ten points for each back issue of **Antic** you grab, but the Devil decides how many points you need—it's different each time, anything between 2,500 to 5,000 points. In fact, if Satan so decrees, you might have to go through more than one cycle of the six screens.


#### WATCH OUT

Here are some hazards on your Escape From Hell:

If you step in a fire pit, the unbelievable pain and shock will send you skyrocketing—but that's the only way to move upward within a screen. No pain, no gain.

Watch out for shaky ground. You can only cross it once—the next time you try, it'll fall out from under you

continued on page 15



CIRCLE 032 ON READER SERVICE CARD

# **Grand Underground Text Adventure**


New challenge for Zork fans

By STEVEN LEE

Fans of large-scale text adventures will find a challenging quest in this month's Super Disk Bonus—Antic's Grand Underground Text Adventure. If you're homesick for the mysterious Zork type of realm, here's your chance to go back below ground and attempt to survive a whole menagerie of monsters—gnomes, elves, dwarves, trolls, ogres, vampires, wizards, giant rats. . .

**Antic's Grand Underground** Text Adventure is written in fast, powerful MAC/65 machine language and boasts multiple windows that make playing the game a lot more convenient. The BASIC runtime translation is over 160 sectors long, which would mean you'd be typing page after page of nothing but data statement numerals if we printed the listing. MAC/65 programmers should be able to find the full source code for the Grand Underground Text Adventure in May on the ANTIC ONLINE Software Shelf.

The programmer of Antic's Grand Underground Text is Steven Lee of Sacramento, California who wrote the ambitious *UltraFont* character set



editor in our August 1986 issue. He is a computer engineering major at California Polytechnic Institute, San Luis Obispo. The story layout is by his sister Wai Ping Lee, a business/economics major at U.C. Berkeley and an avid adventure gamer.

Here's how the adventure (originally titled Spare Tire) begins: You're driving along dark, narrow roads when suddenly a little dog appears out of nowhere. You swerve to avoid the hitting the pup, only to skid into a cavernous hole. Fortunately you are not hurt and the only damage seems to be a very flat tire. Looking in the trunk, you discover that the spare tire is missing. Suddenly you hear chattering noises from below. Perhaps someone down there can help. It looks as if you have only one choice, to investigate and attempt to find a spare tire.

This month's Antic Disk also has a help file for the Grand Underground Text Adventure including a list of acceptable command verbs. To read the Help file or obtain a printout, select choice 5, HELP.BAS, from the Side A menu.

Your May 1988 Antic Disk-featuring the Grand Underground Text Adventure as well as every type-in program from this issue—will be shipped to you within 24 hours after receiving your order. Just phone Toll-Free to the Antic Disk Desk at (800) 234-7001. The monthly disk is only \$5.95 (plus \$2 for shipping and handling) on your Visa or MasterCard. Or mail a \$5.95 check (plus \$2 shipping and handling) to Antic Disk Desk, 544 Second Street, San Francisco, CA 94107.

Programmers: Antic wants to see your most ambitious programs, even those too large or complex for printing as a type-in listing. High-quality programs in any language that has a runtime version are now eligible for consideration as a Super Disk Bonus.

New Super Bonus Text Adventure • only \$5.95 on the Antic Monthly Disk!



Part of the Antic Escape From Hell! re-design team at work: Seated, Charles Jackson. Standing (from left), Scot Tumlin, Jon Bell, Carolyn Cushman.

#### **ESCAPE FROM HELL!**

continued from page 13

and send you plummeting. The Devil, however, can go wherever he wants, because it's his turf.

By the way, you can use your joystick to "fall" horizontally—the laws of physics are a bit hinky in Hell.

When you reach higher levels, watch out for the arrows. You can't travel against the direction of an arrow. But the Devil can, you betcha. If you wanted death to be fair, you never would have wound up in Hell.

There's also a suicide mode. On any game screen if you're in an impossible situation, press the joystick button. Sure, you'll lose a death, but at least you can start over.

After you have grabbed the Satanically randomized number of **Antic** logos, you'll be absolved and the Hallelujah Chorus will accompany your ascent into Heaven.

#### CHALLENGE FROM HELL

The **Antic** staff hereby apologizes to author Tony Barnes, who will be very surprised to see what became of his game here. We originally accepted the game because it ran smoothly, was well-programmed and had some interesting variations at the higher levels. But when we actually sat down to prepare it for publication in this issue, a little jazzing up seemed to be needed.

As submitted, the game was titled "Dynamite Dan" and it had a little guy running through a dungeon maze while picking up dynamite sticks and jumping on trampolines to escape from a robot that searched in random patterns. Well-done, but nothing that hadn't been seen before.

So Antic Technical Editor Charles Jackson started idly changing POKE values to get a more ominous background color. Looking at the new hellish red that eventually wound up in the infernal flames and on the title screen, Editor Nat Friedland commented, "Escape From Hell! The little guy is condemned for his programming sins."

Ultimately the whole **Antic** staff became obsessed by this conversion project. Charles Jackson spent more time overseeing the program changes than we'd like to admit to Publisher James Capparell. Assistant Editor Gregg Pearlman wrote the new game scenario. Editorial Assistant Carolyn Cushman helped work on the new sound and graphics. The idea for the final ascension came from Ad Production Coordinator Katie Murphy.

In fact, we had so much fun putting changes into

Barnes' clean, sturdy program that **Antic** challenges *you* to come up with a new adaptation which is totally different from Escape From Hell! Keep the same overall program structure, but change the character set, the look of the screen, the storyline, etc.

#### **FINAL JUDGMENT**

Antic will judge the entries and all best adventures will appear as a bonus on the November 1988 Antic Disk. Winners will receive a copy of that disk issue. The Grand Prize winner also gets any single Antic Software product from The Catalog.

Mail your programs and story textfiles on a standard, single density disk that's compatible wth DOS 2. Include a printed copy of your new scenario. Send entries to: Challenge From Hell, Antic Magazine, 544 Second Street, San Francisco, CA 94107. All entries must be received by July 5, 1988.

On your disk label, please *neatly* print: Challenge From Hell, your name, address, phone number and the filename(s) on that disk. Contest entries become the property of Antic Publishing, Inc., and the disks cannot be returned.

Tony Barnes is a San Franciscan making his first appearance in Antic. We hope he's not too upset about what happened to his program.

FOR MORE ARTICLES LIKE THIS, CIRCLE 203 ON READER SERVICE CARD.

Listing on page 69



CIRCLE 033 ON READER SERVICE CARD

#### 8-BIT PRODUCT REVIEWS

continued from page 14

scripts and superscripts. The 1091i emulates the Epson RX-80 or the IBM Proprinter. It has seven bit-image graphics modes (ranging from 60 dots per inch to 240), a two-year warranty and a retail list price of \$299.

The ribbon cartridge simply pops in. It has a hole you can poke to darken the ribbon after it becomes light. The manual provides all the technical information you need for customizing printer drivers, designing character sets or writing screen dumps—even beginners can experiment with the sample BASIC programs provided. The KX-P109li readily works with Atari 8-bit computers if you supply a parallel interface (such as the P:R: Connection or Atari 850) and set DIP switch SW3 (line feed switch) to ON.



The KX-P1091i does quite well in terms of speed, print quality and noise level. This Panasonic took only 19 seconds to print out a double-spaced page in pica draft mode and 61 seconds in NLQ mode.

The draft print passes the practical test—it is quite readable in all pitches, from pica to condensed. While the NLQ printing won't pass for daisywheel printing, it's good.

The KX-P1091i does have a few drawbacks. The parallel port is located in the rear, encouraging fanfold paper to snag on the edge of the ribbon cable. And the design of the tractor is too simple. The paper pinholes hook on only the front of the tractor instead of both front and the back. If the paper is not precisely positioned, it tends to pull off the tractor. This sometimes happens with even more

expensive printers, but the simplistic construction of this tractor compounds the problem.

The cover must be snapped off or on. It is bothersome to line up the paper since you cannot easily see its top edge through the smoke-tinted lid. But none of the printer's faults are fatal. The Panasonic KX-P1091i Model II packs a lot of punch for the price.—JARED LUM

\$299. Panasonic Corp., 2 Panasonic Way, Seacaucus, NJ 07094. (800) 222-0584.

#### SHILOH

Shiloh: Grant's Trial in the West is SSI's new Civil War game for one, two or no human players and it requires meticulous attention to detail. The costly two-day struggle was characterized more by inexperience and incompetence than by skill and courage. And in the game, a talented Confederate commander can easily "change history."

Shiloh's three levels of complexity each have multiple options for difficulty, visibility, reinforcements, ammunition, unit efficiency and scenario length. Both commanders have infantry, artillery and cavalry units. The North also has gunboats for fire support.

At the Intermediate level, forces must be kept organized to avoid penalties from poor command control. Brigades *must* be broken down into more effective "demi-brigades," and units can be placed in different formations for more efficient movement or combat. The Advanced game limits ammunition, but lets you fortify positions.

The graphics are fairly good. Shiloh can be played on either a large-scale "strategic" map or a more detailed tactical map of 200-yard squares in a  $30 \times 30$  grid.

The fine manual contains tutorials on movement and information gathering, and SSI provides a battlefield map card with game data on the back. It should have contained a list of commands, since the "online command help" doesn't help much. The Order

of Battle listings in the manual *must* be kept at hand during the game to maintain command control.

Shiloh plays fairly well at the Basic level, and there's also a nice joystick option here (though you can't move diagonally). You *cannot* play the Intermediate and Advanced levels with a joystick—unless you install your own driver (*SSI Joystick Commander*, **Antic**, January 1988).

At the more complex levels, the addition of greater detail slows Shiloh down. Much more time must be spent planning the operations and combat phases of each turn. When you're done with your move, the computer takes several minutes to make its moves.

If you have plenty of time, Shiloh is challenging and entertaining. Keeping your forces organized will bring far greater success than the historical commanders had.—RICH MOORE

\$39.95, 48K Disk. Strategic Simulations, Inc., 1046 N. Rengstorff Avenue, Mountain View, CA 94043. (415) 964-1353.

#### **BATTY BUILDERS**

Thunder Mountain's **Batty Builders** is supposed to be designed for ages 8 and up—up to about 13, I'd say. A joystick-controlled little stick figure runs across the bottom of the screen, trying to catch one of four different kinds of falling blocks and then tossing them into the right row so that all the blocks are aligned at the end.

You get points for catching the blocks and even more for putting them in the proper rows. You also get bored real quick from the simplicity of the challenge and the 1970s feel of the graphics. To Thunder Mountain's credit, they do give an exact idea of what the game sceen looks like on the package. So what you see is what you get, but what you get won't provide much entertainment for anyone older than 13.—RICK TEVERBAUGH

\$9.95. Thunder Mountain, P.O. Box 1167, Northbrook, IL 60065-1167. (800) 221-9884.

CIRCLE 211 ON READER SERVICE CARD

By HEATH LAWRENCE

## Sleuth

Challenging memory game, no reading required

Faces, houses, telephones, musical notes, helicopters and spacemen are only a few of the pictures that kids can match in this 342-square memory game modeled after TV's famed "Concentration." The BASIC program works with all Atari 8-bit computers of any memory size, disk or cassette.

n this brain-challenging game, two players compete to be first to match 10 pairs of little pictures hidden behind 19 rows and 18 columns of blank blocks. That's a total of 342 possible hiding places—and the pictures are randomly scattered into different positions every time you play the game. So you'll need to focus all your memory skills.

Unlike the other variations of TV's "Concentration" that we have published in recent months—BASIC Concentration ST (April 1988) and 8-bit Recall (May 1988)—Sleuth does NOT require players to guess words after finding the image pairs. Therefore, Sleuth is a particularly suitable challenge for families with kids who don't read yet.

#### **GETTING STARTED**


Type in Listing 1, SLEUTH.BAS, check it with TYPO II and SAVE a copy before you RUN it. This two-player program works with either two joysticks (each player uses their own), or with one joystick shared by both players in turn.

When RUN, Sleuth asks you whether you're using one joystick or two. Next, Sleuth draws a black-bordered 18 X 19 grid and a little "man" at both bottom corners of the screen.

Each player then takes turns moving the flashing cursor from the center of the screen to any other square in the grid. Pressing the joystick button reveals a yellow icon. You then move to another square and press the button again.

If you uncovered a pair of icons, they'll both turn green and remain onscreen. If the two icons don't match, there's an onscreeen countdown of 10 seconds and you must try to memorize the icon locations before they're covered up again.

A match is worth one point and will make your little man jump joyfully at the bottom of the screen. After one




player gets 10 points and wins, a star appears below the winner's jumping man. Press [START] for another game.

#### HINTS

The key to winning at Sleuth is to remember the positions of shapes that were revealed a few turns previously. It's much easier to remember icon locations if you use points of reference. For instance, try exposing icons in the corners or beside others that were matched previously. Pay particular attention to the locations during the 10second countdown—you can bet that your opponent will.

To change the cursor speed, change the variable D in line 170 ("FOR D=1 TO 20:NEXT D"). To change the countdown time, do the same thing in line 60.

continued on page 26



17

# Atari SX212 and SupraModem 2400

Two breakthrough values in online hardware

ATARI SX212 MODEM Atari Corp. 1196 Borregas Avenue Sunnyvale, CA 94086 (408) 745-2000 For Atari 8-bit or ST \$99.95

CIRCLE 243 ON READER SERVICE CARD

#### Reviewed By CHARLES JACKSON

The **SX212** (\$99.95) is Atari's first 300/1200 baud, Hayes-compatible direct-connect modem. It will work with your ST *or* your Atari 8-bit computer—without any additional interface devices. All in all, the SX212 is a safe, workable modem that offers Atari users an easy way to move up to 1200 baud online speed at the most affordable price on the market.


Best of all, the SX212 *works* fine! During hours of online testing at **Antic**, we did not have any problems with the SX212 power supply, a weak point of the Atari 1030 modem. Nor did we find any bare wire-tips dangling inside the case, as has been a worry to Atari XM301 modem owners (although it remains unclear if any equipment damage can be blamed on this threat).

The SX212 has a speaker, permitting you to hear busy signals, carrier tones and wrong numbers. If you've seen Atari's XEP80 eighty-column module (Antic, July 1987), you've already seen the SX212. Both were designed to use the same case. (This may explain why the silent XEP-80 has speaker brackets and a hole for a volume control. It also has recesses for eight modem status lights).

#### **CONNECTING TO YOUR 8-BIT**

Eight-bit owners have the option of connecting the SX212 in one of two ways. If you own an Atari 850 Interface or a P:R: Connection, you can connect it to your SX212 with a standard modem cable—and the SX212 will act like a Hayes modem. The Antic Technical Staff has successfully tested the SX212 with HomeTerm, BackTalk and 850 Express software.

If you don't own an 850 or P:R: Connection, you can connect the SX212 directly to your Atari "daisy-chain" with a regular Atari SIO cable—the same type of cable that connects your disk drive to your Atari. Unfortunately, the previously mentioned programs will not work with an SX212 connected this way.



Presently there are only a handful of modem programs which support the SX212 without an 850-compatible interface. Most of these are Public Domain AMODEM terminal programs that have been altered to work with the SX212. There are also public domain "patch" programs which will similarly modify commercial online software such as HoméTerm. Check your favorite BBS and CompuServe's SIG\*Atari for the latest patches.

Although the SX212 was first sold without software, future releases of the modem are to include the SX Express! program, the newest member of Keith Ledbetter's popular family of online software. An Atari spokesman says that as soon as their packaging contractor delivers the goods, SX Express! disks will be on sale along with an SIO cable for about \$19.95.

#### SX FOR ST

Your SX212 will also work with your ST. No special cables or adapters are necessary—just use a standard modem cable and plug it into the ST's modem port.

On the ST, the SX212 can be used with any terminal program which supports a Hayes-compatible modem. Using the ST, we successfully tested the SX212 with Flash and several types of VT-52 emulators. Finally, we used the SX212 and FoReM-ST software (Comnet Systems) to create and control a BBS.

#### FINAL THOUGHTS

Atari's SX212 modem appears almost suspiciously competent. The \$99.95 SX212 uploads, downloads and runs a BBS as efficiently as **Antic's** Hayes Smartmodem 1200—which sold for \$599!

But although the SX212 costs only a fraction of the Hayes Smartmodem, it is a bit more difficult to live with. The SX212 speaker volume control is located deep within the modem. You need a long, thin screwdriver to adjust it.

The status lights, which let you know what the modem is up to, are dim and difficult to see. Your eyes must be perfectly level with the modem to see *any* lights.

The SX212 only has one SIO port, so it must be placed at the far end of your chain of peripherals. Because of this limitation, you can't use the SX212 with any other single-port peripheral, such as a program recorder.

Documentation for the SX212 is adequate for a telecommunications novice, but there is very little for the serious programmer, and there is no documentation for the SX212's handler. The manual is a 51-page guide to installing the SX212 and using its command set.

Still, despite any imperfections, at only \$99.95 the SX212 is an unbeatable value for any Atari computer owner.

SUPRAMODEM 2400 Supra Corp. 1133 Commercial Way Albany, OR 97321 (503) 967-9075 (orders) (503) 967-9081 (technical support) \$179.95 \$199.95 with cables and software

#### Reviewed by GREGG PEARLMAN

The **SupraModem 2400** direct-connect 300/1200/2400 baud modem has now been used extensively at **Antic** and we haven't had any trouble with this hardware—except on 2400 baud uploads and downloads, which can probably be blamed on the telephone line noise you'll inevitably encounter at 2400 baud.

The SupraModem 2400 is one inch high, 4 5/8 inches wide and 6 1/2 inches long. It can be stacked easily. On the back of the SupraModem, from left to right, you'll find a nine-volt power jack, a female RS-232C serial port, a "line" socket for the provided telephone cable and a "phone" socket for your telephone.

The SupraModem 2400 comes with a 64-page manual that extensively covers the controls, commands, configurations, S registers, auto-dialing and auto-answering, diagnostic tests, result codes, FCC rules and more.

If you're running a bulletin board system, you'll want to know that the SupraModem 2400 automatically answers calls and hangs up afterward, and you can change the baud rate through software. The modem comes configured for automatic tone dialing, but it can also be set for pulse auto-dialing.

According to Supra Corp, the SupraModem 2400 is completely Hayes-compatible. It has a speaker with three volume settings—loud, Louder and PAINFUL! Unfortunately this is controlled through software, not with a volume knob. And if you put a pillow over the modem, you won't be able to see the front panel lights to tell what's going on.

The eight front lights are:

HS High Speed (2400 baud)

AA Auto-Answer mode

CD Carrier Detect

**OH Off Hook** 

RD Receive Data

SD Send Data

TR Terminal Ready

MR Modem Ready

Long, continuous use doesn't slow down the modem



or cause other troubles in transmission and reception. I accidentally left the power on over the weekend and the SupraModem 2400 showed no signs of resulting wear.

My data line at Antic Publishing is shared with the editorial staff of Model Shopper Magazine, so obviously we can't both go online at the same time. However, if the SupraModem is on when Model Shopper goes online, through the Supra's speaker I hear the dial tone and the number being dialed. I never noticed this on the Avatex 1200 modem I previously used.

In the Atari areas of CompuServe and GEnie, opinions about the SupraModem 2400 thus far are mixed. Users either *really* like it or *really* don't. Many don't like the four-level volume control (three ons and an off). A few have had trouble running bulletin board systems, but we

continued on page 26



CIRCLE **035** ON READER SERVICE CARD

By PAUL WAXMAN

# Big Bird, Ernie, the Tink Tonks — Only \$9.95 Each

rnie, Big Bird, Grover and television's other "Sesame Street" characters have been making learning enjoyable and exciting for millions of children for more than a decade. Hi Tech Expressions bought the rights to the Sesame Street software series, originally published by CBS Software, and has re-released the programs at a fraction of their original cost.

As if the new price—\$9.95 each—isn't enough of an enticement, each package also includes a Sesame Street Growth Chart, a play manual that includes suggestions to help parents use the programs more effectively and an offer to receive a \$2 graphics disk for either PartyWare or AwardWare, or a sampler pack of their printer paper. Even if the programs were only fair, they and the extras would be well worth the money. But "fair" is not what these programs are. They're great—for children aged 3 to 6!



#### **BIG BIRD'S SPECIAL DELIVERY**

Big Bird and Little Bird must deliver a package containing an object from one of nine different categories: Clothes, Sports, Plants, Travel, Food, Animals, Kitchen Things, Buildings and Musical Instruments. **Big Bird's Special Delivery** has four possible destinations, each containing one item from four of the categories.

In Same Game, one of the items exactly matches the item to be delivered. In Find the Right Kind Game, one of the four is from the same category as the one Little Bird is holding. Since there are nine categories with six to eight items in each, the game can be played several times without much repetition.

Ability to match shapes (Game 1) and categorize (Game 2) are important first steps in developing good reading and math skills. This program helps reinforce those skills in a positive and enjoyable way. However, it would be more effective if it weren't for a few problems. The

graphics showing the items to be matched aren't all clearly recognizable. In fact, I had to look at the instruction booklet, which contains a list of all the items, to make sure what a couple of them probably were. Also, the children to whom I showed this program liked it at first but became bored fairly quickly.



#### **ERNIE'S MAGIC SHAPES**

With a wave of his magic wand, Ernie the Magician makes a shape float over his head. Another wave, and a second shape appears on a table nearby. The child now and decides whether or not the two shapes match. If so, and the child agrees, Ernie nods and the two shapes float together before disappearing. If not, Ernie waves his wand, and a new shape appears on the table.

Ernie's Magic Shapes has six levels of play. At the lower levels, the child compares one shape to another or the colors of two similar shapes. Levels four and five require greater visual discrimination since the target object is made up of several shapes and each one has to be matched individually. At the highest level, there is a complex mixture of both shapes and colors.

The program is well designed, with neither the animation nor the program design becoming more important than the skills being developed. The shapes are clear and easily recognizable. Because of the increasing difficulty of the levels, the program will continue to challenge and teach your child as your child's capabilities increase—the program will grow with your child.



#### **ASTRO-GROVER**

In **Astro-Grover**, the Zips have landed from the planet Zap. Your child and Grover, that friendly blue furry mon-

ster, will help the Zips build beautiful cities and then help them get home. While helping Grover, your child also helps himself review such introductory math skills as counting, addition, subtraction and recognizing number patterns.

There are five activities of increasing difficulty in Astro-Grover. Level one gives your child practice in counting. With each successful count, another building is added to a colorful city. Level two gives a different sort of practice in counting. Adding and subtracting skills are practiced in levels three and four, while in level five the child must determine which number combinations will add up to the number on the space ship.

The graphics, music and educational goals of each level, and the stylish way the software is put together, make Astro-Grover a beautiful and educationally sound program. Even after the skills are mastered, chances are your child will still enjoy reviewing them with Astro-Grover.

\$9.95 each, 48K disk. Hi Tech Expressions, 1700 N.W. 65th Avenue, Suite 9, Plantation, FL 33313. (800) 848-9273. In Florida, (305) 584-6386.

CIRCLE 213 ON READER SERVICE CARD

#### TINK TONKS SUBTRACTION

Another welcome new line of \$9.95 educational software reissues comes from Thunder Mountain, a subsidiary of Mindscape.

From Mercer Mayer's classic book series comes **Subtraction with the Tink Tonks**. This software uses the appeal of the fairgrounds to entice children aged 4 to 8 to enter the various tents and put their subtraction skills to the test.

The opening menu offers two choices: Subtraction Fair and Play a Game. Each has three skill levels. There is a maximum of five subtraction activities and two games. Just as at a real fair, you can spend all your "money" at one or two booths doing the same activities several times or you can try them all. Beware: there are a couple of "sucker" booths.

Generally, the children with whom I tried this program had a lot of fun. The graphics and music are appealing and set the mood for fun at a fair. The subtraction examples are presented in very entertaining ways, with each tent having a particular style of presentation. As a change of pace and after the child has won enough Beepers, he or she can enter the Arcade for a test of memory.

Some of the children had difficulty controlling Tonker, the cute little robot who is the child's computerized alter ego. But eventually they all got the hang of it. Also, I wish there were more levels. I would like to use this program with my older students.

#### **RUN FOR THE MONEY**

Despite minor irritations, **Run For The Money** is one of the best economic simulations I've ever seen for children and adults. The premise of this two-player game is that two rocket ships needing repairs have landed on the planet Simian. You and your opponent race to buy raw

materials needed to manufacture synanas, which you then try to sell to the natives. With your profits, you can repair your rocket ship, leave Simian and win the game.

To accomplish that goal, you must make decisions that take into account such interrelated factors as the three grades of raw material available, bargaining with suppliers and the unpredictable reaction of the planetary natives to the quality of your product and the your price. With your profits, you participate in an auction to buy the parts you need for your ship's repairs.

You plan your business strategy using a modified spreadsheet and are rated by the natives on how well you meet your projected goals. This rating can influence their decision to buy from you or your opponent. Other features include profit graphs, the Simian Vine newspaper and the development of an advertising campaign.

There are a couple of minor problems with the program. When it loaded, there was some screen flickering. Pressing [SELECT] changes the level of play at the beginning of the game, but it was difficult to get the computer to stop on the level I wanted. The tutorial, when I finally got it running, was great.

#### SONGWRITER

Sometimes I think we can be too sophisticated. After having worked with Atari's four voices, I was disappointed to find that Thunder Mountain's **Songwriter** uses only one voice. How can you make music with only one voice? No chords or counter-melodies—not even a simulated rhythm background.

And then I played with it and had a lot of fun. The program represents the music as a roll in a player piano. The screen shows a two-and-a-half octave spread of what looks like a modified piano keyboard. You can decide the beginning note of that spread. You choose a note to be a part of the music by moving a white marker and placing it with the spacebar. The size of the marker changes according to the duration of the note. You can design your own musical scale and choose any one of a number of note durations including such non-standard notes as 24ths and 48ths.

You can also create your own keyboard commands (called "musical ideas") to automatically repeat patterns of notes. And included on the disk is a library of songs that show off what the program can do.

Whether or not you'll like this program depends upon how you want to use it. If you want to learn about "true" musical notation, chords, rhythm and background and be able to translate what you do on the computer to another musical medium, try another program. What Songwriter will do for you is give you a graphic representation of musical patterns and the physical relationship between notes of different values and durations. I found this program to be a fun and effective introduction to the physics of music, 'for age 5 and up.

\$9.95 each, 48K disk. Thunder Mountain, P.O. Box 1167, Northbrook, IL 60065. (800) 221-9884. In Illinois, (800) 942-7315. CIRCLE 214 ON READER SERVICE CARD

**130XE COMPUTER** 



XF551 DISK DRIVE **DOUBLE DENSITY** 



**80 COLUMN WORD** PROCESSING PACKAGE

FOR XE/XL COMPUTERS XET-80 COLUMN & ATARI WRITER 80

> **BOTH FOR** \$109



XDM-121 Letter **Quality Printer** W Built in Interface 12 CPS-Daisy Wheel

AVATEX 1200 HC MODEM & P. R. CONNECTION With ATARI Modem Cable

\$199

\$169

#### MISCELLANEOUS HARDWARE

PR Connection 62.95 **US Doubler** 49.95 **Animation Station** 59.95 Atari XM 301 Modem CALL Supra 1150 Interface CALL 850 Interface CALL Graphic AT Interface 39.95 Avatex 1200HC CALL Avatex 1200F CALL Avatex 2400 HC CALL

NX-1000 NEW PRINTER •144 CPS-Draft •30CPS-NLQ •NLQ In 10 & 12 Pltc ONLY





NEW 1091i - II PRINTER

Now at 192 CPS



NX-1000 RAINBOW

> **New Low Cost COLOR Printer**

ACCESSOR	IES
Anti-Glare	
Soreen	19.95
Blank Disks	CALL
Disk Notoher	5.95
Dust Covers	CALL
Protector	19.95
Monitor Cable	9.95
Printer Stand	14.95
Swivel/Tilt Monitor	
Stand	19.95
Teakwood Disk	
Holders	19.95
Printer Ribbons	CALL
Modern Cable	14.95
Printer Cable	14.95
1000 Sheet Printer	
Paper	19.95

Crusade in Europe	25.95
Conflict in Vietnam	25.95
Decision in Desert	25.95
F-15 Strike Eagle	22.95
Kennedy	
Approach	16.95
Silent Service	22.95
Top Gunner	16.95

DATASOFT	
Alternate Reality/City	20.95
Alt. Reality/Dungeon	26.95
Bismarok	20.95

ELECTRONIC A	ARTS
Age of Adventure	10.95
Archon	
Archon II	10.95
Chessmaster 2000	25.95
Chiokaumauga,	23.95
Financial Cookbook	10.98
Mail Order Monsters	10.95
Mavis Beacon	26.98
Movie Maker	10.95
Music Construction	10.98
Lords of Conquest	22.95
Pinball Construction	
Ogre	25.98
One on One	10.95
Racing Destruction	
Rommel/Toburk	
Starfleet 1	
Cuper Boulder Deeb	10 05

AutoDuel (64K)	34.95
Bank Street Writer	
Graphio Lib 1,2,or 3	16.95
Karateka	19.95
Print Shop	28.95
Print Shop Companion	22.95
Ultima III	25.95
Ultima IV	38.95

ACTIVISION	
Cross Country Race	11.95
Hacker	11.95
Music Studio	22.95
Ghostbusters	11.95

INFOCO	M
Ballyhoo	25.95
Hitchiker	
Hollywood Hijinx	22.95
Leather Goddess	
Lurking Horror	22.95
Moonmist	
Station Fall	22.95
Wishbringer	11.95
Zork Trilogy	
VIENT COE	MADE

XLENT SOFTWA	RE
Megafont II.	. 16.98
Xient Word Processor	18.98
Page Designer	18.95
Megafiler	
Ploture Disk	. 14.98
PS Interface	18.95
Rubber Stamp	18.95
Typesetter	. 21.98
	******

We Carry Hundreds of Programs for the **ATARI 400/800/XE/XL** If You Don't See it Here CALL

Rettle of Antietem Carrier Force... Eternal Dagger ... Field of Fire ...... Panzer Grenider . Rebel Charge .. USAAF...

Wargame Constr. Set ...
Warship ......
Wizard's Crown ......

_	
	MISCELL
	10 Little Robots 18.95
	1986 Team Disk For MLB 14.95
	1987 Team Disk For MLB 14.95
	60's World Series For MLB 14.95
	70's World Series For MLB 14.95
	Ace of Aces 18.95
	All Star Roster Disk 14.95
	Apshal Trilogy 14.95
	Atariwriter Plus29.95
	Award Ware 10,95
	Blazing Paddles 22.95
	Bop'n' Wrestle (64K) 19.95
	Boulder Dash Const. Kit 17.95
	Champ. Loderunner 19.95
	Cycle Knight 16.95
	Demon Attack/Pitfall 10,95
	Electronic Checkbook 14.95
	Electronic Data Manager 14.95
	Fleet System 2 39.95
	Fight Night 10.95
	Flight Simulator 2 33.95
	Fraction Action 18.95
ı	Gauntlet (64K)22.95
	General Mgr. MLB 19.95
	Gultar Wizard 18.95
	Handhall 1005

0 Little Robots		
986 Team Disk For MLB.		
987 Team Disk For MLB.		
0's World Series For MLB		
0's World Series For MLB		
os of Aces		
Il Star Roster Disk		
pshal Trilogy	14.95	
tariwriter Plus		
ward Ware		
lazing Paddles		
op'n' Wrestle (64K)	19.95	
oulder Dash Const. Kit		
hamp. Loderunner		
yole Knight	16.95	
emon Attack/Pitfall		
lectronic Checkbook		
lectronic Data Manager		
leet System 2	39.95	
ight Night	10.95	
light Simulator 2	33.95	
raction Action	18.95	
auntiet (64K)	22.95	ı
eneral Mgr. MLB	19.95	ı
ultar Wizard	18.95	
ardball		
ome Planetarium		
filtrator	19.95	
upiter Mission 1999	32.95	
eaderboard DuoPak		
inkword German	29.95	
inkword Italian		
Inkword Spanish	29.95	ı
ove Note Maker		L
astertype		
lath Blaster		
licro League Baseball		
LB Boxcore/Stat	14 95	

ANEOUS	
Net Worth	25.95
Pitfall	
Print Driver Const. Set	
RTIIme 8 Cart	
Race Car Arithmetic	
SPY vs SPY 182	
Spy vs Spy 3	
Spell It	
Spinnaker	
Spliffire 40	
Splitfire Ace	
Strip Poker	
SuperHuey	
Summer Games	
Synoalo	
Synfile	
The Pawn	
Triple Pak	
Traiblazer	
Universe	
Video Vegas	
Word Attack	
JOYSTIC	
3013110	10
(NOTE: Prices good whe	n with any

#### other purchase) Wico Super 3-Way Unite Joystick...... 19 95 ..8.95 10.95

12.95

#### OPTIMIZED STEM CALL

Mon-Fri 9am-9pm CST Sat 11am-5pm



Order Call Toll Free

800-558-0003

SINCE1982

onsumer Llectronics

P.O. BOX 17882, MILWAUKEE, WI 53217° **ORDER LINES OPEN** 

Mon.-Frl. 9AM-9PM CST Sat. 11AM-5PM. CST

TELEX NUMBER 9102406440 (ANSERBACK = COMPUT MILW UQ

No surcharge for MasterCard or Visa



Visa

Inquiries, or for Wisc. Orders

414-357-8181

omputAbility

Mon - Frl 9 am - 9 pm CST Sat 11 am - 5 pm

800-558-0003

### 800-558-0003

#### ATARI 520ST SYSTEM FM PACKAGE

- **RGB Monitor or Monchrome Monitor**
- \* Built in 3 1/2" SS Double Density Drive
- \* TOS on ROM
- \* RF Modulator \* Full Manufacter's Warranty

CALL FOR LOWEST PRICE

NOTE: Substitute Thomson 4120 RGB Monitor &

save =

Thomson

#### ATARI 1040ST SYSTEM PACKAGE

- **RGB Monitor or Monochrome Monitor**
- Built in 3 1/2" DS Double Density Drive
- - \* TOS on ROM

\* Full Manufacter's Warranty

CALL FOR LOWEST PRICE

ST HOST CONTROLLER ADAPTOR CALL FOR PRICES

ATARI SF 314 **DISK DRIVE** DOUBLE SIDED/ 1 MEGABYTE STORAGE CALL

PANASONIC PANASONIC 10801 - II PANASONIC 10911 - II PANASONIC 10921 PANASONIC 3131 PANASONIC 3151 PANASONIC 1524 PANASONIC 1592 179 199 399 309 479 579 409 PANASONIC 1595

\* SPECIAL \* Atari SC1224 RGB Color \$329

4120 RGB Monitor • 560H x 240V Resolution • ST RGB Cable \$245

ST EDUCATIONAL

**SUPRA 20 MEG** HARD DRIVE ONLY \$539

NX-1000 Rainbow NX-15 ND-15 NR-15 NB-24/10 169 239 309 399 479 439 639 NB-24/15 (24 wire)

PC Ditto Package

- PC Ditto
   ST / PC 5 1/4" Disk Drive

\$279

WORD PERFECT ONLY \$199

With Any ST Purchase

#### ST MODEM PACKAGE

- AVATEX 1200HC MODEM
   ST MODEM CABLE
   FLASH TELECOM PACKAGE

17.95 Marble Madnss ......

ST ARCADE GAMES

\$135

	GALL		
1	MICHTRON	September 1	٦
BBS	2.0 :	49.95	1
Bush	ness Tool	32.95	
Card	9	25.95	
Cale	ndar	19.95	1
Com	erman	32.95	1
	Shell		1
Echo		25.95	1
	Ball		1
	icial Future		1
Frigh	t Run	25.95	
GFA	Artist	49.95	1
OFA	Basic	38.95	1
<b>GFA</b>	Book	27.95	1
	Companion		1
OFA	Compiler	38.95	1
	Draft		1
	Draft +		1
	Object		(
	Vector		(
	runner2		1
	Disk Backup		1
	national Soccer		1
	er Utility		1
	te Kid II		1
	r Motion		•
	or CAD		1
	It Move		1
	h-point		1
	sk +		1
	iche		1
	erm		1
Migh	ty Mall	32.95	1
	tron Utilities		1
	ga Run		1
	nal Money Mgr		5
	If Factory		5
	lzer		:
	Writer		41 41
	le 2		2
	on		2
	lewood		-
	Animator		
Time	Bandits	25.95	

Hard Disk Backup	
International Soccer	
Juggler Utility	32.95
Karate Kid II	
Major Motion	
Master CAD	CALL
Make It Move	. 46.95
Match-point	. 25.95
M-Disk +	. 25.95
M-Cache	. 25.95
MI-Term	. 32.95
Mighty Mail	. 32.95
Michtron Utilities	. 39.95
Omega Run	
Personal Money Mgr	. 32.95
Pinball Pactory	. 25.95
Realtizer.	150.95
Score Writer	. 25.95
Shuttle 2	
Slaygon	
Tanglewood	
The Animator	
Time Bandits	
Trimbase	. 64.95
Tune Up	. 32,95
MUSIC	
Bach Song Bach	10.05
Copylst 1.5	
CT Prold	64 05
CZ Droid	
CZ Patch	. 69.95
CZ Patch	. 69.95
CZ Patch	. 69.95 . 24.95 . 19.95
CZ Patch	. 69.95 . 24.95 . 19.95 . 19.95
CZ Patch Digl-Drum Dr. Drum Dr. Keys Dr. Patches	69.95 24.95 19.95 19.95 34.95
CZ Patch Digi-Drum Dr. Drum Dr. Keys Dr. Patches Easy Score	69.95 24.95 19.95 19.95 34.95 67.95
CZ Patch	69.95 24.95 19.95 19.95 34.95 67.95 39.95
CZ Patch	69.95 24.95 19.95 19.95 34.95 67.95 39.95 34.95
CZ Patch	69.95 24.95 19.95 19.95 34.95 67.95 39.95 34.95 149.95
CZ Patch Digl-Drum Dr. Drum Dr. Keys Dr. Patches Easy Score EZ Track Hingers Keyboard Contr Sequencer Middiplay	69.95 24.95 19.95 19.95 34.95 39.95 34.95 149.95 32.95
CZ Patch  Digi-Drum  Dr. Drum  Dr. Keys  Dr. Patches  Easy Score  EZ Track  Flingers  Keyboard Contr Sequencer  Middi Maze	.69.95 .24.95 .19.95 .19.95 .34.95 .67.95 .34.95 .34.95 .149.95 .32.95 .25.95
CZ Patch  Digl-Drum  Dr. Drum  Dr. Neys  Dr. Patches  Easy Score  EZ Track  Fingers  Middiplay  Midd Maze  Music Construction Set	69.95 24.95 19.95 19.95 34.95 67.95 34.95 34.95 34.95 34.95 34.95 32.95 32.95 32.95 33.95
CZ Patch Digl-Drum Dr. Drum Dr. Keys Dr. Patches Easy Score EZ Track Flingers Keyboard Contr Sequencer Middiplay Midl Mazz Music Suddio	69.95 24.95 19.95 19.95 34.95 67.95 34.95 34.95 34.95 34.95 34.95 34.95 32.95 32.95 33.95 33.95
CZ Patch  D/gl-Drum  Dr. Drum  Dr. Keys  Dr. Patches  Easy Score  EZ Track  Flingers  Keyboard Contr Sequencer  Middi Maze  Music Construction Set  Music Studio  Pro Sound Designs	.69.95 .24.95 .19.95 .19.95 .34.95 .67.95 .39.95 .34.95 .34.95 .32.95 .25.95 .33.95 .32.95 .32.95 .32.95
CZ Patch  Digl-Drum  Dr. Roya  Dr. Roya  Dr. Reys  Dr. Patches  Easy Score  EZ Track  Fingers  Keyboard Contr Sequencer  Middiplay  Midd Maze  Music Construction Set  Music Sudo  Pro Sound Designs  ST Replay	.69.95 .24.95 .19.95 .19.95 .34.95 .67.95 .39.95 .34.95 .32.95 .25.95 .32.95 .32.95 .32.95 .32.95 .32.95 .32.95
CZ Patch Digl-Drum Dr. Porum Dr. Keys Dr. Patches Easy Score EZ Track Flingers Keyboard Contr Sequencer Middiplay Midl Maze Music Construction Set Music Suddlo Pro Sound Designs ST Replay GASIO REVEGOARDS	.69.95 .24.95 .19.95 .19.95 .34.95 .67.95 .39.95 .34.95 .32.95 .25.95 .32.95 .32.95 .32.95 .32.95 .32.95 .32.95
CZ Patch  CZ Patch  Digl-Drum  Dr. Drum  Dr. Keys  Dr. Patches  Easy Score  EZ Track  Flingers  Keyboard Contr Sequencer  Middi Maze  Music Studio  Music Studio  ST Replay  CASIO KEYBOARDS  ST ACCESSOBIES	69.95 24.95 19.95 19.95 34.95 67.95 34.95 34.95 34.95 34.95 25.95 32.95 32.95 33.95 32.95 32.95 32.95 32.95 32.95
CZ Patch Digl-Drum Dr. Keys Dr. Drum Dr. Keys Dr. Patches Easy Score EZ Track Fingers Keyboard Contr Sequencer Middiplay Midl Maze Music Construction Set Music Studio Fro Sound Designs ST Replay CASIO KEYBOARDS ST REPS ST RECESSORIES Anti-Citers Screen	69.95 24.95 19.95 19.95 34.95 34.95 34.95 34.95 34.95 32.95 32.95 33.95 33.95 32.95 33.95 32.95 33.95 34.95
CZ Patch Digl-Drum Dr. Keys Dr. Drum Dr. Keys Dr. Patches Easy Score EZ Track Hingers Keyboard Contr Sequencer Middiplay Midl Maze Music Construction Set Music Studio Pro Sound Designs ST Replay CASIO REVEROARDS.  ST ACCESSORIES Anti-Cilare Screen	69.95 24.95 19.95 19.95 34.95 34.95 34.95 34.95 34.95 32.9
CZ Patch Digl-Drum Dr. Keys Dr. Drum Dr. Keys Dr. Patches Easy Score EZ Track Fingers Keyboard Contr Sequencer Middiplay Midl Maze Music Construction Set Music Studio Pro Sound Designs ST Replay CASIO KEVEOARDS ST ACCESSORIES And-Glare Screen Dustcovers  [15] The III-Micro  [16] The III-Micro  [17] The III-Micro  [18] The II-Micro  [18] The II-Mic	69.95 24.95 19.95 19.95 34.95 67.95 39.95 34.95 149.95 32.95 32.95 32.95 33.95 32.95 33.95 32.95 32.95 32.95 32.95 32.95 32.95 32.95 32.95 32.95 32.95
CZ Patch Digl-Drum Dr. Keys Dr. Drum Dr. Keys Dr. Patches Easy Score EZ Track Hingers Keyboard Contr Sequencer Middiplay Midl Maze Music Construction Set Music Studio Pro Sound Designs ST Replay CASIO KEYBOARDS ST ACCESSORIES Anti-Glare Screen Dustcovers Filip 'n' File II - Micro 3, 5 Drive Clean Kit.	69.95 24.95 19.95 19.95 34.95 34.95 34.95 34.95 34.95 34.95 34.95 32.9
CZ Patch Digl-Drum Dr. Drum Dr. Neys Dr. Drum Dr. Keys Dr. Patches Easy Score EZ Track Flingers Keyboard Contr Sequencer Middiplay Middiplay Middiplay Middiplay ST Replay EAST OF SCHOOL SET	69.95 24.95 19.95 34.95 
CZ Patch Digl-Drum Dr. Keys Dr. Drum Dr. Keys Dr. Patches Easy Score EZ Track Fingers Keyboard Contr Sequencer Middiplay Midl Maze Music Construction Set Music Studio Pro Sound Designs ST Replay CASIO KEYBOARDS ST Replay Dustcovers Pilp'n' File II- Micro 3.5 Drive Clean Kit 6 Way Surge Protector 6 FT ST S34/314 Cable	69.95 24.95 19.95 19.95 34.95 67.95 39.95 34.95 49.95 33.95 25.95 33.95 32.95 32.95 32.95 34.95 32.9
CZ Patch Digl-Drum Dr. Keys Dr. Drum Dr. Keys Dr. Patches Easy Score EZ Track Flingers Keyboard Contr Sequencer Middiplay Middiplay Middic Studio Pro Sound Designs ST Replay EASION EXTRORES ST Replay EASION EXTRORES Anti-Cilare Screen Dustcovers Pilp'n' File II- Micro 3,5 Drive Clean Kit. 6 Way Surge Protector	.69,95 .24,95 .19,95 .19,95 .34,95 .34,95 .49,95 .34,95 .49,95 .32,95 .3

Limited	Quar
STADVENTURES	
Alternate Reality	26.95
Apshal Trilogy	14.95
Autoduel	32.95
B-24	
Balance of Power	
Bard's Tale	
Beyond Zork	
Black Cauldron	
Breech	25.95
Colonial Conquest	
Empire	
Dark Castle  Defender of Crown	29.95
Deja Vu	
Dungeonmaster	
Hacker	
Hacker II	
Golden Path	
Guild of Thieves	
Leisure Suit Larry	
Lurking Horror	25.95
Moeblus ST	38.95
Kings Quest 1,2 or 3	32.95
Mercenary	26.95
Ogre	25.95
President Elect '88	17.95
Phantasie 1,2 or 3	25.95
Plundered Hearts	
Police Quest	32.95
Portal	32.95
Rings of Zilfin	
Rebel Universe	
Roadwar 2000	
Roadwar Europa	
S.D.I	32.95
Shadowgate	
Sinbad	32.95
Space Quest	
StationFall	
Stargilder	
The Pawn	
Tass Times	
Thexdar	
Tracker	
Universe II	
Uninvited	32.95
Ultima III	
UltimaIV	
ST WORD PROCESSOR	ts
Fontz	CALL
Microsoft Write	89.95
Regent Word II	48.95
ThunderST Becker Text ST	26.95
ST Becker Text ST	67.95
Word Perfect	. 229.95
Word-Up	CALL
Wordwriter ST	48.95
1st Word-Plus	57.95

ST Becker Text ST	67.95
Word Perfect	229.95
Word-Up	
Wordwriter ST	
1st Word-Plus	
INFOCOM	ST
Infocom Invisiciues	CALL
Bureaucracy	25.95
Enchanter	19.95
Hitchiker	19.95
Hollywood Hijinxs	25.95
Leather Goddess	
Lurking Horror	25.95
Moonmist	
Stationfall	25.95
Trinity	25.95
Wishbringer	
Zork 1	
Zork II or III	28.95

AB - Zoo	19.95
Adv. of Sinbad	31.95
Animal Kingdom	. 24.95
All About America	
Algebra 1 or 2	
Arakis (each)	
Arithmetic	
Aesop Fables	
Buzzword	
Calculus  Decimal Dungeon	. 34.95
First Shapes	
Praction Action	
Invasion	10.05
Kid Talk	33 05
Kinderama	
Math Wizard	
Math Talk	. 33.95
Math Talk Fractions	. 33.95
Mathematicians Tool Kit	. 32.95
Magical Myths	. 31.95
Magical Myths Mavis Beacon Typing	. 26.93
Mother Goose	. 19.95
Preschool Kids Programs	. 25.95
Probability	. 34.95
Read & Rhyme	. 24.95
Read-A-Rama	. 31.95
Space Math	
Speller Bee	. 33.95
Trigonometry	. 34.95
True Stat	. 34.95
Winnie the Pooh	. 16.95
1st Letters and Words	. 33.95
THE EDUTED OF THE PARTY OF THE	
1st Letters and WordsADVANCED ORDERS	
Arabian Nights	. 31.93
Arabian Nights	. 31.95
Arabian Nights	. 31.95 . 34.95 . 31.95
Arabian Nights	. 31.95 . 34.95 . 31.95 . 21.95
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorn Logic Master	. 31.95 . 34.95 . 31.95 . 21.95 . 31.95
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorn Logic Master Planetarium	. 31.95 . 34.95 . 31.95 . 21.95 . 31.95
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorn Logic Master Planetarium	. 31.95 . 34.95 . 31.95 . 21.95 . 31.95
Arabian Nights	. 31.95 . 34.95 . 31.95 . 21.95 . 31.95 . 44.95
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicom Logic Master Planetarium STDATABASES Data Manager ST DB Man 4.0	. 31.95 . 34.95 . 31.95 . 21.95 . 31.95 . 44.95 . 48.95 . 96.95
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorn Logic Master Planetarium STIDATABASES Dats Manager ST DB Man 4.0 Rogent Base 1.1	. 31.95 . 34.95 . 31.95 . 21.95 . 31.95 . 44.95 . 48.95 . 96.95 . 79.95
Arabian Nights Discreet Math Chordy Granmers Lands of the Unicorn Logic Master Planetarium ST DATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem	. 31.95 . 34.95 . 31.95 . 21.95 . 31.95 . 44.95 . 48.95 . 96.95 . 79.95
Arabian Nights Discreet Math Chordy Granmers Lands of the Unicorn Logic Master Planetarium ST DATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem	. 31.95 . 34.95 . 31.95 . 21.95 . 31.95 . 44.95 . 48.95 . 96.95 . 79.95
Arabian Nights Discreet Math Chostly Granners Lands of the Unicom Logic Master Flanetarium STDATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem The Informer	. 31.95 . 34.95 . 31.95 . 21.95 . 31.95 . 44.95 . 44.95 . 48.95 . 96.95 . 79.95 . 94.95
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorn Logic Master Planetarium ST DATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gern The Informer DESKTOP PUBLISHING	. 31.95 . 34.95 . 31.95 . 21.95 . 31.95 . 44.95 . 44.95 . 96.95 . 79.95 . 94.95
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorn Logic Master Planetarium ST DATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem The Informer DDSKTOP PUBLISHING Publish It	. 31.95 . 34.95 . 31.95 . 21.95 . 31.95 . 44.95 . 44.95 . 96.95 . 79.95 . 94.95 . 67.95
Arabian Nights Discreet Math Chostly Charmers Lands of the Unicom Lands of the Unicom Logic Master Flanetarium STDATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem The Informer DESKTOP PUBLISHING Publishin Partner	. 31.93 . 34.93 . 31.95 . 21.95 . 31.95 . 44.95 . 44.95 96.95 79.95 94.95 . 67.95
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorn Logic Master Planetarium STEDATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem The Informer DESK TOP PUBLISHING Publiship Partner Pro	. 31.93 . 34.93 . 31.95 . 21.95 . 31.95 . 44.95 . 44.95 96.95 79.95 94.95 . 67.95 64.95 . 64.95
Arabian Nights Discreet Math Chostly Charmers Lands of the Unicom Lands of the Unicom Logic Master Flanetarium STDATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem The Informer DESKTOP PUBLISHING Publishin Partner	. 31.93 . 34.95 . 31.95 . 21.95 . 31.95 . 44.95 . 44.95 . 96.95 . 79.95 . 67.95 . 84.95 . 64.95 127.95
Arabian Nights Discreet Math Chordy Grammers Lands of the Unicorn Logic Master Planetarium ST DATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem The Informer DPSKTOP PUBBISHING Publishir Partner Pro Publishing Partner Pro Publishing Partner Pro Publishing Partner Pro	. 31.93 . 34.95 . 31.95 . 21.95 . 31.95 . 44.95 . 44.95 . 96.95 . 79.95 . 67.95 . 84.95 . 64.95 127.95
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorm Lands of the Unicorm Englishment Strands Session Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem The Informer  DESKTOP PUBLISHING Publish It Publishing Partner Pro Partner Forms	. 31.93 . 34.93 . 31.95 . 21.95 . 31.95 . 44.93 . 48.95 . 96.95 . 79.95 . 94.93 . 67.95 . 64.95 127.95 . 19.95
Arabian Nights Discreet Math Chordy Grammers Lands of the Unicorn Logic Master Planetarium ST DATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem The Informer DPSKTOP PUBBASHING Publishin Partner Pro Publishing Partner Pro Publishing Partner Pro Partner Forts 1 or 2 Partner Forms ST TELEGOMM	. 31.93 . 34.93 . 31.95 . 21.95 . 31.95 . 44.93 . 48.95 . 96.95 . 79.95 . 94.93 . 67.95 . 64.95 127.95 . 19.95
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorn Logic Master Planetarium  ST DATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gern The Informer DBSK TOP PUBLISHING Publiship Partner DBSK TOP PUBLISHING Publiship Partner Fro Purtner Fonts 1 or 2 Parnter Forms  ST TELEGOMM OMI BBS ST	. 31.93 . 34.93 . 31.95 . 21.95 . 31.95 . 44.95 . 44.95 48.95 96.95 79.95 94.95 . 67.95 67.95 19.95 . 19.95
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicom Lands of the Unicom Logic Master Planetarium ST DATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem The Informer DDSKRYDP PUBLISHING Publishing Partner Pro Purtner Forns ST TELEGOMM QMI BBS ST BBS ST BBS ST BBS ST DISCREET  BBS Express	. 31,93 . 34,95 . 31,95 . 21,95 . 31,95 . 44,95 . 44,95 . 96,95 . 79,95 . 94,93 . 67,95 . 19,95 . 19,95 . 19,95
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorn Logic Master Planetarium  ST DATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Germ The Informer DESKTOP PUBLISHING Publishing Partner Publishing Partner Pro Purtner Forts 1 or 2 Partner Forms ST FEELEGOMM QMI BBS ST BBS Espress DBS Espress DBS Espress	. 31,93 . 34,95 . 21,95 . 21,95 . 31,95 . 44,95 . 44,95 . 94,95 . 94,95 . 67,96 . 64,93 . 19,95 . 19,95 . 19,95
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorn Logic Master Planetarium STIDATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem The Informer DESKTOP PUBLISHING Publiship Partner Pro Purtner Fonts 1 or 2 Parnter Forms STIFLECOMM QMI BBS ST BBS ST BBS Express Deluxe Minicorn Lands 15 Talk.	. 31,95 . 31,95 . 31,95 . 31,95 . 44,95 . 44,95 . 44,95 . 96,95 . 79,95 . 67,96 . 84,95 . 64,93 . 19,95 . 19,95 . 31,95 . 56,95 . 33,95 . 33,95 . 33,95
Arabian Nights Discreet Math Chostly Oranmers Lands of the Unicorn Logic Master Planetarium  ST DATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Germ The Informer DBSKTOP PUBBASHING Publish It Publishing Partner Publishing Partner Pro Partner Forms ST TELECOMM QMI BBS ST BBS Express DBS ST BBS Express DBS Lipress DBS ST BBS Express DBS ST BBS Express DBS MINICORM	31,93 31,95 31,95 31,95 31,95 44,95 44,95 48,95 96,95 56,96 56
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorn Logic Master Planetarium  ST DATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem The Informer DESKTOP PUBLISHING Publishing Partner Publishing Partner Pro Purtner Forts 1 or 2 Partner Forts BSS Express DBSS ST BBS Express DBSS ST BBS Express DBS Express Deluxe Minicorn 1.5 Talk Ver 2.0	31,93 31,95 31,95 31,95 44,95 45,95 46
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorn Logic Master Planetarium  ST DATABASES Data Manager ST DB Man 4.0 Rogent Base 1.1 Superbase Gern The Informer  DESK TOP PUBLISHING Publiship Partner Pro Purtner Forts 1 or 2 Parnet Forts BS ST BBS Express Deluze Minicorn ST Talk Ver 2.0  ST PRINT UTILITIES  ST PRINT UTILITIES	31.93 34.95 31.95 21.95 31.95 44.95 44.95 44.95 44.95 67.96 96.95 94.95 67.96 84.93 127.95 19.95 19.95 31.95 31.95 31.95 33.95 35 35 35 35 35 35 35 35 35 35 35 35 35
Arabian Nights Discreet Math Chostly Grammers Lands of the Unicorn Logic Master Planetarium  ST DATABASES Data Manager ST DB Man 4.0 Regent Base 1.1 Superbase Gem The Informer DESKTOP PUBLISHING Publishing Partner Publishing Partner Pro Purtner Forts 1 or 2 Partner Forts BSS Express DBSS ST BBS Express DBSS ST BBS Express DBS Express Deluxe Minicorn 1.5 Talk Ver 2.0	31,93 31,95 31,95 44,95 44,95 44,95 5,96,95 79,95 67,95 67,95 19,9

Certificate Maker ...

Print Shop ......

Rubber Stamp .. Typesetter Elite

Fonts & Borders/P.M. 21.95
Library I/Certificate Maker 21.95
Megafont ST 24.95

ANTIC	
-Calc Prime	39.95
-Chart	25.95
rchitecural Design Disk	
ase Two	
rystal	17.95
yber Control	
yber Paint	
atamaps	
ash 1.5	19.95
iture Design Disk	
I.S.T	
enesis	49.95
urnan Design Disk	19.95
CS Wanderer	25.95
aps and Legends	
I.E	
HA\$ar	
ulcktran	
pectrum 512	
r. Navigator	32.95
ereotek 3D Glasses 1	
ereo CAD 3-D	
noot the Moon	
ne Cyber Studio	
ne Navigator	
Developer's Disk	
Font Package	
Plotter & Printer Driver	
ST GRAPHICS dvanced Art Studio	
dvanced Art Studio	29.95
egis Animator	44.95
thena II	
ircuit Maker	49.95
egas Filto	38.95
esktop Publ. Lib/Graphic Artist .	49.95
raphic Artist 1	24.95
asy Draw	64.95
sy Tools	32.95
ont Paki for Easy Draw	25.95
ont Paki for Easy Draw ont Pak for Graphic Artist	32.95
ont Editor for Graphic Editor	49.95
eochrome	
intworks	25.95
orsonal Draw Art I	
ro Sprite Designer	
l' Sprite Factory	
T Art Director	48.95
uper Charged EZ Draw	94.95
echnical Draw Art I	19.95
t Cadd	
D Graphics	34.95
DISKETTES	ES V
DISKETTES iji 3.5 SS/DD (10 PK)	11.95
ill 3.5 DS/DD (10 PK)	15.95
ote: Buy Diskettes at these low	
ices when added to any other orde	r.
ST UTILITIES	200
ck Pak	64.95
out Cart	77.05

Note: Buy Diskettes at the prices when added to any o	se low
ST UTILITY	
Back Pak	64.9
Dosk Cart	72.9
Electro Calendar	35.9
Fast	31.9
Flashback	79.9
Labelmaster Elite	27.9
K-Switch	25.9
Micro Cookbook	32.9
MS DOS & GW Basic 5.2	5" (IBM) 17.9
Partner ST	32.9
PC Ditto 3.0	69.9
Smooth Talker	33.9
St Doctor	
Tempus	
Time Link	
Video Wizard	
Write 90	

Altoni Construction Kit	
Allen Fires	26.95
Arena	14.95
Atari Plane Tarium	29.95
Arctic Fox	
Awesome Action Pack	22.00
Battledroidz	23.93
Bermuda Project	
Brattacus	
Bridge 5.0	
Barbarian	25.95
Boulder Dash Cons Kit	17.95
Bubble Ghost	14 9
Breech Scenario Disk	17 09
Card Sharks	CALL
Card Sharks	28.06
Champ Bassouli 80	23.93
Champ. Wrestling	14.93
Chessmaster 2000	
Death Sword	
Deep Space	
Dive Bomber	
F-15 Strike Eagle	25.95
Flight Simulator II	33.95
Fermie Data Strip Poker	16.95
Famous Course Disk 1 or 2	14 05
Gen Mgr/for MLB	19.93
Gone Fishing	26.95
Gauntlet	32.95
Gauntlet	32.95
Gato	32.95 24.95 25.95
Gauntlet	32.95 24.95 25.95
Gauntlet	32.95 24.95 25.95 26.95
Gauntlet	32.95 24.95 25.95 26.95 33.95
Gauntlet	32.95 24.95 25.95 26.95 33.95
Gauntlet	32.95 24.95 25.95 26.95 33.95 22.95
Gauntlet  GIL Football  GIDA Crundr,  Orldiron Football  Guardians of Infinity  Gunship  Hardball	32.95 24.95 25.95 26.95 33.95 22.95 32.95
Gantlet Gato GFL Football GIobal Cremdr. Global Cremdr. Guardians of Infinity Guardians of Infinity Hardball Harrier Combat Simulater	32.95 24.95 25.95 26.95 33.95 22.95 32.95 32.95
Gantiel Gato Gato Gato Gato Gato Gato Gato Gato	32.95 24.95 25.95 26.95 33.95 22.95 32.95 33.95
Gantiet Gato GFL Pootbell Global Crundr. Global Crundr. Global Crundr. Guraflan of Infinity Guraflan of Infinity Harrier Combat Simulater Hurt for Red October Infoor Sports	32.95 24.95 25.95 26.95 33.95 32.95 32.95 33.95 33.95
Gantiel Gato Gato Gato Gato Gato Gato Gato Gato	32.95 24.95 25.95 26.95 33.95 32.95 32.95 32.95 32.95 32.95
Gantiet Gato GFL Pootbell Global Crundr. Global Crundr. Global Crundr. Guraflan of Infinity Guraflan of Infinity Harrier Combat Simulater Hurt for Red October Infoor Sports	32.95 24.95 25.95 26.95 33.95 32.95 32.95 32.95 32.95 32.95
Gantiel Gato Gato Gato Gato Gato Gato Gato Gato	32.95 24.95 25.95 26.95 33.95 22.95 32.95 33.95 32.95 25.95 22.95
Gandet Gato	32.95 24.95 25.95 26.95 33.95 32.95 32.95 32.95 25.95 22.95
Gantiel Gato Gato Gato Gato Gato Gato Gato Gato	32.95 24.95 25.95 26.95 33.95 22.95 32.95 32.95 25.95 22.95
Garnitet Gato	32.95 24.95 25.95 26.95 33.95 22.95 32.95 33.95 25.95 25.95 29.95
Gantlet Gato GIC Poroball GIC Poroball GIC Poroball GIC Poroball Guardians of Infinity Gurship Hardball Harrier Combat Simulater Hunt for Red October Indoor Sports Into the Eagle's Nest Karabaka SE BUSINESS A-Calc Prime Dolfars and Sense Financial Cootbook	32.95 24.95 25.95 26.95 33.95 22.95 32.95 32.95 25.95 25.95 22.95
Gantiel	32.95 24.95 25.95 26.95 33.95 32.95 32.95 32.95 33.95 32.95 25.95 22.95 39.95 14.95
Gantlet Gato GFL Pootbell Global Crimdr. Global Crimdr. Global Crimdr. Guardians of Infinity Guardians of Infinity Guardians of Infinity Hardbell Hardbell Hardbell Hardbell Hardbell Hard Core Indoor Sports Indoor Sports Into the Eagle's Nest Karateka  STERUSINESS A-Calc Prime Dolfars and Sense Financial Cookbook Inger Portfolio Inventory Master	32.95 24.95 25.95 26.95 33.95 32.95 32.95 33.95 32.95 25.95 25.95 24.95 25.95 24.95 26
Gantiel Gato Gato Gato Gato Gato Gato Gato Gato	32.95 24.95 25.95 25.95 33.95 32.95 32.95 32.95 25.95 25.95 14.95 14.95 124.95
Garatet Gato Gato Gato Gato Gato Gato Gato Gat	32.95 24.95 26.95 33.95 32.95 
Gantiel Gato Gato Gato Gato Gato Gato Gato Gato	32.95 24.95 26.95 33.95 32.95 

MICTO Lawyer	
Swiftcale ST	
Sylvia Porter	
Tax Advantage	48.9
VIP Professional	94.9
ST LANGUA	CHES
Alice Pascal	
Cambridge Lisp	139.9
Fast Basic (Philon)	48.9
ISO Pascal	
Lattice C	99.9
LDW Basic 2.0	
Mark Williams C	114.9
Mark Williams CSD	CAL
Macroassembler	49.9
Modula II	
Metacommoo Make	49.5
Micro C shell	34.5
Modula II Developer	
MT C Shell	
Personal Pascal 2.0	
True Basic	
Tone Barle Day Vit	

5	Master Ninja
5	Mean 1827.95
	Metrocross 12.95
5	Metropolis 2000 ST
3	Metropolis 2000 ST
5	Micro League Baseball 39.95
5	Night on the Town 22.95
5	Mortville Manor 22.95
5	Obliterator24.95
	Paper Boy
5	PinBallWizard21.95
5	
3	Plutos 19.95
5	RPV24.95
5	Road Wars20.95
	Roadrunner 32.95
5	Rockford20.95
	Rogue
5	
5	Q-Ball
5	Sentry29.95
5	Scabble26.95
5	Scruples 26.95
5	Silent Service25.95
	Skyfox14.95
5	Skylox14.93
3	Slaygon 25.95
5	Super Cycle 14.95
3	Sub Battle Simulator25.95
5	Super Bike Challenge 19.95
3	Super Star Hockey 32.95
	Spy vs Spy 3
5	Spy vs Spy 5 17.93
3	Star Raiders 20.95
5	Star Fleet 1 38.95
5	Star Fleet II 38.95
5	Stray Cats 12.95
5	Strip Poker25.95
	outh town imminimum active
	ST Comes Aliva 1005
5	ST Comes Alive
5	ST Karate 22.95
5	ST Karate
5	ST Karate       22.95         ST Wars       24.95         Tenth Frame       25.95
5	ST Karate       22.95         ST Wars       24.95         Tenth Frame       25.95         Temple of Doorn       32.95
5 5 5 5	ST Karate       22.95         ST Wars       24.95         Tenth Frame       25.95         Temple of Doorn       32.95
5 5 5 5 5 5	ST Karate       22.95         ST Wars       24.95         Tenth Frame       25.95
5 5 5 5	ST Karate         22,95           ST Wars         24,95           Tenth Prame         25,95           Temple of Doom         32,95           Test Drive         24,95           The Wanderer         25,95
5	ST Karate         22.95           ST Wars         24.95           Tenth Prame         25.95           Temple of Doorn         32.95           Test Drive         24.95           The Wandeer         25.95           Terrorpods         24.95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate 22,95 ST Wars 24,95 Tenth Prame 25,95 Tentple of Doom 32,95 Tex Drive 24,95 The Wanderer 25,95 Terropods 24,95 Tonic Tile CAll
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karste         22,95           ST Wars         24,95           Tenth Prame         25,95           Temple of Doorn         32,95           Test Drive         24,95           The Wandeer         25,95           Terropods         24,95           Tonic Tile         CAll           Tracker         29,95
5 5 5 5 5 5 5 5 5 5 5	ST Kerste         22,95           ST Wars         24,95           Tenth Prame         25,95           Temple of Doorn         32,95           Text Drive         24,95           The Wanderer         25,95           Terrotpods         24,95           Tonic Title         CAB           Tracker         29,95           Traibliage         32,95           Traibliage         32,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karste         22,95           ST Wars         24,95           Tenth Prame         25,95           Temple of Doorn         32,95           Test Drive         24,95           The Wandeer         25,95           Terropods         24,95           Tonic Tile         CAll           Tracker         29,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate 22,95 ST Wars 24,95 Tenth Prame 25,95 Tentple of Doom 32,95 Tex Drive 24,95 The Wanderer 25,95 The Wanderer 25,95 Terrotpods 24,95 Tonic Tile CAll Tracker 29,95 Trailblazzer 32,95 Two on Two Basketball 25,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Kerate   22,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate         22,95           ST Wars         24,95           Tenth Prame         25,95           Temple of Doorn         32,95           Temple of Doorn         32,95           Text Drive         24,95           The Wanderer         25,95           Torlic Tile         CAB           Tracker         29,95           Two on Two Basketball         25,95           Uridum         25,95           Uninvited         32,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate         22,95           ST Wars         24,95           Tenth Prame         25,95           Temple of Doom         32,95           Temple of Doom         32,95           Test Drive         24,95           The Wanderer         25,95           Terrorpods         24,95           Tonic Tile         CAll           Tracker         29,95           Traliblazer         32,95           Urldium         25,95           Unlnvited         32,95           Vegas Gambler         21,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Kerate         22,95           ST Wars         24,95           Tenth Prame         25,93           Temple of Doorn         32,95           Temple of Doorn         32,95           Text Drive         24,95           The Wanderer         25,95           Tonic Tile         CAll           Tracker         29,95           Two on Two Basketball         25,95           Unifulted         25,95           Uninvited         32,95           Vegas Clambler         21,95           Vegas Clambler         21,95           Vegas Craps         21,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate 22,95 ST Wars 24,95 Tenth Prame 25,95 Temple of Doom 32,95 Temple of Doom 24,95 The Wanderer 25,95 The Wanderer 25,95 The Wanderer 24,95 Tonic Tille CAll Tracker 29,95 Trailbiazer 32,95 Trailbiazer 25,95 Uridium 25,95 Uridium 25,95 Vegas Cambler 21,95 Vegas Craps 21,95 Vegas Craps 21,95 Vegas Craps 21,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate 22,95 ST Wars 24,95 Tenth Prame 25,95 Temple of Doom 32,95 Temple of Doom 24,95 The Wanderer 25,95 The Wanderer 25,95 The Wanderer 24,95 Tonic Tille CAll Tracker 29,95 Trailbiazer 32,95 Trailbiazer 25,95 Uridium 25,95 Uridium 25,95 Vegas Cambler 21,95 Vegas Craps 21,95 Vegas Craps 21,95 Vegas Craps 21,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate         22,95           ST Wars         24,95           Ternih Prame         25,93           Temple of Doorn         32,95           Text Drive         24,95           The Wanderer         25,95           Terroppods         24,95           Tonic Tile         CAM           Tracker         29,95           Two on Two Baskeball         25,95           Unifolium         25,95           Uninvited         32,95           Vegas Clambler         21,93           Vegas Clambler         21,93           Video Vegas         21,93           Video Vegas         21,95           Wargames Constuction Kit         22,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate 22,95 ST Wars 24,95 Tenth Prame 25,95 Temple of Doom 32,95 Temple of Doom 32,95 Temple of Doom 24,95 The Wanderer 25,95 Terrotpods 24,95 Tonic Title CAB Tracker 29,95 Two on Two Basketball 25,95 Uridium 25,95 Uridium 25,95 Vegas Cambler 21,95 Vegas Carapz 21,95 Vegas Carapz 21,95 Video Vegas 24,95 Video Vegas 24,95 Wargames Constuction Kit 22,95
555555555555555555555555555555555555555	ST Kerate   22,95   ST Wars   24,95   Tenth Prame   25,93   Temple of Doorn   32,95   Temple of Doorn   32,95   Temple of Doorn   24,95   The Wanderer   25,93   The Wanderer   25,95   Terrorpods   24,95   Tonic Tile   CAll   Tracker   29,95   Trailbilazer   32,95   Trailbilazer   32,95   Trailbilazer   32,95   Uninvited   25,95   Uninvited   32,95   Uninvited   32,95   Vegas Carnbiller   21,95   Vegas Carps   21,95   Video Vegas   24,95   Winter Challenge   10,95   Winter Challenge   10,95   Winter Challenge   14,95   Winter Challenge   14,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate 22,95 ST Wars 24,95 ST Wars 24,95 Tenth Prame 25,93 Temple of Doorn 32,95 Temple of Doorn 32,95 Temple of Doorn 24,95 The Wanderer 24,95 The Wanderer 25,95 Tronic Tile CAll Tracker 29,95 Trolic Tile 25,95 Unidum 25,95 Unidum 25,95 Unidum 25,95 Uninvited 32,95 Vegas Cambiler 21,95 Vegas Cambiler 21,95 Vegas Cambiler 21,95 Video Vegas 24,95 Video Vegas 24,95 Winter Challenge 19,95 Winter Challenge 14,95 Winter Challenge 14,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate 22,95 ST Wars 24,95 Tenth Prame 25,95 Temple of Doom 32,95 Temple of Doom 32,95 Temple of Doom 32,95 Temple of Doom 32,95 Temple of Doom 24,95 Temple of Doom 24,95 Tonk Tille Admits 24,95 Tonk Tille Admits 23,95 Two on Two Baskethall 25,95 Uridium 25,95 Uridium 25,95 Vegas Cample 21,95 Vegas Cample 21,95 Vegas Cample 21,95 Vegas Craps 21,95 Wargames Constuction Kit 22,95 Wargames Constuction Kit 22,95 Winter Challenge 10,95 Winter Challenge 10,95 Winter Challenge 14,95 Wite I 44,95 Wiz ball 14,95 World Games 24,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate   22,95   ST Wars   24,95   Tenth Prame   25,95   Temple of Doorn   32,95   Temple of Doorn   32,95   Temple of Doorn   32,95   Temple of Doorn   24,95   The Wanderer   25,95   The Wanderer   25,95   The Wanderer   25,95   Tonic Tile   CAll   Tracker   29,93   Two on Two Baskebal   25,95   Uniform   25,95   Uninvited   32,95   Uninvited   32,95   Vegas Cambler   21,95   Video Vegas   24,95   Video Vegas   24,95   Winter Challenge   10,95   Winter Challenge   14,95   Winter Games   14,95   World Glames   24,95   Vorle Glames   32,95   Vorle Glames   32,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate 22,95 ST Wars 24,95 Tenth Prame 25,95 Temple of Doom 32,95 Temple of Doom 32,95 Temple of Doom 24,95 Temple of Doom 24,95 The Wanderer 25,95 Terrotpods 24,95 Trothe Title CAB Tracker 29,95 Two on Two Basketball 25,95 Uridium 25,95 Uridium 25,95 Uridium 25,95 Vegas Cambler 21,95 Vegas Cambler 21,95 Vegas Carps 21,95 Video Vegas 24,95 Wargames Constuction Kit 22,95 Winter Challenge 10,95 Winter Challenge 10,95 Winter Challenge 14,95 World Games 14,95 World Games 24,95 WW Mord Games 24,95 WW Mord Westling 32,95 WW Mord Games 24,95 WW Mord Westling 32,95 WW Micro Westling 32,95 WW Micro Westling 32,95 WW Micro Westling 32,95 Welview Micro Westling 32,95 Welview Micro Westling 32,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate   22,95   ST Wars   24,95   Tenth Prame   25,95   Temple of Doorn   32,95   Temple of Doorn   32,95   Temple of Doorn   32,95   Temple of Doorn   24,95   The Wanderer   25,95   The Wanderer   25,95   The Wanderer   25,95   Tonic Tile   CAll   Tracker   29,95   Traiblizazer   32,95   Two on Two Baskeball   25,95   Uninvited   25,95   Uninvited   32,95   Uninvited   32,95   Uninvited   21,95   Vegas Clambler   21,95   Vegas Clambler   21,95   Video Vegas   24,95   Winter Challenge   10,95   Winter Challenge   10,95   Winter Challenge   14,95   Winter Challenge   24,95   Winter Challenge   24,95   Winter Challenge   24,95   Winter Challenge   32,95   Winter Olevesting   32,95   Sevious   19,95   Sevious   19,95   Sevious   19,95   Sevious   19,95   Sevious   19,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate   22,95   ST Wars   24,95   Tenth Prame   25,95   Temple of Doorn   32,95   Temple of Doorn   32,95   Temple of Doorn   32,95   Temple of Doorn   24,95   The Wanderer   25,95   The Wanderer   25,95   The Wanderer   25,95   Tonic Tile   CAll   Tracker   29,95   Traiblizazer   32,95   Two on Two Baskeball   25,95   Uninvited   25,95   Uninvited   32,95   Uninvited   32,95   Uninvited   21,95   Vegas Clambler   21,95   Vegas Clambler   21,95   Video Vegas   24,95   Winter Challenge   10,95   Winter Challenge   10,95   Winter Challenge   14,95   Winter Challenge   24,95   Winter Challenge   24,95   Winter Challenge   24,95   Winter Challenge   32,95   Winter Olevesting   32,95   Sevious   19,95   Sevious   19,95   Sevious   19,95   Sevious   19,95   Sevious   19,95
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate 22,95 ST Wars 24,95 Tenth Prame 25,93 Temple of Doorn 32,95 Temple of Doorn 32,95 Temple of Doorn 32,95 Temple of Doorn 32,95 Temple of Doorn 24,95 The Wanderer 25,95 The Wanderer 25,95 Tronic Tile CAll Tracker 29,95 Two on Two Baskotball 25,95 Unidum 25,95 Unidum 25,95 Uninvited 32,95 Vegas Capable 21,95 Vegas Capable 21,95 Vegas Capable 21,95 Video Vegas 24,95 Winter Challenge 10,95 Winter Charlenge 10,95 Winter Clames 14,95 World Games 24,95 World Games 24,95 WWF Micro Wrestling 32,95 Xevious 19,95 3-D Helicopter 32,95 Xevious 19,95 3-D Helicopter 32,95 Xevious 19,95 3-B Helicopter 32,95 Teorn Miles Por Mil.BB
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate 22,95 ST Wars 24,95 Tenth Prame 25,93 Temple of Doorn 32,95 Temple of Doorn 32,95 Temple of Doorn 32,95 Temple of Doorn 32,95 Temple of Doorn 24,95 The Wanderer 25,95 The Wanderer 25,95 Tronic Tile CAll Tracker 29,95 Two on Two Baskotball 25,95 Unidum 25,95 Unidum 25,95 Uninvited 32,95 Vegas Capable 21,95 Vegas Capable 21,95 Vegas Capable 21,95 Video Vegas 24,95 Winter Challenge 10,95 Winter Charlenge 10,95 Winter Clames 14,95 World Games 24,95 World Games 24,95 WWF Micro Wrestling 32,95 Xevious 19,95 3-D Helicopter 32,95 Xevious 19,95 3-D Helicopter 32,95 Xevious 19,95 3-B Helicopter 32,95 Teorn Miles Por Mil.BB
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ST Karate   22,95   ST Wars   24,95   Tenth Prame   25,95   Temple of Doorn   32,95   Temple of Doorn   32,95   Temple of Doorn   32,95   Temple of Doorn   24,95   The Wanderer   25,95   The Wanderer   25,95   The Wanderer   25,95   Tonic Tile   CAll   Tracker   29,95   Traiblizazer   32,95   Two on Two Baskeball   25,95   Uninvited   25,95   Uninvited   32,95   Uninvited   32,95   Uninvited   21,95   Vegas Clambler   21,95   Vegas Clambler   21,95   Video Vegas   24,95   Winter Challenge   10,95   Winter Challenge   10,95   Winter Challenge   14,95   Winter Challenge   24,95   Winter Challenge   24,95   Winter Challenge   24,95   Winter Challenge   32,95   Winter Olevesting   32,95   Sevious   19,95   Sevious   19,95   Sevious   19,95   Sevious   19,95   Sevious   19,95

No surcharge for MasterCard To Order Call Free

P.O. BOX 17882, MILWAUKEE, WI 53217 ORDER LINES OPEN
Mon-Fri 9am-9pm CST Sat 11am-5pm

omputAbility

VISA Visa Telex Number 9102406440

No surcharge for For Technical Info, Order

. 64.95

. 32.9

CALL

. 32.9 32.9

Becker Text ...

Delete Power Plan

Electra - spell ....
Forth MT. ........
Paintpro .......

800-558-0003 ell (414)357-8181 to obtain an FAS or your return will not be a



# Get the lion's share online with GEnie."

66GEnie changed my mind about what an online service can do for me! I always knew that GEnie offered a princely selection of Special Interest Groups featuring thousands of software files, dynamic bulletin boards, lively discussions and "tips" from the experts. But now GEnie gives me more than my share of valuable information services like NewsGrid and USA Today Decisionlines, American Airlines EAASY SABRE<sup>™</sup> personal reservation system, new and exciting multi-player games and access to Dow Jones News/ Retrieval. And the people on GEnie are so friendly and helpful they make me feel like a member of royalty!

You don't need to pay a king's ransom to get the lion's share, because only GEnie offers you so much online, B. A. Ling for less.? for less."

Services Available	Compare	Pricing*			
Electronic Mail • CB	& Save	Registration Fee	Monthly Minimum	Non-prime Time Rates	
• SIGs/User Groups				300 baud	1200 baud
• Travel • Shopping • Finance • Reference	GEnie†	\$29.95	None	\$5.00	\$5.00
Professional • Leisure	CompuServe	\$39.95	None	\$6.00	\$12.50
• Games • News	Other	\$49.95	\$10.00	\$8.40	\$10.80

\*\*Get 2 Free Hours with Sign-Up.

#### Just \$5 per hour. Get online today!

- 1. Have your major credit card or checking account number ready.
- 2. Set your modem for local echo (half duplex)-300 or 1200 baud.
- 3. Dial 1-800-638-8369. When connected, enter HHH
- 4. At the U#= prompt enter **XJM11825**, **GEnie** then RETURN.


Need help or more information? No modem yet? We can help. In U.S. or Canada call 1-800-638-9636.



We bring good things to life.

<sup>\*</sup>Basic rates and services in effect 9/87 apply in U.S. only. †Non-prime time rates apply Mon.-Fri. 6 PM-8 AM local time and all day Sat, Sum, and natl. holidays. Subject to service availability. Some services offered on GEnie may include additional charges \*\*\$10 credit applies.

© 1987 General Electric Company, U.S.A.



#### **ATARI SX212 & SUPRAMODEM 2400**

continued from page 19

didn't encounter any problems during our BBS tests. Not everyone likes the small case because their telephones won't fit on top of the modems.

#### 2400 BAUD TRANSFERS

I wanted to see how long it took to transfer data at 1200 and 2400 baud, using the SupraModem 2400 with Flash software. So I created a file of exactly 100,000 bytes and stored it on a 10Mb SupraDrive hard disk. The file took 22 minutes and 33 seconds to upload at 1200 baud under XMODEM protocol. And it seemed as if it would need about 15 minutes at 2400 baud, but I never found out for sure. I'll blame line noise—not an unusual problem at that speed.

My first attempt sailed along until the modem tried to upload block 125. After 15 attempts, it aborted the upload. Each attempt took about 15 seconds, and six minutes were needed to get that far. The second attempt went well—all the way to block 704. The upload was aborted, again after 15 attempts, and this time it took about 17 minutes.

Overall, the SupraModem 2400 seems to be a good product. I wish I'd been able to come up with a complete transfer at 2400 baud, but for the price I don't think you can go wrong, even if you rarely expect to use this SupraModem at 2400 baud.

#### SLEUTH

continued from page 17

#### PROGRAM TAKE-APART

10-20 Call the initialization routines.

40-140 Call the move-cursor routine. Check for a match and a winner—if there is a match, increment the score. Otherwise, begin the countdown.

160-210 Check the joystick for cursor movement. Check the trigger. Adjust the to cursor's position and redraw it.

230-240 Move the Player/Turn indicator.

260 Indicate the winner and animate that player's man. 280-290 Reveal the icon beneath the present cursor position.

310-330 Indicate a match by making the player's man jump.

350-390 Initialize variables, create the playfield.

410-440 Display the title screen and redefine the character set.

460-520 DATA for icons.

Sleuth joins Cliffhanger (November 1986), Vectron (March 1987) and Citadel (June 1987) as Antic games from Heath Lawrence of Port Elgin, Ontario. These programs were all part of an unpublished book of Atari games.

FOR MORE ARTICLES LIKE THIS, CIRCLE 202 ON READER SERVICE CARD.

Listing on page 67

# B&C<sub>ComputerVisions</sub>

3257 Kifer Road Santa Clara, CA 95051 (408) 749-1003

STORE HOURS TUE - FRI 10am - 6pm SAT - 10am - 5pm CLOSED SUN - MON

#### SUPER SPECIA

RECONDITIONED ATARI MERCHANDISE

All merchandise has been tested and reconditioned and is in like-new condition except where noted by the letter "B" after the price. The "B" price indicates product may have scratches or other superficial surface marks. 30 day warranty.				
ATARI TRAK BALL \$9.95 A  SPICE UP THE ACTION IN YOUR ARCADE GAMES!	ATARI SPACE AGE JOYSTICK  \$5.00 A GUNTRIGGER ACTION	STANDARD ATARI JOYSTICK \$4.50 A STOCK UP ON A FEW SPARES	REMOTE CONTROL JOYSTICKS (2) \$15.95 A REQUIRES 2600 POWER PACK FOR USE WITH 400/800/XL/XE-\$5.00	ATARI TOUCH TABLET \$39.95 A DON'T PUT OFF GETTING THIS HARD-TO-FIND ITEM
400 (16K) COMPUTER \$29.95 A 48K UPGRADE KIT \$25.00	600XL (16K) COMPUTER \$49.95 A INCL. POWER SUPPLY & TV SWITCH BOX	800 (48K) COMPUTER \$69.95 B \$79.95 A INCL. BASIC CART & MANUAL	NUMERIC KEY PAD \$7.95 A INCL. HANDLER DISK USE WITH THE BOOKKEEPER AND BASIC	850 INTERFACE \$89.95 A LIMITED SUPPLY
MODEM WITH EXPRESS \$29.95 A GET ON-LINE TODAY!	835 MODEM WITH EXPRESS! \$29.95 A LIMITED SUPPLY	810 DISK DRIVE \$110.00 B \$120.00 A INCLUDES POWER SUPPLY, I/O CABLE & DOS 2	BOOKKEELER	DISKETTES  AS LOW AS  20 CENTS 10 FOR \$4.00  100 FOR \$29.00 1000 FOR \$200  MOST ARE UNNOTCHED WITH OLD SOFTWARE

SHIPPING INFORMATION - Prices do not include shipping and handling. Add \$5.00 for small items. Add \$8.00 for disk drive. Calif. res. include 7% sales tax. Mastercard and Visa accepted if your telephone is listed in your local phone directory. Orders may be pre-paid with money order, cashier check, or personal check. Personal checks are held for three weeks before order is processed. C.O.D orders are shipped via UPS and must be paid with cash, cashier check or money order. International and APO orders must be pre-paid with cashier check or money order. \$20.00 minimum on all orders. All sales are final - no refunds - prices are subject to change. Phone orders accepted TUESDAY THROUGH FRIDAY from 10:00 am to 6:00 pm PST.

We carry a complete line of ATARI products and have a large public domain library. Write or call for free catalogue. (408) 749-1003 TUE - FRI 10AM - 6 PM

# Envelope Maker

Automate your "Print Shop" envelopes

By STANLEY HARRISON

With this short programming patch, P.S. Envelope Maker (December 1987), which prints out

envelopes sized for Print Shop cards, automatically inserts addresses from

mailing lists including Mighty Mailer (September 1987). The complete BASIC program works on

8-bit Atari computers with at least 48K memory and a disk drive.

I tend to use Broderbund's Print Shop software to create lots of greeting cards for sending to friends and relatives. So I have personally gotten plenty of use from Todd Thedell's clever *P.S. Envelope Maker* (Antic, December 1987) which prints cut-out diagrams of pre-addressed envelopes just the correct size for Print Shop cards.

*P.S. Envelope maker* works on any dot-matrix printer compatible with Print Shop. It prints a mailing address and return address on each envelope. However, in the original program, you must type the new address every time you want to make a change.

Because I send a lot of computer-made cards, I maintain a mailing list of my usual addressees. I was interested in taking up Antic's offer to print the "first good programming patch enabling the envelope maker to use mailing lists from ASCII text files. . .including *Mighty Mailer* (September 1987)."

My P.S. Envelope Mailer patch gives the original program the option of either using ASCII disk file mailing-lists or typed-in individual addresses. It can also switch between lists like *Mighty Mailer*, which leave a blank line between labels, or plainer ASCII text files that don't have any blank line breaks.

You'll be prompted to type the number of lines in your current batch of labels. Each label in the file must have the same number of lines and, as in the original *P.S. Envelope Maker*; the maximum number of lines is four. And when you print a list of mailing addresses from disk, you

will not be able to change the return address.

I also corrected a minor glitch I found in the original program. After the first run through *P.S. Envelope Maker*, if the user wants to change to different addresses the program generates a DATA LIST EXHAUSTED error at line 620. This is fixed by the RESTORE 210 command in my patch.

#### **GETTING STARTED**

Type in Listing 1, PATCH.LST, checking it with TYPO II. You'll need to store PATCH.LST on your disk without the TYPO II program, so LIST a copy to disk using the command:

LIST "D:PATCH.LST",0,31000

To merge the patch with the original *P.S. Envelope Maker*, first LOAD "D:ENVELOPE.BAS" (from **Antic**, (December 1987) and then ENTER "D:PATCH.LST". Remember to SAVE the modified program before you RUN it.

Antic Disk owners will find a copy of the completely patched program on the monthly disk under the filename ENVELOPX.BAS.

#### **HOW TO USE**

When RUN, the patched program asks if you want to use the default return address, displayed in the center of the screen.

Type [Y] and press the [RETURN] key to answer [Y]es for the current return address, or type [N] [RETURN] to

continued on next page

# Procopy ST BACKUP UTILITY

You can't backup your software because copy protection locks you out. ProCopy is the key!

- Protects against the accidental loss of expensive software
- Works with all Atari STs
- Copies both S/S & D/S disks
- Use with 1 or 2 disk drives

Not copy protected

- FREE shipping and handling
- TOLL-FREE telephone number
- Updates are only \$12 with return
- Orders shipped same day
- Disk analyze function included





and C.O.D. orders

Dealer

Inquiries

Welcome

Call (800) 843-1223

Send check for \$34.95 (overseas add \$2.00 for air mail) to:

#### PROCO PRODUCTS

P.O. BOX 665, CHEPACHET, RHODE ISLAND 02814 USA (401) 568-8459

Available Internationally in Europe and Australasia

THE MOVING FINGER CO. Building 2 Shamrock Quay Southampton, SO1-1QL England Tel. 0703-227274

TECH-SOFT COMPUTER WHOLESALE 324 Stirling Highway Claremont Western Australia 6010 Tel. 09-385-1885 CIRCLE 036 ON READER SERVICE CARD

type a different one. You'll be given four lines in which to type your return address.

The program's default return address is stored in DATA statements in lines 210-235. If you want the program to use a different default return address, LIST these lines and substitute your new return address. Be sure to type this information in inverse video mode. Finally, remember to SAVE your modified program before you RUN it.

NOTE: If you only have a three-line return address, delete line 235.

Next, the program will ask whether you want to type the mailing addresses from the [K]eyboard or read them from a [D]isk file. Type [D] and take your mailing list disk, place it in drive 1 and press [RETURN].

The program will display a disk directory and ask you to type the name of your address file. At the next prompt, the program will ask whether you're using 3-line or 4line addresses. Type a [3] or a [4].


Now just sit back as the program prints your envelopes. One by one, the program will display each address onscreen, ask you if it's correct, then print it out.

Stanley Harrison is a section manager for an agrochemicals manufacturer in Raleigh, North Carolina. He has been programming the Atari since 1982 and this is his first appearance in Antic.

FOR MORE ARTICLES LIKE THIS, CIRCLE 200 ON READER SERVICE CARD.

Listing on page 68

### MIDI Recording Studio™ V1.1 for Atari ST Computers





#### Features Include:

Rocky Steady timing (up to 384 PPQ)

Totally Mouse-Driven 8-Track tape recorder interface Supports internal sound chip and loads G.I.S.T. (Antic voice editor) files

Mute and Solo tracks using the mouse in real time Full editing of all MIDI parameters of individual MIDI events Edit using the mouse-controlled HI-LITE event list (like your favorite word processors)

Cut, copy, paste, transpose, compress, expand, and scale velocity on a single event or global basis

Synchronization via MIDI clock (send and receive)

Record while in "CUE" mode for easy song creation

Ability to send any type of MIDI event including System Exclusive Auto-correct (quantize) note timings and durations separately

or together to any value Real-time tempo adjustment

Completely compatible with Dr. T's Keyboard Controlled Sequencer and Copyist

Supports color or monochrome monitors and 520, 1040, or Mega ST computers

CIRCLE 010 ON READER SERVICE CARD

220 Boylston St. ● Suite 306 ● Chestnut Hill, MA 02167 ● (617) 244-6954 ● Call or write for our Free Brochure

# String Array Simulator

List processing power pick-up

#### By RICHARD WHITSELL

Consider a "Battleship" game board. It is an indexed collection of holes into which we may place one peg per hole. In other words, it is an array of holes which holds our pegs, a "peg array."

Similarly, an array in Atari BASIC is an indexed collection of *variables* into which we may place *numbers*, one number per variable. Such arrays are handy for storing tables of numbers, such as multiplication tables.

To store text, string variables are commonly used. A string is an uninterrupted set of bytes whose length and address is known to the computer. In Atari BASIC, string variable names always end with a '\$' character, such as X\$, AB\$ and Q\$.

Most versions of BASIC, except Atari BASIC, let you use arrays of strings as well as arrays of numbers. These are indexed collections of *string variables* into which we may place *strings*, one whole string per variable.

#### **FOOLING BASIC**

The first thing I noticed about Atari BASIC was that it didn't handle arrays of strings. The reason is that Atari BASIC considers each string to be a one-dimensional array of characters.

For example, if A\$ = "ABCDEFGHIJ", then A\$(4,8) would give you "DEFGH", the fourth through eighth characters in A\$. This really causes headaches for Atari BASIC programmers who want to manipulate lists of data that can only be put into strings.

But now there is a way to get around this limitation. We'll use a BASIC subroutine to simulate a string array. All the main program must do then is set a few variables and then GOSUB to the subroutine.

First, we'll DIMension a storage string, making sure it is large enough to hold our array of strings. Let the sub-routines worry about positioning and retrieving the substrings within the array.

for tracking lists

of names and numbers, arrays of strings

come in very handy. But unlike

most other BASIC programming languages,

Atari BASIC doesn't provide for

string arrays. So if you're an

intermediate programmer you'll just have

to fool BASIC with String Array Simulator.

This BASIC program works on all

8-bit Atari computers of any memory size,

with disk or cassette.

There are two ways to manipulate substrings. The only difference between methods is the way they track individual string lengths.

#### METHOD 1

The first method stores the length of the substring within the substring itself. Any length, from 0 to 255, can be stored as an ATASCII value in the first character of each substring.

continued on next page



Type in Listing 1, STRING1.BAS, check it with TYPO II and SAVE a copy before you RUN it. When RUN, it will prompt you to type 10 names. Press [RETURN] after each name. The completed list will be displayed in a table with the name lengths in a separate column.

Here's how the program works:

Line 10 defines the constant MAXNUM=10. This is the maximum number of strings you want in the array. MAXLEN=20+1 defines the maximum length of each string in the array, plus one character to hold the length.

Line 20 DIMensions the storage string to hold the maximum number of strings at their maximum length.

Line 30 DIMensions WORK\$ to be the maximum length of any of the strings.

You only need two variables to call the subroutines: IN-DEX and WORK\$.

INDEX is the index into the array. It tells the subroutines which string you want. Since arrays are traditionally based at zero, the index can be from 0 to 9 and the maximum number of strings is 10.

WORK\$ is a temporary string for passing data to and from the subroutines.

To retrieve a string, set the value of INDEX and then GOSUB 5000. The string you want will return in WORK\$. To store a string, set the value of INDEX, put your string in WORK\$ and then GOSUB 6000.

If you look at the subroutines in STRING1.BAS, you get an idea of how the length is stored in the "array." That's why lines 5020 and 6020 read START=START+1, to skip over that length character before retrieving the string.

#### **METHOD 2**

The second method works just as well. As a matter of fact, you use the same two variables, INDEX and WORK\$, that you used in the first method.

Type in Listing 2, STRING2.BAS, check it with TYPO II and SAVE a copy before you RUN it. This method stores the lengths in LENARRAY, an array of numbers specifically reserved for that purpose.

In the second method, Line 10 has been changed to show MAXLEN = 20 instead of MAXLEN = 20+1, because now we don't need that extra character to store the length.

Line 35 DIMensions the array of lengths to be used by the subroutines.

By the way, if you want to use strings longer than 255 characters, STRING2.BAS can do it without modification. But you'll have to change STRING1.BAS to store an extra character for the length.

Also, if you're not going to use all the strings in the array right away, it's a good idea to set all the strings to null (WORK\$ = "") at the start of your program. This will keep you from pulling out garbage characters where you haven't stored a string.

Richard Whitsell of Norman, Oklahoma is a computer engineering student who programs on both the Atari 800 and the ST. FOR MORE ARTICLES LIKE THIS, CIRCLE 201 ON READER SERVICE CARD.

Listing on page 71

Corp., respectively. — Prices and availability subject to change without notice.

\*The Print Shop and Atari are registered trademarks of Broderbund Software and Atari

State

New York State residents add 8% sales tax.

Exp. Date

Phone #

Address \_

Card No

Signature

City

Software Division

Dept. AT 1 234 Fifth Avenue Suite 301 New York, N.Y. 10001

# SOFTWARE DISCOUNTERS OF AMERICA

Music Const Set ST

For Orders Only — 1-800-225-7638 PA Orders — 1-800-223-7784 Customer Service 412-361-5291

 Free shipping on orders over \$100 in continental USA

No Surcharge for VISA/MasterCard

Your card is not charged until we ship

	civice 112 30
ABACUS BOOKS	Video Vegas (D) \$19
ST Disk Drives	BRODERBUND
ST Gem Prog. Ref\$15	Karateka (D) \$9.88
ST Internals \$15	Loderunner (D) \$9.88 Print Shop (D) \$26
ST Internals	Print Shop Graphics
51 Peeks & Pokes\$13	Library#1, #2, #3 (D) \$16. Ea.
\$1 3-D Graphics\$19	Library#1, #2, #3 (D) \$16. Ea. P.S. Companion 64K (D) \$23 Super Bike Challenge ST \$14
ST Tricks & Tips\$15 ACADEMY	
Typing Tutor ST \$23	CENTRAL POINT Copy 2 ST\$23
ACCESS	DATASOFT
	Alternate Reality:
Leader Board Golf ST \$25 L.B. Tourn. Disk #1 ST \$14	
Leader Board Golf &	The City (D)
Tourn. Disk(D) \$9.88 Tenth Frame ST \$25 Triple Pack: BH1, BH2, Raid	The Dungeon (D) \$26
Triple Pack: BH1, BH2, Raid	Battle Droidz ST \$23 Global Commander ST \$26 Hunt for Red October ST \$32
Over Moscow (D)\$14	Hunt for Red October ST . \$32
ACCOLADE	Tomahawk (D) \$21
Ace of Aces (D) \$9.88	DAVIDSON
Bubble Ghost \$1 \$23	Math Blaster (D) \$32
Hardball (D) \$9.88	Spell It (D)
Hardball ST (D) \$25	
Ace of Aces (D) \$9.88 Bubble Ghost ST \$23 Fight Night (D) \$9.88 Hardball (D) \$9.88 Hardball ST (D) \$25 Mean 18 Golf ST (D) \$25	
Mean 18 ramous Course	
Disk #2 ST \$14 Pinball Wizard ST \$23	
Test Drive ST \$25	
ACTIVISION	
Cross Country	Dal
Road Race (D) \$9.88	
Music Studio ST\$33	
Ghostbusters (D)	
Pitiali/Demon Attack (D) \$9.88	for t
AEGIS	
Animator ST	As sentain of Bussiate .
AMERICAN EDUCATION	As captain of Russia's i
	is to succe the Atlantic or
Biology (D)\$12	is to cross the Atlantic at
Biology (D)	navy. The Russians are at
Biology (D)	navy. The Russians are at can to keep your boat from
Biology (D)	navy. The Russians are at can to keep your boat fro sink you if necessary.
Biology (D)	navy. The Russians are at can to keep your boat fr sink you if necessary. Maps, sonar sweeps, po
Biology (D)       \$12         Grammar (D)       \$12         U.S. Geography (D)       \$12         U.S. History (D)       \$12         Vocabulary (D)       \$12         World History (D)       \$12	navy. The Russians are at can to keep your boat fro sink you if necessary. Maps, sonar sweeps, po make your escape easier,
Biology (D)       \$12         Grammar (D)       \$12         U.S. Geography (D)       \$12         U.S. History (D)       \$12         Vocabulary (D)       \$12         World History (D)       \$12         ARTWORX	navy. The Russians are at can to keep your boat fre sink you if necessary. Maps, sonar sweeps, pe make your escape easier, your position. Some toug
Biology (D)	navy. The Russians are at can to keep your boat fre sink you if necessary. Maps, sonar sweeps, pe make your escape easier, your position. Some toug
Biology (D)	navy. The Russians are at can to keep your boat fre sink you if necessary. Maps, sonar sweeps, pe make your escape easier, your position. Some toug become more proficient
Biology (D)	navy. The Russians are at can to keep your boat fr sink you if necessary. Maps, sonar sweeps, po
Biology (D)	navy. The Russians are at can to keep your boat from the sink you if necessary.  Maps, sonar sweeps, possible your escape easier, your position. Some toug become more proficient  Our Discontinuation of the profice of the same way to be a support of the profice of the same way to be a support of the same way to be a s
Biology (D)	navy. The Russians are at can to keep your boat from the sink you if necessary.  Maps, sonar sweeps, pure make your escape easier, your position. Some toug become more proficient  Our Discontinuous Carts Software Classic Series:
Biology (D)	navy. The Russians are at can to keep your boat from the sink you if necessary.  Maps, sonar sweeps, pure make your escape easier, your position. Some toug become more proficient  Our Discontinuous Carts Software Classic Series:
Biology (D)	navy. The Russians are at can to keep your boat from the sink you if necessary.  Maps, sonar sweeps, pure make your escape easier, your position. Some toug become more proficient  Our Discontinuous Carts Software Classic Series:
Biology (D)	navy. The Russians are at can to keep your boat freshink you if necessary.  Maps, sonar sweeps, per make your escape easier, your position. Some toug become more proficient  Our Discontinuation of the company of the
Biology (D)	navy. The Russians are at can to keep your boat freshik you if necessary.  Maps, sonar sweeps, per make your escape easier, your position. Some toug become more proficient  Our Discensive Classic Series: Age of Adventure (D)\$9.88 Ea. Financial Cookbook (D)\$9.88 Lords of Conquest (D)\$9.88
Biology (D)	navy. The Russians are at can to keep your boat from the sink you if necessary.  Maps, sonar sweeps, pur make your escape easier, your position. Some toug become more proficient  Our Discontinuous Communication of the single state of the single s
Biology (D)	navy. The Russians are at can to keep your boat from the sink you if necessary.  Maps, sonar sweeps, pur make your escape easier, your position. Some toug become more proficient  Our Discontinuous Communication of the single state of the single s
Biology (D)	navy. The Russians are at can to keep your boat from the sink you if necessary.  Maps, sonar sweeps, pur make your escape easier, your position. Some toug become more proficient  Our Discontinuous Communication of the single state of the single s
Biology (D)	navy. The Russians are at can to keep your boat from the sink you if necessary.  Maps, sonar sweeps, pur make your escape easier, your position. Some toug become more proficient  Our Discontinuous Communication of the single state of the single s
Biology (D)	navy. The Russians are at can to keep your boat from the sink you if necessary.  Maps, sonar sweeps, pur make your escape easier, your position. Some toug become more proficient  Our Discontinuous Communication of the single state of the single s
Biology (D)	navy. The Russians are at can to keep your boat freshik you if necessary.  Maps, sonar sweeps, per make your escape easier, your position. Some toughecome more proficient  Our Discensive Classic Series:  Age of Adventure (D) \$9.88 archon 1 or 2 (D) \$9.88 fa. Financial Cookbook (D) \$9.88 and Order Monsters (D) \$9.88 hail Order Monsters (D) \$9.88 hail Order Monsters (D) \$9.88 hovie Maker (D) \$9.88 hore-on-one (D) \$9.88 none-on-one (D) \$9.88 archol Const. Set (D) \$9.88 pinball Const. Set (D) \$9.88 seven Cities of Gold (D) \$9.88 seven Cities of Gold (D) \$9.88
Biology (D)	navy. The Russians are at can to keep your boat freshik you if necessary.  Maps, sonar sweeps, per make your escape easier, your position. Some toughecome more proficient  Our Disc  ELECTRONIC ARTS  Software Classic Series: Age of Adventure (D) \$9.88  Archon 1 or 2 (D) \$9.88 Ea.  Financial Cookbook (D) \$9.88  Lords of Conquest (D) \$9.88  Movie Maker (D) \$9.88  MUJLE. (D) \$9.88  MUJLE. (D) \$9.88  Music Const. Set (D) \$9.88  One-on-One (D) \$9.88  Racing Dest. Set (D) \$9.88  Racing Dest. Set (D) \$9.88  Seven Cities of Gold (D) \$9.88  Super Boulder Dash (D) \$9.88  Super Boulder Dash (D) \$9.88
Biology (D)	navy. The Russians are at can to keep your boat freshik you if necessary.  Maps, sonar sweeps, per make your escape easier, your position. Some toughecome more proficient  Our Discontinuous Comment of the comment of
Biology (D) \$12 Grammar (D) \$12 U.S. Geography (D) \$12 U.S. History (D) \$12 U.S. History (D) \$12 U.S. History (D) \$12 World History (D) \$12 ARTWORX Bridge 5.0 ST \$23 Centerfold Squares ST Call Cycle Knight (D) \$14 Linkword French (D) \$16 Linkword French (D) \$16 Linkword Spanish (D) \$16 Linkword Spanish ST \$19 Linkword Spanish ST \$19 Strip Poker (D) \$21 Strip Poker (D) \$25 Female Data Disk 1(D) \$14 Hemale Data Disk 2(D) \$14 Female Data Disk 3(D) \$14 Female Data Disk 3(D) \$14 Female Data Disk #5 ST \$14 AWALON HILL Gulf Strike (D) \$13 Spitfire 40 (D) \$23 Spitfire 40 (D) \$23 Spitfire 40 (D) \$23 Spitfire 40 (D) \$23 Spy vs. Spy 1 & 2 (D) \$9.88 AWANTE GARDE	navy. The Russians are at can to keep your boat freshik you if necessary.  Maps, sonar sweeps, per make your escape easier, your position. Some toughecome more proficient  Our Disc  ELECTRONIC ARTS  Software Classic Series: Age of Adventure (D) \$9.88  Archon 1 or 2 (D) \$9.88 Ea.  Financial Cookbook (D) \$9.88  Movie Maker (D) \$9.88  Movie Maker (D) \$9.88  MU.L.E. (D) \$9.88  Music Const. Set (D) \$9.88  One-on-One (D) \$9.88  Racing Dest. Set (D) \$9.88  Racing Dest. Set (D) \$9.88  Seven Cities of Gold (D) \$9.88  Super Boulder Dash (D) \$9.88  Touchdown Football (D) \$9.88  Touchdown Football (D) \$9.88  Touchdown Football (D) \$9.88
Biology (D)	navy. The Russians are at can to keep your boat freshik you if necessary.  Maps, sonar sweeps, per make your escape easier, your position. Some tough become more proficient  Our Discontinuation of the profice of the

BAUDVILLE

Award Maker Plus ST ....\$25

Blazing Paddles (D) . . . . . \$23 Rainy Day Games (D) . . . . \$19

Video Vegas ST .....\$23

Video Vegas (D) \$19 BRODERBUND
Karateka (D) \$9.88
Loderunner (D) \$9.88
Print Shop (D) \$26
Print Shop Graphics
Library#1, #2, #3 (D) \$16. Ea.
P.S. Companion 64K (D) \$23
Super Bike Challenge ST \$14
CENTRAL POINT
Copy 2 ST \$23
DATASOFT
Alternate Reality:
The City (D) \$19
The City ST\$26
The Dungeon (D) \$26
Battle Droidz ST \$23
Global Commander ST \$26
Hunt for Red October ST . \$32
Tomahawk (D) \$21
DAVIDSON
Math Blaster (D) \$32
Spell It (D) \$32
Word Attack (D)\$32

Music Collst. Set 31 \$32	Awaru vvare (D)\$9.00
Quizam! ST \$23	Big Bird's Spc. Delivery (D) \$6.88
Rockford ST	Ernie's Magic Shapes (D)\$6.88
Scruples ST \$26	Print Power (D) \$9.88
Star Fleet 1 ST\$35	Sesame St. Print Kit (D) . \$9.88
EPYX	The Computer Club (D) \$9.88
Boulder Dash Const. Kit (D)	*All Hi-Tech req. 64K!
or ST\$14	ICD
Champ. Wrestling ST \$14	BBS Express ST\$57
Pitstop 1 or 2(D)\$6.88 Ea.	MIO (256K) \$179
Rogue ST \$23	MIO (1 meg) \$259
Spy vs. Spy 3: Arctic	XE Adapter for MIO \$19
Antics (D) \$14	PR Connection\$59
Sub Battle Simulator ST \$23	Rambo XL \$29
Summer Games (D) \$14	US Doubler:
Super Cycle ST\$14	with Sparta DOS \$49
Temple Apshai Trilogy (D) . \$14	without Sparta DOS\$29
Temple Apshai Trilogy ST . \$14	INFOCOM
Winter Games ST\$14	Beyond Zork ST\$33
World Games ST \$23	Leather Goddesses ST \$25
FIREBIRD	Sherlock: The Riddle of
Advanced Art	the Crown Jewels ST\$25
Studio ST\$19	Zork Trilogy (ST) \$33
Golden Path ST \$14	INTRACORP
The Pawn ST \$16	Bumper Sticker Maker ST . \$39

\$32	Award Ware (D) \$9.88
\$23	Big Bird's Spc. Delivery (D) \$6.88
\$21	
	Emie's Magic Shapes (D) \$6.88
\$26	Print Power (D) \$9.88
\$35	Sesame St. Print Kit (D) . \$9.88
	The Computer Club (D) \$9.88
it (D)	*All Hi-Tech reg. 64K!
\$14	ICD
\$14	BBS Express ST\$57
6.88 Ea.	MIO (256K) \$179
\$23	MIO (1 meg) \$259
	XE Adapter for MIO\$19
\$14	PR Connection\$59
\$23	Rambo XL \$29
\$14	US Doubler:
\$14	with Sparta DOS \$49
D) . \$14	without Sparta DOS\$29
ST . \$14	INFOCOM
\$14	Beyond Zork ST\$33
\$23	Leather Goddesses ST \$25
	Sherlock: The Riddle of
	the Crown Jewels ST \$25
\$19	Zork Trilogy (ST) \$33
\$14	INTRACORP

GFA Vector ST\$33
Goldrunner ST\$25
Karate Kid 2 ST \$25
Leatherneck ST \$25
Slaygon ST \$25
Space Shuttle 2 ST\$25
Tanglewood ST\$25
Time Bandit ST\$25
MICROLEAGUE
Baseball (D)\$26
Baseball 2 ST\$39
Box Score Stats (D) \$16
General Manager (D) or ST . \$19
1987 Team Data (D) or ST \$14
WWF Wrestling ST \$33
MICROPROSE
F15 Strike Eagle (D) \$23
F15 Strike Eagle ST \$25
Gunship ST \$33
Silent Service (D)\$23
Silent Service ST \$25
Top Gunner (D) \$16
MILES COMPUTING
Harrier Strike Mission ST . \$25
ST Wars \$25
31 vvais

and the second of the second o
Moebius ST \$39
Ultima 3 (D) or ST\$25
Ultima 4 (D) or ST\$39
PSYGNOSIS
Barbarian ST \$25
Terrorpods ST\$25
QMI
Desk Cart ST\$69
SIERRA
Black Cauldron ST\$25
King's Quest
1, 2, or 3 ST \$33 Ea.
Leisure Suit Larry ST \$25
Mixed-Up Mother Goose ST\$19
Police Quest ST\$35
Space Quest 1 or 2 ST \$33 Ea.
SIMON & SCHUSTER
Star Trek ST \$25
SOFTLOGIC
Font Disk #1 or #2 ST . \$19 Ea.
Publishing Partner ST \$59
Publishing Partner
Professional ST \$129
SPRINGBOARD
Certificate Maker ST \$25
C.M. Library#1 ST \$19
SSI
Colonial Conquest ST \$25
Phantasie 1 or 2 (D) \$25 Ea.
Phantasie 1, 2 or 3 ST\$25
Rings of Zilfin ST\$25

Wico Ergostick J.S.


S.D. of A

# Dataso

for the ATARI ST!

As captain of Russia's newest state-of-the-art sub your goal is to cross the Atlantic and rendevous with the American navy. The Russians are after you and will do anything they can to keep your boat from falling into U.S. hands-even sink you if necessary.

Maps, sonar sweeps, periscope and recognition charts make your escape easier, but using them may also give away your position. Some tough decisions will be yours as you become more proficient in submarine captaincy.



FIRST BYTE

FISHER PRICE

FTL

GAMESTAR

Financial Cookbook ST ...\$14

Marble Madness ST .....\$26

Chessmaster 2000 ST ....

**Empire ST** 

Gridiron ST . . .

First Letters & Words ST . . \$33

First Shapes ST ...\$33
Kid Talk ST ...\$33
Math Talk ST ...\$33

Math Talk Fractions ST ...\$33 Smooth Talker ST ...\$33 Speller Bee ST ...\$33 \*These Programs Talk!

Memory Manor (R) ....\$4.88

 Dungeonmaster ST
 \$25

 Oids ST
 \$23

 Sundog ST
 \$23

Champ. Baseball ST . . . . \$25 Champ. Basketball ST . . . . \$25 Champ. Football ST . . . . \$25

Astro-Grover (D) . . . . . . \$6.88

**HIGH-TECH EXPRESSIONS** 



		FOR	Rings of Zilfin ST \$25
			Roadwar Europa ST\$29
			Roadwar 2000 ST \$25
		Z F I I	War Game Const. Set (D) . \$19
			War Game Const. Set ST . \$23
	0	CTOBER	Wizard's Crown (D) or ST \$25
	U	CIUDEN	SUBLOGIC
			Flight Simulator 2 (D) \$32
	angel an -	. 70	Flight Simulator 2 ST\$33
our goal			F.S. Scenery Disks Call
rican	-	<b>₩</b>	THREE SIXTY
	_		Dark Castle ST\$25
ng they	14.52	1	TIMEWORKS
-even	-		Data Manager ST \$49
			Desktop Publisher ST \$87
arts		And the second	Partner ST
ive away		the best - was not	Swiftcalc ST\$49
	-(1)	ANTE DE	Word Writer ST\$49
s you	201		UNICORN
			Aesop's Fables ST\$29
		Datasoft	Animal Kingdom ST \$23
32			Decimal Dungeon ST \$23
			Fraction Action ST\$23
		A STATE OF THE PARTY OF THE PAR	Kinderama ST\$23
<b>Business Card Make</b>	r ST \$39	MINDSCAPE	Math Wizard ST\$23
LDW		Balance of Power ST \$33	Read & Rhyme ST \$23 Read-A-Rama ST \$29
Basic Compiler 2.0		Bop & Wrestle 64K (D) \$19	Word Master ST\$29
Club Backgammon !		DeJaVu ST	UNISON WORLD
Vegas Craps ST		*Deeper Dungeons (D) \$16	Art Gallery: Fantasy ST \$19
Vegas Gambler ST.	\$23	Gauntlet ST	Art Gallery 1 or 2 ST .\$19 Ea.
MASTERTRONIC		Gauntlet 64K (D)\$23	Print Master Plus ST \$25
Action Biker (D)		Harrier Combat Sim. ST \$33	P.M. Fonts & Borders ST \$23
Chopper X ST		Infiltrator 64K (D) \$23	VERSASOFT
Ninja (D)		Into the Eagle's Nest ST \$25	dB Man V4.0 \$149
Ninja Mission ST		Paperboy ST	WORD PERFECT
Renegade ST		Q-Ball ST	
Speed King (D)		Shadowgate ST\$33	WP Word Processor \$199
The Last V8 (D)	\$4.88	Super Star Hockey ST \$33	ACCESSORIES
Vegas Poker &	****	Uninvited ST \$33	Bonus 5¼ SS, DD\$4.99 BX
Jackpot(D)	\$4.88	*Requires Gauntlet!	Bonus 514 DS, DD \$5.99 BX
MICHTRON	***	MINDSCAPE CINEMAWARE	Compuserve Starter Kit \$19
Airball ST		Defender of Crown ST\$33	Disk Case (40-3½) \$6.88 Disk Case (75-5¼) \$6.88
Airball Const. Set S		S.D.I. ST\$33	Disk Drive Cleaner-3½ .\$6.88
BBS ST		OMNITREND	Disk Drive Cleaner-5½ .\$6.88
GFA Artist ST GFA Basic Book ST		Breach ST \$25	Epyx 500XJ Joystick \$14
GFA Basic Int. ST		Universe (D)	Supra 20 MEg Drive ST Call
GFA Basic Compiler		Universe 2 ST	Wico Bat Handle\$19
GFA Companion ST		ORIGIN	Wico Franstick I.S. \$19

GFA Companion ST ... \$33 ORIGIN Wico Ergostick J.S. ... \$19
GFA Object ST ... \$49 Autoduel (D) or ST ... \$33 Xetec Printer Int. ... \$39

#### P.O. BOX 111327 — DEPT. AT — BLAWNOX, PA 15238

\*Please Read The Following Ordering Terms & Conditions Carefully Before Placing Your Order: Orders with cashiers check or money order shipped immediately on in stock items! Personal & Company checks, allow 3 weeks clearance. No C.O.D.'s! Shipping: Continental U.S.A.-Orders under \$100 add \$3; free shipping on orders over \$100. AK, HI, FPO, APO-add \$5 on all orders. Canada & Puerto Rico-add \$10 on all orders. Sorry, no other International orders accepted! Pa residents add 6% sales tax on the total amount of order including shipping charges. CUSTOMER SERVICE—H23-61-529! (1)Status of order or back order (2)lif any merchandise purchased within 60 days from S.D.of A. is defective, please call for a return authorization number. We will not process a return without a return auth. #! Defective merchandise will be replaced with the same merchandise only. Other returns subject to a 15% restocking charge! After 60 days from your purchase date, please refer to the warranty included with the product purchased & return of the manufacturer. Customer service will not accept collect calls or calls on S.D.of A.'s 800# order lines! ORDER LINE HOURS: Mon-Fri. 9 AM-5:30 PM, SAT 10 AM-4 PM EASTERN TIME. Because this ad had to be written 2-3 mos. before it was published, prices & availability are subject to change! New titles are arriving daily! Please call for more information.

CHOOSE YOUR FREE GIFT!



# Subscribe to ANTIC and get The Best of ANTIC Disk FREE!


Bannertizer-Print giant text posters
 Diskio Plus—Turbo operating system
 Rapid Graphics Converter—Translates
 ALL pictures
 Fader II—Flashy desktop video
 Son of Infobits—Easiest database
 Plus many more of the most popular ANTIC programs—All on one Disk!

Every issue of ANTIC brings you news of software for Business, Personal Productivity, Graphic Arts, Programming Tools, Education and more...

### OR...

Subscribe to ANTIC plus
Disk and we'll send you this
Atari Mini Card Solar Calculator,
a \$5.95 value, absolutely FREE! Plus
every month with your magazine you'll
receive a disk loaded with programs like:

- 3D Wire Frame
- Memory Improver
- Banner Creator
- Modem Checkers
- ST Concentration
- ST Battleship Combat



\* Credit Card Sized

\* Instruction Booklet Included

### Only in ANTIC—


Your #1 ATARI Resource.
Subscribe by phone—Call 800-234-7001 (6am-6pm PST.)
MasterCard and VISA Only.











#### **SUPERDOS**

The Australian **SuperDOS** is compatible with Atari DOS 2.0 while providing much of the power of costlier disk operating systems. The user interface is virtually the same as Atari DOS, so you'll be comfortable right away.

SuperDOS supports all three densities—80K single, 130K dual/enhanced and 180K true double. Flexible RAMdisk support is provided for the Atari 130XE and upgrade formats including 128K and 256K Axlon, 256K XL and 320K XE.

SuperDOS is also RAM-resident. When you exit BASIC to DOS, the SuperDOS menu pops up instantly. This is nice, but SuperDOS also has the highest LOMEM value of all Atari disk operating systems—with SuperDOS, Atari BASIC has only 26,077 bytes free instead of the usual 32,274. However, this can be remedied on XL/XE systems with a RAMdisk.

SuperDOS can be customized easily with its auxilliary DOS configuration menu, AUX.SYS. It supports four floppy disk drives and assumes that *any* drive reference above 4 is a RAMdisk. The AUX menu provides direct access to the nuts and bolts of SuperDOS. You can change parameters such as file buffers (which control the number of disk files that can be open) and drive buffers (the number of floppy drives connected to your computer).

Patching the disk with a sector editor can be clumsy and difficult to learn, but AUX provides a TRACE AND PATCH feature that lets you step through a file sector by sector. Then you can patch the file to skip a bad sector. You'll lose the data in that sector, but you can still access the rest of the file.

An automatic RAMdisk can be enabled or disabled from the AUX menu. SDUP, the SuperDOS utilities program, can be made resident for Atari 400/800 owners. By making it non-resident, XL/XE owners will retain SDUP on their RAMdisk, though it will still *appear* resident. This provides more working RAM in BASIC and Assembler. *continued on next page* 



Superbin, a binary file loader that lets you make bootable machine language game disks, can also be written to disk from the AUX menu. And a menu loader for BASIC programs, Superbas, is also provided.

#### WHAT IT HAS

Here are some of the differences between SuperDOS and Atari DOS:

CARTRIDGE returns control to an external cartridge. Internal Atari BASIC on an XL or XE computer can be toggled on or off. Turning it off gives you 8K more RAM for buffer space when disk files are copied.

COPY works just like Atari DOS 2.0 and 2.5, except that SuperDOS automatically determines the density of the source and destination disks, even on a single-drive system. Wild card characters in filenames are allowed, and you can even copy from disk to cassette.

RENAME: In Atari DOS, you've got problems if you rename JOHN.DAT to MAT'T.DAT when the disk *already* has a file called MAT'T.DAT. SuperDOS doesn't allow this. Also, you can rename files using wild cards.

FORMAT: SuperDOS is "density-smart" all the time, whereas many other multi-density disk operating systems must be *told* what the density of a disk is. You can also format RAMdisks with SuperDOS, specifying their density.

SuperDOS FORMAT also allows "skewed" sector formatting for Supermax drives. Skewed sector disks read and write much faster than standard format disks (while Atari DOS 2.0 and 2.5 can still read and write them). However, I'm aware of no such animal as a Supermax drive in the United States.

DUP DISK gives the option of formatting the destination disk. SuperDOS also lets you specify starting and ending sectors for a partial disk copy. DUP DISK doesn't copy empty sectors and it gives an option to retry if it finds a bad sector. Copying sectors to and from a RAMdisk is allowed if the RAMdisk is initialized to the same density.

RESTORE: When you delete a file, it will still show up in the directory, preceded by a minus sign. This is the SuperDOS way of telling you that the file has been removed—but can be recovered. Accidentally deleted files can be restored with this command if they haven't been overwritten.

VERIFY of disk write can be turned on or off. Turning it off disables the read-after-write that all disk operating

systems use to verify the integrity of your disk files as they're created. This also speeds up disk-writing significantly, but you might write a bad file without knowing it.

When you first boot SuperDOS, you can print the manual (if BASIC is installed) or exit to SuperDOS. If you exit, the *first* thing to do is format and write a new SuperDOS master disk, then reboot with it. I've found that exiting the original SuperDOS master disk to BASIC, then trying to return to DOS, locks up the computer, but I'm certain this is just a quirk with the documentation printing utility since all my subsequent SuperDOS disks had no problems.

Another minor glitch is that whenever I run a cartridge from SuperDOS after loading a VBI routine, it gets disabled. However, if the VBI routine is hooked in from an AUTORUN file and the SuperDOS menu never comes up, it works fine.

If you want a disk operating system more powerful than Atari DOS 2.0S or 2.5 and more compatible than SpartaDOS or Atari DOS 3, you'll be pleased with SuperDOS. If you need the additional power of subdirectories,—you'll need to get SpartaDOS or MyDOS, or wait for Atari's upcoming ADOS. If you want support for more than four floppy disks and one RAMdisk, again SuperDOS won't do it. But if you're looking for a powerful, forgiving, user friendly, density-smart DOS, SuperDOS is super, especially at its low price.—MATTHEW RATCLIFF

\$20, 24K disk. Technical Support, 205 Peoria Street, Daly City, CA 94014.

CIRCLE 241 ON READER SERVICE CARD

#### FLASHBACK!

FlashBack! is ICD's hard disk backup for 8-bit Atari power users. But you don't really need a hard disk to find this software valuable. FlashBack! also backs up your RAM-disks and floppies quickly and easily. And files can be restored selectively with simple file copy commands, or with the package's RESTORE.COM utility. ICD's SpartaDOS is required because FlashBack! uses the time and date stamps of your files for reference.

The main menu has seven options. SOURCE lets you specify a source drive, an optional subdirectory path to back up, and the destination drive. If you entered a subdirectory for the source, it will be duplicated on the destination drive.

FORMAT can be specified for your first backup job. Before writing the first destination disk, FlashBack! will prompt you for disk parameters, such as those found in XINIT (with support for double density—and ultra-speed, of course). This eliminates the need for a separate disk format process.

With SINCE DATE, only files modified since a given date will be copied. For this reason, accurate time and date stamping on your files is very important.

When all your options are set you can press [START] to begin the backup or [Q] to quit and return to DOS. FlashBack! creates a subdirectory on the source disk the

first time you back up a particular disk, which contains a list of all the files backed up. If FlashBack! requires more than one floppy disk for archiving your files, it will tell you when to swap disks.

RESTORE.COM lets you restore from your backup floppies to the original (or another destination). You can also decide, file by file, what will be restored. You can load and run files from the backup, or copy them as you would any other SpartaDOS disk. Unexpected problems may crop up when you attempt to load a file split across two backup disks, but RESTORE.COM can retrieve these files.

I use FlashBack! for daily backups of my RAMdisks, both in the computer's RAM and on my ICD 1Mb Multiple I/O Board. I have the ICD R-Time 8 cartridge clock, so time and date stamps are always correct. After a long night's work, I just run FlashBack! and specify the previous day's date as the reference time for backups. I don't have to remember which files I've edited, or perform unnecessary file copies. FlashBack! does all the work reliably and quickly.

I haven't found any real bugs in FlashBack!, but it seems memory-hungry. If I exit MAC/65 to SpartaDOS and execute FlashBack!, my 800XL will lock up. But if I remove the cartridge and turn off built-in BASIC, FlashBack! runs fine. Also, FlashBack! occasionally reports an unexpected error at the very end of the backup process. It makes me nervous, but ICD told me I could ignore it and that the software is being updated to eliminate this error report.

Overall, FlashBack! is very fast and reliable. It automates my file backups a great deal. It has helped me establish the wise habit of regularly archiving important work.—MATTHEW RATCLIFF

\$29.95, 48K disk, requires SpartaDOS. ICD Inc., 1220 Rock Street, Rockford, IL 61101. (815) 968-2228.

CIRCLE 241 ON READER SERVICE CARD

### SPARTADOS TOOL KIT

ICD's **SpartaDOS Tool Kit** is a powerful utility package of eight valuable command files for your SpartaDOS system disks. Users of the powerful SpartaDOS disk operating system will love the increased productivity of their Atari systems.

Previously, the only way to change a directory name was to delete it and recreate it, but RENDIR.COM lets you change the directory name without affecting the files in that subdirectory.

How many times have you done an erase with the wrong template, trashing hours of valuable work? VDEL will ask for a confirmation prompt before deleting each file. If you enter a template for VDEL that might remove the wrong files, you have a second chance to prevent the demolition of important work.

When you can't find a file, WHEREIS locates it, searching all subdirectories. It allows wild cards, listing any file templates meeting your specifications, along with the complete directory path. If you use several subdirectories,

spartabus :	7.2 Fr		Jun-35 13	A CARD HOND
valume: pirectors	TES MAIN			
AT_R5232 AUTOBAT	COM	1863	2-12-85	6:38p
BYPASS CHTD	COM	379 929	11-20-85	1:37p 3:50p
CHUGL DUMP DUPDSK	COM	1833	2-24-85 2-13-85 2-13-85	6:16P 12:06P 11:41a
HDINIT	COM	1500 615	2-13-85	2:56p 1:01p
MENU OFF_LOAD	COM NLP COM	6656 2061	4-95-85 3-19-85 2-13-85	4:48P 2:59P
PORT P_4866	COM RC.	491	2-13-85 18-18-84 4-86-85	12:05p 10:13a 3:45p
PUTRUM RD RD268	COM	1799	7-14-86 9-83-85	18:86a 11:23a
ROBASIC	COM	768 691	3-10-85 6-66-85	11:21a 9:86a

especially on a hard drive, WHEREIS can keep you from tearing your hair out.

ICD's 1Mb Multi I/O Board provides the equivalent of 5.6 double-density RAMdisks, printer spooler, RS232 interface, printer interface and hard drive interface. The MIO must be reconfigured every time it is powered up. Hard drive owners have no problem there, since the MIO ROMs automatically load configuration data off the drive at boot time. Now MIOCFG lets you save and store the MIO configuration on floppy disks, eliminating the manual setup procedure every time the MIO is powered up.

SORTDIR modifies the disk directory so you get a neat, tidy listing every time. Sort priority can be set by filename, type, size, or creation date. Any of these can be modified with the X flag, which reverses the sort.

Once you know all the commands, control of DOS goes much faster than using a menu interface. But if you want a menu for SpartaDOS, DOSMENU will suit your needs. It has the familiar look and feel of Atari DOS 2 and 2.5, with additional commands for the advanced features of SpartaDOS.

If you want your Atari to look and feel more like an IBM PC, just fire up COMMAND. You'll never get lost five levels deep in subdirectories any more. First, it gives you a directory path prompt. You can place 20 macro key definitions in a COMMAND.BAT file, giving you up to 20 different character strings executed automatically with [CONTROL] [SHIFT] key combinations.

You can place all your favorite BASIC or MAC/65 keywords in macro files, vastly improving your productivity. COMMAND adds screen color controls (COLOR BLACK, etc.), a COLD start command, HELP, PATH (subdirectory nesting is added to the drive prompt) and IBM mode. IBM mode kicks in some extra buffering features, allowing you to call up all or part of your last command line, edit it and re-enter it.

If a disk goes bad, I usually have a backup ready, but if not, then DISKRX provides the tools to repair and recover valuable data on a damaged disk, floppy or hard drive.

The SpartaDOS Tool Kit is an affordable, high power utility package. I highly recommend it.—MATTHEW RATCLIFF

\$29.95, 48K disk, requires SpartaDOS. ICD Inc., 1220 Rock Street, Rockford, IL 61101. (815) 968-2228.

CIRCLE 242 ON READER SERVICE CARD

continued on next page

### BASIC TURBOCHARGER

BASIC Turbocharger is an excellent book/disk collection of machine language routines for your BASIC programs—more than 160 routines in all. And the source code is available on an optional disk.

These routines load and save pictures in most of the popular formats, including compressed Micro Illustrator. They support Player/Missile Graphics, every Atari graphics mode, scrolling pictures, printer dumps and Display List Interrupt color changes. They move memory, invert, search and compare it, manipulate bits and, of course, double PEEKs and double POKEs.

The number routines convert between decimal, binary and hexadecimal numbers and do some fancy array manipulations, including search, sort and sum. They also provide a non-repeating random number generator—great for card games—and a proper delay timer so you won't use empty FOR-NEXT loops.

There are a lot of joystick routines, which I thought were unnecessary—until I tried them. They replace several IF-THEN statements and really speed up a program. This greatly improves the "feel" of the joystick.

BASIC Turbocharger will save you a lot of code, speed up your programs and make them more compact. It also makes difficult things easy, like putting text on a graphics screen or invoking the Atari Rainbow.

Each routine is a self-contained string of relocatable code—there's no jumping into the BASIC cartridge or the operating system. This means the routines work with almost any BASIC, including BASIC XL, BASIC XE, MicroSoft BASIC and TURBO BASIC XL. The strings of machine language code are inserted into your program and called with the USR statement. Most routines are less than one line long.

All routines are listed in the fine instruction manual. You could just type them in, but they're machine language and contain all those inverse graphic characters which drive us nuts when we type in the **Antic** listings. Fortunately, Alpha Systems includes a disk containing the routines.

The routines are contained in 120 short demonstrations, which makes it easy to learn how to use them, but hard to include them in your programs. First, you LOAD the sample program, renumber the lines you need and LIST those lines to a disk file. Then LOAD your program and ENTER the file with the machine language routine. It's tedious and cumbersome.

For my personal use, I created a disk with the routines LISTed to files. The routines are grouped by category, and each file has less than 100 lines, so all my programs now start at line 100. Whenever I need a routine, I ENTER that file, renumber the lines I need and delete the rest. It's much quicker.

Building that disk was time consuming, and Alpha Systems should include one in the package. It's the only weak point in an overall excellent product.—CHARLES CHERRY

\$24.95, 48K disk. Source code \$10 with main package, \$15

separately. Alpha Systems, 1012 Skyland Drive, Macedonia, OH 44056. (216) 467-5665.

CIRCLE 237 ON READER SERVICE CARD

### **ENHANCEMENTS TO BASIC**

Enhancements to BASIC is a comprehensive, self-contained program containing powerful tools for DOS, editing and debugging. The disk comes with three versions. While writing a program, you'll want the *full* 8K implementation unless the program is very large, in which case you'll need the 4K *half* implementation. For serious debugging, you'll want the TRACE version.

Enhancements to BASIC only works with Atari BASIC. In fact, during a one-time initialization process, it copies your BASIC into itself and modifies it. After initialization, it loads without using the computer's BASIC.

The added features are impressive: listing, renaming and cross-referencing variables; searching for variables, statements and strings; auto-numbering, renumbering and deleting blocks of lines; scrolling forward and backward in a program listing; 14 macro soft keys (seven of them programmable); a numeric keypad on the keyboard; and number entry in decimal or hexidecimal.

DOS functions provided by Enhancements to BASIC include directory, lock, unlock, rename, erase, format and run at address. Error messages are in English instead of cryptic numbers.

TRACE is a powerful debugging tool, common to many languages but missing from Atari BASIC. It lists each line as it's executed, making it easy to pinpoint the offending line and correct it. Tracing on an Atari is a special challenge. The graphics modes frustrate any simple listing techniques. However, the trace in Enhancements to BASIC lets you list the whole line or only the line number, list the lines to the screen or to a printer, and turn the trace on or off while the program is running.

Unfortunately, you can't view the trace and the program operation simultaneously (except by tracing to a printer). Carefully turning the trace on and off in the program can help, but it's still hard to see *what's* happening and *why* at the same time. The trace and the program should share the same screen, at least in Graphics 0.

The only other serious drawback to Enhancements to BASIC is that the disk is copy-protected. I could never use a language without backups. Of course, if your disk does get trashed, you lose only the enhancements; you can continue to program with BASIC. And you can still run your programs.

Finally, programmers should consider that many of the features of Enhancements to BASIC are available in other BASIC dialects. Some programmers may prefer to change dialects, rather than upgrade Atari BASIC.—CHARLES CHERRY

\$24.95, 48K disk. Available by mail only. Hathaway Electronics, P.O. Box 168, Rices Landing, PA 15357. (412) 592-5981. CIRCLE 238 ON READER SERVICE CARD

continued on page 38

# GTIA Joystick Painter

### **Powerful Atari Animation Tool**

### By ROBIN ALAN SHERER

GTIA Joystick Painter is a powerful drawing program for nine-color Atari Graphics 10 mode. This BASIC program works on all 8-bit Atari computers with at least 32K. A disk drive is required.

tari graphic modes 9, 10 and 11 are called GTIA modes.

The Atari's main microprocessor chip is saddled with an enormous workload, because the Atari has so many different graphics modes, hue/luminance combinations, sound features and controllers for devices such as joysticks. That's where the GTIA chip comes in, as well as other special chips such as ANTIC and POKEY.

Earlier Ataris used the CTIA (Color Television Interface Adaptor). But today almost all Atari 8-bit users have computers with the newer GTIA chip. GTIA stands for Graphics Television Interface Adaptor (or George's TIA, for George McLeod who designed the chip). To make sure your computer has GTIA, type:

10 GR.9:GOTO 10

If your screen turns black, you have it. If nothing happens, you don't.

Among other things, the GTIA chip controls color and luminance (brightness) of ordinary playfield graphics—such as those called from BASIC with COLOR, PLOT and DRAWTO statements while in graphics modes 3 to 11.

### **GRAPHICS 9, 10, 11**

Graphics 9 is a one-color, 16-luminance mode. Graphics 10 has nine colors with independent hue and luminance settings. Graphics 11 has 16 colors and only one luminance. Each mode has 80 columns and 192 rows. Modes 9, 10 and 11 are actually variations on Graphics 8, so details such as memory required to map the screen (about 8K) remain the same.

In BASIC, you can reach any of these GTIA modes with normal GRAPHICS statements. You can also POKE 623,64 (which sets bit 6) to turn on Graphics 9, POKE 623,128 (which sets bit 7) for Graphics 10 and POKE 623,192 for Graphics 11 (which sets bits 6 and 7).

When the GTIA bits are set, the computer interprets

display memory differently. In Graphics 8, each memory location keeps track of eight consecutive pixels. Each byte of memory can hold a value between 0 and 255—corresponding to the number of combinations of lit and unlit dots you can make in each eight-dot byte.

But in the GTIA modes, not only can each dot be turned on or off, but it also must contain information about which of 16 hues or luminance levels is displayed. And, unlike Graphics modes 1-8, there are no text windows in the GTIA modes.

In Graphics 8, each row can display 320 dots. Since you need extra color information for each dot in modes 9, 10 and 11, you only get 80 dots per row. Also, modes 9 and 11 don't have 16 color registers available—just five regular color registers.

You can only get additional colors by making the color value of each dot onscreen directly represent the color or luminance of the dot, instead of indicating which color register to look into for that value. If you want to change the colors of some dots onscreen, you'll have to redraw each one in its new color.

To see how GTIA modes work, type this short program:

10 GRAPHICS 9

20 SETCOLOR 4,12,0

30 FOR I=0 TO 15:COLOR I

40 PLOT 4\*I+5,2:DRAWTO 4\*I+5,190

50 DRAWTO 4\*I+6,190:DRAWTO 4\*I+6,2

60 NEXT I

70 GOTO 70

You should see 16 shades of green bars on the screen. To see 16 different colors at once, substitute these lines:

10 GRAPHICS 11

20 SETCOLOR 4,0,4

Here's a set of practical instructions for Graphics 9:

1. Use a GRAPHICS 9 command to set the mode.

2. Use SETCOLOR to select the color to be used. The register used to specify this color is 712, which holds the background color. Use the form SETCOLOR 4,C,0 where C is between 0 and 15.

continued on next page

- 3. To PLOT or DRAWTO, use COLOR S to specify the shade, where S is between 0 and 15.
- 4. Now PLOT and DRAWTO normally. The horizontal coordinate must be between 0 and 79, and the vertical coordinate must be between 0 and 191.

Try this:

100 GRAPHICS 9

120 SETCOLOR 4,15,0: REM Color is gold

130 FOR I=25 TO 49

140 C = I + (74-I-I) \* (I > 37)-22

150 D = INT(SQR(144-(I-37)\*(I-37)))/2

160 COLOR 15-C:PLOT I,32-D:DRAWTO I,32+D

170 COLOR C:DRAWTO I,155+D

180 NEXT I

190 GOTO 190

### GTIA JOYSTICK PAINTER

With this lesson's GTIA Editor, you can easily create ambitious medium-resolution Graphics 10 drawings, SAVE them to disk and LOAD them later. Type in Listing 1, GEDIT.BAS, check it with TYPO II and SAVE a copy before you RUN it.

### POWER TOOLS FOR 8-BIT ATARI continued from page 36

### **BASIC VIEW**

**BASIC View** is a very good debugger for BASIC programs and really does provide a view into the workings of your program. When you RUN a program, a listing scrolls past and lines are highlighted as they are executed. It is the most graphic trace function I have ever seen. You really get a feel for the flow of the program.

The BASIC View screen is divided into three areas: the program listing, a display of two variables and a menu of BASIC View commands. It's very easy to use, and most functions are controlled with a joystick. The variable display shows the values of two variables or addresses.

The menu has commands to scroll the listing forward and back, RUN the program, RUN from a given line, set a stop line and set a count for the stop line. For instance, you can set the program to RUN from line 120 and stop on line 1560 during the fourth time through a loop. The speed at which the program RUNs is adjustable (very useful) and you can jump back and forth between the program screen and the BASIC View screen.

Although BASIC View is the best debugger for Atari BASIC programmers, it's not perfect. The biggest problem is that it doesn't show enough information. Two variables aren't enough: you need at least four. While you can select one of the variables, BASIC View displays the one declared next as the other one. Of course, by declaring

continued on page 49

If you have trouble typing the special characters in lines 2030, 2080, 2130, 2180 and 2250, don't type them in. Listing 2 will create them for you. Type Listing 2, check it with TYPO II and SAVE a copy to disk. When RUN, Listing 2 creates these hard-to-type lines and stores them in a disk file called D:LINES.LST.

To merge the two programs, LOAD "D:GEDIT.BAS" then ENTER "D:LINES.LST"—remember to SAVE the completed program before you RUN it.

### **USING THE PAINTER**

Plug a joystick into port 1. When RUN, GTIA Joystick Painter displays eight colored blocks at the bottom of the screen (your "palette" of color choices) and four flashing marks (the boundaries of your drawing cursor).

Press [C] to pick a color to draw with. A line will appear under the present color. Move the joystick left or right to select one of the eight default colors. After you select a color, you can change it by moving the joystick forward and backward. When you're satisfied with your palette, press the joystick button.

Now use the joystick to position the flashing cursor. To draw, hold down the joystick button. Release it to stop drawing. To change the size of the drawing cursor, press [CONTROL] and an [ARROW] key. To erase the screen, press [SHIFT] [CLEAR].

Press [E] to change the cursor color to the white background color. Then erase as much as you want by pressing the trigger. To start drawing again, select a new color by pressing [C].

Press [S] to SAVE your drawing. Your picture will temporarily vanish and a "Filename to SAVE?" prompt will appear in its place.

Now, type in a filename for your picture and press [RETURN]. The program will SAVE your drawing, along with the eight color values of your palette.

Press [L] to LOAD a drawing. At the "Filename to LOAD?" prompt, type in the name of the file to load and press [RETURN]. The program will LOAD the drawing and its color palette.

Pressing [RETURN] at either of these prompts will return you to the drawing screen.

### **GRAPHICS 10**

Graphics mode 10 might be more important than any other Atari Graphics mode because it offers an extended selection of the number of possible onscreen colors—without using the Player/Missile graphics which will be introduced in a later lesson. It also allows color indirection, meaning that you can select nine colors from the 128 color/hue combinations and that you can change the color of any object onscreen with just one SETCOLOR or POKE command.

Because of the differences in possible color/hue combinations, the operating instructions for Graphics 10 are different from Graphics 9 and 11:

1. Use the GRAPHICS 10 command.



### GTIA GRAPHICS MODE SUMMARY

SCREEN SIZE (COLIIMNS×ROWS)

GRAPHICS 9

SCREEN SIZE (COLUMNS×ROWS) 80×192		GRAPHICS 9 MEMORY REQUIRED: 8138 BYTES			
DISPLAY TYPE DEFAULT COLORS		SET COLORS (N)	POKE ADDRESS	COLOR (N)	
DISTERT THE		GRAPHICS 9	TORE ADDRESS	COLON (N)	
ONE HUE,	BLACK	4	712	0	
16 LUMINANCES,	DETER			1	
CHANGE HUE WITH				2	
SETCOLOR 4, HUE, 0				3	
OR POKE 712, HUE	DARK GRAY			4	
OK TOKE 712, HOL	DAKK OKAI		No distribution	5	
				6	
				7	
	GRAY			8	
	GKAY			9	
				10	
	LIGHT OR W			11	
	LIGHT GRAY			12	
				13	
				14	
	WHITE	D. D. H. 44 . 14		15	
WINE COLORG		RAPHICS 10	704	1 0	
NINE COLORS	BLACK		704	0	
	BLACK		705	1	
	BLACK		706	2	
	BLACK		707	3	
	ORANGE	0	708	4	
	LIGHT GREEN	1	709	5	
	BLUE	2	710	6	
	RED	3	711	7	
	BLACK	4	712	8	
		RAPHICS 11	710	1 0	
ONE LUMINANCE,	BLACK	4	712	0	
16 HUES, CHANGE	GOLD	SHE WAS DOWN		1	
LUMINANCE WITH	ORANGE		STATE OF	2	
SETCOLOR 4, LUM,	RED ORANGE			3	
O, OR POKE	PINK			4	
712, LUM	PURPLE		THE SHARE	5	
The same of	PURPLE BLUE	distance of the second	(E) (E)	6	
En what is	AZURE BLUE	repaired and		7	
salicism ti may	SKY BLUE		MENTE OF	8	
SECTION SERVE	LIGHT BLUE		sulgir -	9	
STATE OF BUILDING	TURQUOISE		70 70 1	10	
<b>国建设工程</b>	GREEN BLUE		CONTRACT OF STREET	11	
Page are last press	GREEN	all all the	AND STREET	12	
Compa valuesti	YELLOW GREEN	THE REAL PROPERTY.	f hom - u	13	
I nye is to day to day	ORANGE GREEN	STATE THOSE TO	10 1969	14	
difference of	LIGHT ORANGE	at distance more	N. BRIE	15	

2. Select a color register to draw with using the COLOR command. Here, that command refers not to the color value itself, but to the register that contains the color value. Therefore the range of values is 0 to 8.

### **COLOR REGISTERS**

Before you use a color register, you'll probably want to know what actual color value it contains and how to change it. The default colors of the normal playfield registers are orange, blue, pink, green and black. These can be controlled by the SETCOLOR command.

Since register 0 corresponds to memory location 704, COLOR 0 will set the color to be plotted according to what's in 704. To calculate this number, use this formula: N=(16\* color value) + luminance value.

For example, to set color register 0 to the background blue of a Graphics 0 screen, you'd want the value generated by the statement SETCOLOR x,9,4. Since the color value is 9 and the luminance value is 4, the number to POKE into 704 is (16\*9)+4, or 148.

### **GRAPHICS MODE 11**

Graphics 11 is almost identical to Graphics 9—except that it offers 16 colors at one level of brightness. The instructions for using it are almost the same as those for Graphics 9:


- 1. Use a GRAPHICS 11 command.
- 2. Use SETCOLOR to select the color to be used. Use the form SET-COLOR 4,0,B, where B is an even number between 0 and 14.
- 3. To PLOT or DRAWTO, use COLOR. The colors correspond to the shades you would normally use for the second value of the SETCOLOR command.
- 4. Now PLOT and DRAWTO normally. The acceptable horizontal and vertical boundaries are the same as for Graphics 9.

Robin Sherer is co-author of Master Memory Map of the Atari and other Atari reference books.

Listing on page 72

# More\* Secrets of Atariwriter Plus

Mail merge, RAMdisks, macros, wildcards and more . . .



By KEVIN STEELE

I was one of first Atari 130XE owners using Atariwriter Plus, the word processing software featuring mail merge, a built-in spelling checker and support of the 130XE's extra 64K memory. My copy of Atariwriter Plus was so early that it came in a manila envelope with photocopied instructions.

After using this fine word processor extensively, I've learned a number of tricks that make Atariwriter Plus more powerful—such as using it with a RAMdisk, creating pseudo-macros, editing mail merge entries from within the text editor, avoiding bugs that can ruin your printouts, using wildcard disk operations, plus other techniques that give you the most from features already built in.

### MAIL MERGE MAGIC

If you ever used the Atariwriter mail merge function, odds are you've been frustrated by it. Data entry is awkward, the field size is too small, and printing a file with mail merge entries literally takes hours if you have several

records. Here are a few steps to help ease the pain.

First, the lengths of the fields are normally limited to 20 characters, but don't let that stop you. If you place multiple mail merge entries in a text file, one after another, in effect you can expand a data field to as many as 300 characters.

However, this is tricky to pull off. The mail merge commands in the text file must be separated by a space and you can't split a word between fields. Otherwise, combine as you wish. I've used this trick to create form letters

<sup>(\*</sup> Secrets of Atariwriter Plus by Carolyn Hoglin is a different collection of advanced tips which appeared in the July 1987 issue.—ANTIC ED)

that print address lines longer than 20 characters.

Suppose you want to print out more than one space between different parts of your data fields—such as two spaces before a zip code. Place the extra spaces at the beginning of the second field, because Atariwriter Plus removes all trailing spaces in mail merge fields when printing.

Another thing that the Atariwriter Plus mail merge program removes is all dashes in a line. This makes it difficult to enter hyphenated names, street numbers and post office boxes. To get around this, when entering a line requiring a dash, simply enter your text, including dashes, and space over the default dashes already in the line.

When the line looks right, leave it by pressing [CONTROL] [DOWN ARROW] to move to the line below. The dashes will stay where you typed them. The only place this trick doesn't work is in the last line of the record. Here you must press [RETURN] to enter the record into memory.

Another convenient trick is editing mail merge entries from within the text editor. You can change data and add or delete records without waiting for the mail merge program to load. (However, you must create a new mail merge file *with* the mail merge program.)

After creating a record, load it into Atariwriter Plus and [E]dit the file. You can change anything in the records, but make sure all the entries have the proper number of spaces, and all records have the proper number of entries. To add a record, precede it with a [CONTROL]-[ESC] [CONTROL]-[INSERT] character sequence. Also make sure that the entire file ends with a [CONTROL]-[ESC], [CONTROL]-[DELETE]. When you save the file, use the Save ASCII ([CONTROL] [S]) option from the main menu.

Perhaps the most irritating feature about mail merge is its snail-like speed. A form letter with 30 records can keep the disk drive running continuously for an hour or two. A RAMdisk will cure this problem—if you place the mail merge file in it before trying to print.

To use a RAMdisk with a 130XE, load DOS 2.5 with RAMDISK.COM present on the disk. Then use the Binary Load option (L) to load AUTORUN.SYS off the *non-XE* side of the Atariwriter disk. When the program finishes loading, D8: will be at your disposal. If you forgot to recopy your data file before booting the word processor, just load the file into Atariwriter Plus, then save it to D8: as an ASCII file. The computer will keep sending forms to the printer as fast as it can print.

### WATCH OUT

Every program has its glitches—and they tend to surface at the least opportune moment. Some traps to watch out for:

- 1. If you use the Block Center Right option—[CONTROL]-[C] [CONTROL]-[C]—with a series of lines padded to the same lengths, make sure every line has at least one blank at the end. Otherwise, they will not align correctly.
  - 2. The extended XE version doesn't always divide long

files correctly between the memory banks. Make sure you check the file after it loads—sometimes words will be duplicated, broken in half, or just missing.

- 3. If you have a header in your file, and set the top margin in the global format screen to 0, the computer becomes confused and formats blank page after blank page. If you specify a footer and set the bottom margin to 0, the program will try and print it below your page length boundary, usually meaning your footer will end up on the top of the next page.
- 4. I've had problems with the computer sending a linefeed to the printer when accessing either the spell checker or mail merge sections of Atariwriter Plus. This may skew your next printout, so beware.
- 5. Other users seem to have found small errors in the default printer drivers. However, the only error I encountered in the Epson FX-80 driver is lack of support for reverse line feeds, which the printer is capable of.

### **TIPS & TRICKS**

MACROS: Use the block save command to save useful sections of a file—such as unusual printer codes, a template for a title page, or a description you plan to put in several letters. If you save each of these under a one-ortwo letter filename, such as I for Italics, or T for title page, you can load them in with three or four keystrokes using the [CONTROL] [L] option. If you set up a RAMdisk, they will load instantly.

WILDCARDS: Since Atariwriter Plus comes with DOS 2.5 built in, several DOS features are available from within the program. The most important is wildcard disk operations. Using the asterisk (\*) and question mark (?) wildcard characters, you can delete entire groups of files. Hint: If you want to use a wildcard to perform a global operation like deleting all files ending with a certain extender, say .TXT, use a question mark first, then an asterisk, then the extender: ?\* .TXT. Otherwise, the program will reject the wildcard operation.

BANK SEPARATION: With the three banks of memory in the 130XE, you can store extremely long files. But what if you want to use them as separate buffers? The easiest way is simply to end banks one and two with a [CONTROL] [E]. This way the banks won't overlap on a page when printing out. Each bank will begin on a fresh page. One catch: The file won't separate the same way next time you load it. So you may need to cut-and-paste the file sections back into their respective banks.

FORMAT TEMPLATE: Setting and resetting the global format commands for each new file can be tedious. Why not just save the format commands in template form? Set up the format commands the way you want, enter one space in the text editor, and save this one-space file under a name such as TEMPLATE. It will be ready to load every time you want to start a new writing project.

Kevin Steele of Pittburgh, Pennsylvania just graduated from Grove City College as a computer systems major.

FOR MORE ARTICLES LIKE THIS, CIRCLE 193 ON READER SERVICE CARD.

# Atari's



# New Entertainment Cartridges


Bonanza for ALL 8-bit gamesters!

By DAVID PLOTKIN

ontinuing **Antic's** policy of reviewing all Atari XE Game System cartridges as soon as they become available, this article looks at the 12 new carts—priced \$19.95 to \$22.95 each—that shipped at the beginning of 1988.

According to our latest word from Atari, game cartridges will be released in smaller numbers throughout the year. Expected this spring are **Food Fight**, the **Gato** submarine simulation, **Necromancer** and **Desert Falcon**. Don't forget that XE Game System cartridges will work on *any* Atari 8-bit computer.

We'll start off this month's reviews with the one brandnew game in the batch. All the other software has previously been available either on disk or in coin arcade versions that I've enjoyed playing for years.



### **BARNYARD BLASTER**

Barnyard Blaster is a superb game that also brings some great news—the Atari Light Gun works just fine! Those aiming inaccuracies noted in my article, *Shootout of the Video Game Systems* (Antic, March 1988) apparently should have been attributed to the Bug Hunt software included with the XE Game System.

Barnyard Blaster's background graphics are colorful and the target animation is excellent. Inanimate objects explode convincingly, while the animals disappear in a tasteful twinkle. Each of the three scenarios has an introductory screen that you can blast realistic holes into.

You simultaneously blast away at stationary objects—pumpkins, bottles, watermelons—and moving targets—gophers, mice, chickens. Ammunition is limited and there's a bonus round where you shoot bottles thrown into the air by "Gramps." Sometimes a blank rectangle or garbage appears on the screen instead of the score, but this doesn't seem to affect the game.



### ARCHON

Archon is "the battle between the dark and the light." On a chessboard-like field, you control various pieces that each have differing weaponry, movement, distance, lifespan and other traits. Although the two sides are fairly evenly matched, the pieces are *not* identical. Archers use arrows, trolls use rocks, knights use swords, manticores use bolts, and magic spells are used by wizards on the right and sorceresses on the left. Archon is a game for one or two players, but be warned—the XE Game System is a *mean* opponent.

When it's your turn, use the joystick to move. Some pieces can fly or teleport while others can be blocked on the ground. If you land in the same square as another piece, you fight to the death. Pieces are more powerful on squares of their own color. And some squares *cycle* through the colors, so keep on your toes. The battlefield is littered with ever-changing obstacles, which can shield a piece from attack. And it takes a while to recycle your weapons—you can't just hold down the fire button and blast away.



### FIGHT NIGHT

In **Fight Night**, your boxer can climb into the ring with any of five challengers, controlled either by computer or by another player. Joystick and trigger combinations give you eight possible punch and block maneuvers. Each challenger has a specialty. For example, Hu Sim has a mean karate kick to the midsection, and the British Bulldog can belt you so hard that your onscreen alter ego's neck stretches. All the computer opponents have weak spots except the champ—the Bronx Bomber.

The Tournament option lets you set up a tree of elimination fights. Main Event lets you control your fighter against the computer challengers. If you win you move on, but if you lose, you can have a rematch. You can build your own fighter by choosing various body parts from the available selections, even deciding how resistant your fighter will be to head and body blows. (However, resistance to one makes him succeptible to the other.)

You can save completed fighters to memory for the rest of the current play session, or to disk if you have a disk drive. You can also use the training and sparring options to practice, although with the sparring option I was unable to figure out how to control the fighters. I also couldn't tell how to use the constructed boxer in the Main event, for which I blame the documentation.

### ONE ON ONE

In **One on One**, you control either Julius "Dr. J" Erving or Larry Bird in a game of one-on-one basketball. These two basketball greats participated in the design of the game, and their strengths and weaknesses are well represented. You can play against another player or the computer, using your joystick to move, attempt steals, block or shoot.

The graphics are excellent and smooth. Dr. J's famous "jump and turn" shot is spectacular, and the shattering backboard on an enthusiastic slam dunk is very funny.

continued on next page


There is even instant replay for a particularly impressive move. Levels range from "Park and Rec" to "Pro," and the computer gets successively better as an opponent in each level.

You lose the ball if you make an illegal move. Commit more than five fouls, and your opponent goes to the line for a free throw. Even fatigue and hot streaks come in. You can regain energy by dribbling the ball or use it up by running around the court. One on One is a lot of fun to play with a friend and you even have a chance against the computer.



### DAVID'S MIDNIGHT MAGIC

This is video pinball, complete with bumpers, drop targets, rollovers and flippers. The joystick starts the ball and flips the flippers, although you must move the stick (rather than pressing buttons) for the flippers, so the action takes a little getting used to. You can even bump the table, but just as in the real thing, you might TILT. There are bonuses and options for multiple players. The graphics and sound are well done, and **David's Midnight Magic** is a lot of fun.



### BALLBLAZER

In **Ballblazer**, a futuristic sports contest for one or two players, you guide your "rotofoil" over a checkerboard playing surface, attempting to gain control of a floating ball and send it between two goal posts.

Half of the screen shows *your* view, and the other half shows your opponent's—you can even see yourself from your opponent's viewpoint. The graphics are outstanding, with a smoothly moving checkerboard playing field that gives a realistic 3-D perspective.

You can steal the ball from your opponent and then

use your joystick to move the rotofoil toward the goalposts at either end of the field. The goalposts *move*, so hitting them can be difficult. The number of points you get for shooting the ball between the posts varies depending on the distance from the goal posts. If you can get the ball between the posts when you can't see them quite a trick—you get three points. (I usually get real close and settle for just one point.)

### **BLUE MAX**

In **Blue Max** you fly a World War I biplane over enemy territory and do as much damage as possible with guns and bombs. The three-quarter view features a well-rendered, smooth-scrolling landscape with buildings, tanks, anti-aircraft guns, rivers, boats, bridges, cars and trees. And enemy aircraft—better avoided if possible—do sometimes appear.

Occasionally you'll see an airfield where you can refuel, re-arm and repair damage. Watch the onscreen altitude gauge: If you fly below 24 feet, your guns will damage smaller objects on the ground, but don't fly too low, or you'll crash.

To drop a bomb, climb a little, then dive, then press the fire button. Bombs are especially useful for buildings and bridges with flashing targets, and you can score big by sinking a ship with a bomb—which requires really good aim. The final goal is to fly into the enemy's capital city and bomb his headquarters.

Almost everything except the trees will shoot back at you. Sustain too much damage and you'll crash. Loss of your guns or bombs, or a hole in your fuel tank, are good reasons to look for a friendly airfield. But even on the ground, your troubles are not over—an enemy plane could bomb you. This is the part of the game I didn't like, since you're helpless on the ground with only one life.



### STAR RAIDERS II

In this sequel to the original Atari blockbuster space game, the Zylons are again on the attack and sending ships from a neighboring star system. You must defend the Celos IV system's four planets not only by destroying the Zylon ships, but also by warping to their star system and wiping out the bases which are producing the attacking fleets.

To accomplish this, you have a single star fighter. It has shields, three kinds of weaponry, warp drive and subspace radio. There's a star map used for selecting warp destina-

tions. You also must protect three space stations which you need for refueling and repair.

To win, you must wipe out attacking fleets trying to destroy your cities. If they're all destroyed, the game is over. Each fleet has a squadron of small fighters that attack first. Wiping these out with your laser cannon brings on the "destroyers," for which you'll need your ion cannons. Once you have cleared out the Celos IV system, you can warp to the enemy system and use "surface bursts" to destroy bases on the planet surfaces. If you wipe out all bases and remaining fleets, you win.

**Star Raiders II** is very playable. It's completely different from the original Star Raiders, yet maintains that same desperate flavor. The graphics and animation are excellent.



### LODE RUNNER

Imagine 150 screens—some devilishly clever—for you to guide the **Lode Runner** through, each containing platforms, ladders, bricks, poles—and guards. Your goal is to pick up all the pots of gold on a screen. When you do, a ladder appears which leads you to the next screen. Drilling holes in the bricks can trap guards. If you time it right, the bricks will grow back over a guard. This is the only way to grab his gold.


There are a variety of controls, including ways to "cheat" by giving yourself extra lives or advancing to another level and picking up where you left off. This makes the game even more fun, although the high score is not kept if you use these methods.

Lode Runner also lets you build your own screens. You can save as many as 150 additional screens on disk, if you have a drive. Otherwise, you can still design a screen, although it's lost at the end of the current play session. The editor provides nine different types of items (bricks, poles, ladders, guards, etc.) on each screen, and lets you test each screen.

### **BATTLE ZONE**

Adapted directly from the arcade version, **Battle Zone** places you in a tank, battling enemy tanks and other vehicles. All the details are rendered in line drawings. (The original used vector graphics.) Your radar screen spots enemies; you must line one up in your sights and blast it.

The landscape is littered with obstacles, which can block you at critical times and prevent you from escaping when the enemy shoots back. This, coupled with the fact that graphics don't always make clear what's going on, makes this a rather frustrating game.



### HARDBALL

With **HardBall**, you can play baseball on your XE Game System against either a friend or the computer. You can change the lineup, shift the infield or outfield or choose a designated hitter. Once the game starts, you control the pitcher or the hitter.

The view is over the pitcher's shoulder, with the infield diamond in the lower right corner. The pitcher can choose the pitch (fastball, offspeed, change-up, etc.) and location, while the batter chooses when (or if) and where to swing.

If the ball is hit, the view shifts to the infield or outfield, and the fielder is controlled by the defending team. Whoever fields the ball can throw it to any base to cut off a runner. HardBall has excellent graphics and sound. It supports extra innings, tiring pitchers, stealing bases and changing the lineup.

### **RESCUE ON FRACTALUS**

From its animated launch sequence to the realistic mountains and valleys, **Rescue on Fractalus** is an exciting and very playable game. You pilot a spacecraft whose mission is to rescue downed pilots on the planet Fractalus. Your long-range scanners tell you where the pilots are, but you must deal with enemy saucers and lasers as well.

You have an unlimited supply of torpedoes for destroying enemy installations, and you are heavily shielded as well—although it depletes your fuel when your shields are taxed. When you locate a pilot, you must land and pick him up. Your ship gains fuel from a downed craft, and when you have rescued the required number of pilots, a mother ship takes them and you move to the next level.

Besides being very entertaining, the thing which sets Fractalus apart is the graphics. The animated control panel is impressive, but the craggy surface of the planet, generated using the mathematical technique of "fractals," is extraordinary. You can fly between mountains, skirting the sides of valleys and swooping over long ridges to pounce on the enemy.

\$19.95 to \$22.95 each. Atari Corp., 1196 Borregas Avenue, Sunnyvale, CA 94086. (408) 745-2000.

CIRCLE 240 ON READER SERVICE CARD

# Atari's New Super Disk Drive

First look inside the XF551

Reviewed By RICH TIETJENS


tari's newest disk drive for the XL/XE line of computers has finally reached the market (although with remarkably little fanfare). The new Atari XF551 carries the same \$199.95 list price as the good old 1050 drive it is meant

to replace. Later this year Atari's newest disk operating system, ADOS by Bill Wilkinson, is supposed to be available. The first shipments of XF551 drives came with Atari DOS 2.5 which, while an adequate earlier Wilkinson-written DOS, doesn't really do justice to the capabilities of this powerful hardware.

### FIRST IMPRESSIONS

The XF551 is eerily silent during operation. When I turned it on, I expected something like the "coffee grinder" sounds of the old Atari 810 or the "bear growl" of the 1050. Instead came a brief whirr-then, nothing. There is often a two-second pause when starting a boot, while the drive determines the density of the disk. Fortunately, the monitor speaker informed me that the system was in fact doing something and shortly the DOS menu appeared.

The XF551 is the same gray color as Atari XE computers. It is considerably smaller than the 1050-about  $2 \frac{3}{4} \times 7 \frac{1}{4} \times 11 \frac{1}{2}$  inches—and weighs in at six pounds. A tiny green "busy" light is just to the left of the door lever. Setting the drive number is done with a tiny pair of switches similar to printer DIP switches-



which protrude slightly from the rear cover. The top of the cabinet has two rows of vents for cooling.

The power switch has been moved to the *right* rear corner of the cabinet and there's no pilot light on the front panel. (I left my XF551 turned on for days because of this—with no apparent damage.) While on standby, the XF551 uses about as much power as two night-lights. It uses the same external power supply as the 810 and 1050 and has the usual two Atari nonstandard serial ports for daisy-chaining.

Inside (yes, I voided my warranty), we find a 6507 microprocessor, a drive controller chip, a DC power supply and a drive mechanism with industry-standard power and controller connections! Visions of slipping in a 3.5 inch microfloppy danced before my eyes when I saw this. (An article by Robert Woolley in the January 1988 San Leandro Computer Club Journal discusses how to do this.—ANTIC ED)

Atari DOS 2.0 and 2.5 work as you'd expect with a 1050—single or enhanced density, 90K or 130K of storage, etc. But wait! Side B of my "flippy" wouldn't format. Some investigation revealed that although I could boot and load from the back side of a disk, just as with a 1050, the XF551 won't format or write to it because the index hole (the small hole near the center of the disk) was now on the wrong side.

DOS XL from ICD/OSS, SuperDOS (reviewed in this issue) and SmartDOS can all format single-sided, double-density disks in the XF551. However, DOS XL took a lot of coaxing and I still have trouble duplicating the exact steps required to do it. Even more frustrating is the fact that DOS XL'S CONFIG utility tells me that the XF551 has two sides, but the DOS XL command processor only allows access to 180K.

## WHAT WORKS, WHAT DOESN'T

Most of the software I own, including Speedscript 3.0 and the Antic Spell Checker, worked normally when transferred to a double-sided,

double-density disk. Some programs will do strange things if you try to format a disk or get a directory when using any DOS not found on the original disks. Turbo BASIC works exactly as it should in all densities.

The only way to be sure if a specific program will work properly on a double-sided, double-density disk is to try it. My system has an 810 installed as drive 2 and the XF551 is drive 1. The only problems I encountered arose from trying to change densities within an application such as a word processor or spreadsheet, or from using a copy-protected program under a different DOS.

### **HOW FAST IS IT?**

The XF551 isn't much faster than the 1050, using the operating systems currently available. The forthcoming ADOS is promised to support rapid interlaced formatting and high-speed loads and saves. Since ADOS isn't available at this time, I ran some tests with SmartDOS (Astra Systems) to compare the three Atari drives. See *Figure 1*.

The times in this test were determined using the system clock. All files were written to and read from the same disk, using the same filename. The files were deleted before testing another drive, and the same computer

tually decreased with larger files.

### **BOTTOM LINES**

Here are a couple of things to watch out for, as you enter the contemporary world of double-sided disk drives:

- 1. Always put the cardboard head protector in the drive and close the door before moving the XF551. Double-sided drives are considerably more sensitive to shock and vibration damage than the 1050 and 810.
- 2. Never remove a disk while the busy light is on. This is especially true with double-density disks. While it *may* not damage the disk and won't hurt the drive, sometimes you won't be able to access a double-sided, double-density disk again without rebooting the system. One possible alternative is to always boot from a single-density copy of your DOS disk, then use the DOS Menu to reconfigure the drive. With any luck, if you need to re-enter DOS after an unintentional density change, this method will make it possible.

The XF551 is a modern, rugged drive that delivers good value and reliable operation. I can recommend it without hesitation to any Atari 8-bit owner who wants economical price and compatibility with standards already established.

FIGURE 1: COMPARATIVE DRIVE SPEEDS

Drive	Format	Write 8K File		Read 8K	Write 32K File		Read 32K
Туре	SS/SD	Verify ON	OFF	File	Verify ON	OFF	File
XF551	0:26	0:22	0:09	0:07	1:23	0:31	0:29
1050	0:36	0:24	0:10	0:08	1:27	0:33	0:31
810	0:35	0:27	0:14	0:08	1:44	0:50	0:31

was used each time.

Some quick figuring reveals that on a standard 62-sector picture file (8K), the XF551 is about 23% faster than the 810 and about 12.5% faster than the 1050. For longer files, the improvement over the 810 increases, achieving a 60% advantage at 32K during a write-without-verify operation. However, I found that the gap between the XF551 and the 1050 ac-

Rich Tietjens is a U.S. Army Staff Sergeant stationed in Europe, where he made his early XF551 purchase.

ATARI XF551 DISK DRIVE Atari Corp. 1196 Borregas Avenue Sunnyvale, CA 94086 (408) 745-2000 \$199.95

CIRCLE 212 ON READER SERVICE CARD

SAVE 70%

START

ISSUES! \*\*\*\*\*\*\*

Now START

8 Times Per Year-Still Only \$39.95!

hat's right! START, the Number 1 Atari ST magazine has doubled its frequency.

Subscribe today and throughout the next year you will receive 8 issues of START, each with its own disk filled with word processors, graphics and music software, time-saving tax templates and plenty of games. All this and you save an incredible 70% off the newsstand price.

Subscribe today and learn

about MIDI, Desktop Publishing, Laser Printers, CD-ROM, Desktop Video, Multi-tasking and so much more. And with the variety of useful programs on disk, you are ready to use the Atari ST in ways you never dreamed.

With the in-depth features, the monthly columns, the




great ads and of course the disk full of programs, this really is the ultimate subscription offer for you, the Atari ST user.



## INSIDE **Every Issue Includes:**



- -MIDI and Music
- -Online
- -Entertainment
- -New Owners Column
- -New Products
- -News Briefs
- -Graphics



**POWER TOOLS FOR 8-BIT ATARI** 

continued from page 38

variables carefully, you can pair them up usefully. But that's not very flexible or easy, and a debugger is supposed to make things easy.

Other weak spots are minor: The joystick response is a bit sluggish. I would like a few more lines for the listing, because the menu takes too much space. And the program always returns to the first line when you go to the list mode.

BASIC View takes up 12K at the top of memory. If you are reasonably attentive with your custom display lists, character sets and POKES, you should find no conflicts in any program that fits. BASIC View will help you understand what your program is doing and find where it is going astray. Since it makes the program flow so clear, it's also a great teaching aid for my programming classes.—CHARLES CHERRY

\$19.95, 48K disk, AP0192. The Catalog, 544 Second Street, San Francisco, CA 94107. (800) 234-7001.

### QUICK CODE

**QuickCode** is an amazing collection of macros for the MAC/65 assembler. It turns Assembly Language into a high level, BASIC-like language. Of course, it retains the speed, flexibility and compactness of assembly code. The manual claims that you don't need to know Assembly Language, just learn to operate MAC/65 and program as you would in BASIC. That strikes me as an exaggeration, but not a very big one.

Program control macros include GOTO, GOSUB, RETURN, WAIT, TRAP and multi-line IF-THEN-ELSE-ENDIF, as well as the multi-choice CASE, ON-GOTO and ON-GOSUB. Loops include FOR-NEXT, DO-OD, LOOP-ENDLOOP and WHILE-ENDWHILE.

QuickCode has full variable support, including one and two dimension numerical and string arrays. It also has a special high-speed "indexed string" data type. Macros exist to transfer data from one type to another.

I/O macros include OPEN, CLOSE, NOTE, POINT, PRINT, INPUT, PUT, GET, BPUT and BGET. DOS commands include FORMAT, DELETE, RENAME, LOCK and UNLOCK.

Graphics commands include GRAPHICS, SETCOLOR,

COLOR, POSITION, LOCATE, PLOT, DRAWTO and FILL.

QuickCode has better Player/Missile Graphics support than any other language, even Advan BASIC. It also has support for Vertical Blank Interrupts.

There are even more goodies here, but I'll leave them for you to discover. The only downsides to this package are lack of support for floating point math (it only supports integers—see the Floating Point Package below) and a manual which is organized alphabetically instead of grouping commands by function. For instance, if you don't know that REPORT resets TRAP, how can you find it?

All in all, this is a fabulous package. I wish it had been available years ago. It would have saved me weeks of coding.—CHARLES CHERRY

\$34.95, 48K disk, requires MAC/65. Stardust Software, P.O. Box 33192, Indianapolis, IN 46203. (317) 788-7403. CIRCLE 239 ON READER SERVICE CARD

### FLOATING POINT PACKAGE

The Floating Point Package is another collection of macros for the MAC/65 assembler that provides easy access to floating point mathematics with BASIC-like commands.

Functions supported include addition, subtraction, multiplication, division, logarithms (base e and base 10), exponentiation, inverse logs, array management, input, print, compare, and branch and floating point-integer-ASCII conversions. It also has a trigonometry library for sine, cosine, tangent, cotangent, secant, cosecant and radian-degree conversions.

If, like me, you have avoided using Assembly Language for programs which required floating point, this is a salvation. Those floating point programs usually need the increased speed of assembly language more than any others. While you may never use all of the functions, you'll rejoice at the simplicity of effortless addition and subtraction.

The Floating Point Package is a great companion to QuickCode (above). Together they form the fastest, most powerful high level language available on the Atari. But you'll want a RAMdisk to speed assembly of these monsters.

The Floating Point Package comes bundled with Extended DDT, which I think is the best debugger for the Atari. The amount of information it gives is overwhelming. Together, these two are the best value ever offered to Assembly Language programmers (with the possible exception of MAC/65 itself).—CHARLES CHERRY

\$19.95, 48K disk, requires MAC/65 *cartridge*, AP0189. The Catalog, 544 Second Street, San Francisco, CA 94107. (800) 234-7001.

### DOS 4.0

DOS 4.0 (QDOS) is an easy-to-use, full-featured, well-documented disk operating system. It supports all of the same XIO and direct DOS commands under BASIC as DOS 2. While the QDOS file format is not compatible with DOS

continued on next page

### SAVE YOUR **COPIES OF ANTIC** These custom-made titled cases and CASE binders are ideal to protect your valuable copies from damage. They're designed to hold a year's issues constructed with reinforced board and covered with durable leather like material in maroon. Title hotstamped is gold. Cases are V-notched for easy access. binders have special spring mechanism to hold individual rods RINDER which easily snap in. 1-\$7.95 3-\$21.95 6-\$39.95 Cases: Binders: 1-\$9.95 3-\$27.95 6-\$52.95 Jesse Jones Industries, Dept. ATC • 499 East Erie Avenue, Philadelphia, PA 19134 for Cases; Binders Add \$1 per case/binder for postage & handling. Outside USA \$2.50 per case/binder (US funds only). PA residents add 6% sales tax. Print Address No. P.O. Box Numbers Please City

2.0, the disk has programs to convert both DOS 2 and DOS 3 files to QDOS. You can't convert to DOS 2, however. (For this reason, Antic cannot accept programs or articles in DOS 4.0 format.—ANTIC ED)

The initial menu displays the first 16 .COM files including Disk Utilities (DISKUTIL)—and the options to run a cartridge or get a disk directory. The DISKUTIL screen is similar to the DOS 2 menu, but you can't redirect a disk directory to the printer or a disk file, and there are three new commands: Configure Drive, Merge DCF, and Identify Mode.

Configure Drive lets you set up your drives individually as to density and how many sides. (All configurations work fine on Atari's new XF551 drive.) Merge DCF lets you add new types of drives to your system. And Identify Mode determines the format of the disk in the drive.

The QDOS Duplicate File function lets you copy between disks of different densities. And it can copy as many files as available memory permits in one pass. However, once erased, a QDOS file can't be recovered.

With one utility, GOBASIC, you can automatically LOAD and RUN a BASIC program, or create a file which will do so. Another utility, REDIRECT, changes the logical drive number of any disk drive you specify. Also included is a 100-screen online manual (about 26 printed pages) which alone is worth the cost of QDOS.—RICH TIETJENS

\$10, 48K disk, PD067. The Catalog, 544 Second Street, San Francisco, CA 94107. (415) 957-0886.

AUTHORIZED ATARI ST/XL/XE All Hardware/Software & Accessories

CALL TOLL FREE 7 Days, 24 Hours 1-800-972-5858

Send name, number, exp. date.

State/Zip

### BUY, SELL OR TRADE:::

COMMODORE/AMIGA DEALERS Plus IBM Compatibles & Equipment

CHARGE ORDERS (Minimum \$15): AmEx, Visa, MC, DC accepted.

\_ \_ SATISFACTION GUARANTEED \_ \_

NEW Atari 520ST FM CPU Only \$269 with trade-in of 1050 Drive, 130XE Computer, Gemini 10X Printer, 1802 Monitor. Add \$129 for mono system or \$275 for color system.

**BRAND NEW ATARIXE GAME SYSTEM or 130XE Only \$119** with trade-in of Atari 800XL Computer and 1050 Disk Drive.

NEW Atari XF551 360K Drive Only \$119 with trade-in of 1050 Drive or \$149 with 800XL Computer.

**NEW ATARI ST 20MB HARD DRIVE** Only \$499 with trade-in of SF314 Disk Drive.

### NEW PRODUCT PRICES — ST, PC, MORE — SF314 Disk Drive \$229 SH204 20MB ST Dr SC1224 Color Monitor \$325 RGB Color Monitor 520ST Mono System \$679 SM124 Mono Monitor \$159 SH204 20MB ST Drive \$625 SC1224 Color Monitor \$325 - 400/800-XL/XE 130X E Computer \$159 RGB 40/80 Monitor \$249 Avatex 2400nc \$199 Atari SX212 \$109 256K 800 RAM w/o chips \$79 US Doubler \$29 ICD MIO 256K \$189 XE Game System 1802C Color Monitor Avatex 1200hc SmartLink 2400hc Happy Rev 7 1 XE551 360K Drive \$189 Magnavox 80 Mono \$99 Prac. Per. 2400hc \$189 XM301 Modem \$45 256K XL RAM w/o chips \$35 \$99 256K 800 RAM w \$45 US Doubler \$319 ICD MIO 256K \$19 Wico Black Max Printer Connection ICD MIO 1 MEG Epyx 500XJ Joystick R-Time 8 Cart \$49 Star NX-1000, 144cps \$199

We pay cash for new, used and damaged equipment and accessories! CALL for an instant price quote on your equipment. Quantities of USED products vary Please call before ordering. All used products are guaranteed to be in good working condition. Prices are subject to change without notice.

rices shown reflect a 4% discount for cash. Add 4% for credit card purchases. Prices shown are mail order prices only.

WE CHECK FOR STOLEN CREDIT CARDS

FREE BRAND NEW AVATEX 1200HC

or AVATEX 2400HC Only \$98 with trade-in of working Atari 800XL Computer and 1050 Disk Drive.

### **USED PRODUCT PRICES**

1040ST Mono System \$639 SM124 Mono Monitor \$125 SF354 Disk Drive 800XL Computer 130XE Computer 400-16K Computer Atari 1027LQ Printer 1200XL Computer Hayes Smartmodem Atari 1025 Printer \$59 \$49 \$79 \$29 \$79 1050 Disk Drive \$129 Okimate 10 w/PIP ATR-8000 64K, Slaves \$199 Slave Drives from Commodore 1702 Mon \$135 Koala Touch Tablet \$39 Digitizer/recognt

Hundreds of software & book titles for 400-800 & XL/XE from \$1.00. Call our computer with your 300/1200 baud modem 24 hours a day for software quotes. (303) 939-8174.

### PC COMPATIBLES

IBM XT COMPATIBLE — Color (CGA)/Mono graphics card, 4,77/10 MHz Turbo 8088, Phoenix BIOS. More than 2x as fast as the IBM XT, 640K RAM, 360K Drive. Printer/Modern/Game ports Clock/Calendar, Only \$659\*

IBM AT COMPATIBLE — HEGA/EGA/CGA/Mono graphics card, 8/12 MHz Turbo 80286, Phoenix BIOS 15x as fast as the IBM XT, 512K RAM O-wait, 1 2 MB drive, Printer/Modem ports. Clock/Calendar. Offic \$1249\*

\*Options: Monochrome monitor \$99, CGA color monitor \$249, EGA color monitor \$439 Hard drives. Miniscribe 30MB w/XT cont \$369, 20MB w/XT cont \$349 installed.

\*IBM XT is a registered trademark of International Business Machines.

Boulder, CO 80302 Computer Repeats, Inc.

Books/Software

2017 13th Street, Sulte A

Orders/Questions: (303) 939-8144

Modem software quotes: (303) 939-8174 We Accept Master Card/VISA/American Express and C.O.D.

We want to trade for YOUR EQUIPMENT! If your equipment is not mentioned, give us a call All refer-ences to trade-ins assume equipment to be in good working condition. Shipping/handling is based on actual weight of order and will be added to all prices. Item compatibility is not guaranteed.


Authorized Dealers for COMMODORE/AMIGA and ATARI ST/XL/XE Computers and Accessories.



CIRCLE OO9 ON READER SERVICE CARD

# ES11111 All the latest news for the ST user

By JIM PIERSON-PERRY



he Casio CZ series is among the most popular brands of synthesizers. Along with its comparatively low price, a major reason for the CZ's success is its ability to play four independent voices at once under MIDI control. This multi-voice capability is used effectively by such programs as Activision's Music Studio. But these effects cannot be achieved directly from the keyboard.

Wouldn't it be great to set up the CZ so you could play all four voices together, each in its own section of the keyboard? Or how about playing multiple voices overlaid to make powerful lead synth sounds? The MIDI literature says it can't be done. Well, maybe not normally, but your ST can make it easy to add these super effects to your CZ playing.

My two programs show off real-time MIDI data processing by bringing live performance multi-voice capabilities to the Casio CZ synthesizers. CZ Split plays as many as four independent voices, each in its own keyboard zone. CZ Overlay plays as many as three independent voices

continued on next page

Type-In Software



overlaid on notes played by a base voice, and the overlay voices can be set to create a chord tracking effect.

The programs are only simple starting examples of what can be done with dedicated real-time MIDI data processing. Even so, the effects are nice and give additional punch to your playing. MIDI programming isn't difficult, so how about additional effects like echoing on multiple voices, or microtonal scales? Together, the ST and CZ make a dynamite duo for music and the fun is just starting.

Although my programs were coded with the CZ-101/1000 in mind, they should be compatible with the entire CZ synthesizer line. The only caveat is in patch program selection. I used information from *The Guidebook for MIDI* (free from Casio), which details patch program selection commands for the CZ-101/1000/3000/5000. I'm afraid that CZ-1 or CZ-230S owners will have to experiment to find the right values.

### **GETTING STARTED**

Listing 1, CZSPLIT, and Listing 2, CZOVERLY were both written in GFA BASIC. The actual programs are .PRG files generated by the GFA BASIC Compiler. I deliberately did not go for flashy special GEM effects. The "vanilla" BASIC code should be easy to port to other BASIC dialects.

Two MIDI cables are required for running these programs. One cable connects the Casio's MIDI Out port to the ST's MIDI In port. The second cable connects the Casio's MIDI In port to the ST's MIDI Out port.

You might first want to pull out your CZ manual for

a quick refresher on the mono mode (multi-voice operation). You might also want to look over Tom Jeffries' article "The Ins, Outs and Thrus of MIDI" from the Spring 1987 issue of START Magazine.

You need to know that the base MIDI channel is what your CZ synthesizer is set on to receive or transmit data. Although you could use any channel from 1 to 16, channel assignments above 12 will not work correctly because the CZ needs four adjacent channels for proper separation of its four-voice mono mode.

You should also understand that the patch program selection is where you specify the particular sound (timbre) to be associated with each of the playing voices—for example, trumpet, organ, snare drum. To specify a sound, you need to locate it by source (preset, internal, or cartridge), bank (where appropriate) and number. If you make a mistake, run the program again—you can't hurt the CZ or ST. Selecting sounds from the cartridge bank when no cartridges are installed will default into the preset bank.

### CZ SPLIT

With CZ Split, you specify split points for as many as four separate zones on the CZ keyboard. Each zone controls its own voice (sound).

Zone 1 starts at the right end of the keyboard (MIDI key number 96). Initially its split point is set at the far left of the keyboard (MIDI key number 36) so that all keys fall within Zone 1. If you specify a split point, say middle

## **MIDI Resources**

### **Guide for ST electronic musicians**

By Jim Pierson-Perry

The built-in MIDI ports on the Atari ST are your keys to entering a world of musical adventure beyond the wildest dreams of Beethoven or even Jimi Hendrix. MIDI (Musical Instrument Digital Interface) is a hardware and software protocol that links computers with electronic musical instruments and sound processing devices. With MIDI, you can set up a system to meet any musical need—from a simple computer-controlled player piano to a professional recording studio.

And it's not just for keyboard players: the range of MIDI instruments has grown to include drums, woodwinds, brass and guitars. By the way, MIDI is not just for the ST crowd. Hybrid Arts sells an interface (MIDI Mate) for Atari 8-bit computers.

MIDI has a specialized vocabulary and equipment, but numerous sources of help are available to guide new users (and even experienced MIDIots). This guide contains some of the best help sources I've found to answer my questions and stay abreast of current developments. The resources range from books and magazines to dedicated bulletin board systems and organizations. Addresses and phone numbers for these resources are provided at the end of this article.

### BOOKS

The single best book for an over-

view of MIDI and its applications is "Music Through MIDI" by Michael Boom (\$19.95, Microsoft Press). This thoroughly covers the MIDI language and main types of equipment. Four detailed interviews with MIDI users provide an excellent understanding of how MIDI fills a variety of musical needs. As a bonus, the author is an excellent writer.

A more technical but equally good book is "The MIDI Book" by Steve De Furia (\$14.95, Hal Leonard Publishing). This gets into more detail on setting up MIDI systems of varying sizes and functions. De Furia has written several follow-up books in this series: "MIDI Resource" (\$17.95), addressing the

C (MIDI key number 60), then all notes from the right, down to and including middle C, fall into Zone 1 and are played using its selected voice. Notes below middle C fall into the newly created Zone 2 and are played using its voice.

The maximum is three split points. Make sure that the split points you set are all sequentially lower down on the keyboard—point 1> point 2> point 3. Otherwise the zone decoding logic may not assign your notes as you expect.

When you run CZSPLIT.PRG, Listing 1, you're first asked to enter the MIDI channel for your CZ, then the number of keyboard zones (up to four). You are then asked for the split points to define the keyboard zones from right to left. Let's use MIDI key values of 72 (C above middle C), 60 (middle C) and 48 (C below middle C). This gives us four zones of one octave each.

The final step of setup is to specify the patch program for each zone. This is done by entering the source (preset, internal, or cartridge) and number (1 to 16) for each voice in turn. For this test, let's use preset bank program numbers 7, 2, 14 and 8—flute, trumpet, accordion and bass.

The program then calls a subroutine to put the CZ into mono mode and set up the desired patch programs with their respective voices. A screen prompt is given when all is ready. Now all notes played on the CZ go first to the ST, which determines the voice, then back to the CZ for sound synthesis. All sounds are from MIDI input. The keyboard is divorced from the sound generation circuits

by using the Local Off MIDI command.

By the way, the CZ's pitchbend does work, but only in Zone 1. To exit the program, press the Portamento On/Off button on the CZ keyboard. This halts the program, resets the Portamento button and puts the CZ back into poly mode with the keyboard back online to the sound circuits (Local On MIDI command).

### CZ OVERLAY

CZ Overlay sets up four voices, each with a different sound, and stacks (overlays) them to give a strong, punchy lead synth sound. In addition, the three overlay voices can form a four-note chord that will track the base voice (voice 1) up and down the keyboard to increase the power of the effect.

When you run CZOVERLY.PRG, Listing 2, the prompts first ask for the MIDI channel for your CZ, the model of your CZ synth and the number of overlay voices. You always have the base voice (voice 1) and can have up to three independent overlay voices.

Now enter an offset value for each overlay voice, specified in MIDI key numbers. This allows voice 2 to play up a fifth (+7 MIDI keys), down an octave (-12 MIDI keys), or whatever you like. Using this feature with all three overlay voices gives chord tracking of the base voice for impressive power sounds—even though you are just pressing one key at a time. Let's set overlay voice 1 to offset at 7 (up a fifth), voice 2 offset at 12 (up an octave) and

continued on next page

MIDI standard; "MIDI Implementation Book" (\$19.95), regarding MIDI implementation on various instruments; and "Secrets of Analog and Digital Synthesis" (\$14.95), techniques for creating sounds with synthesizers

### **MAGAZINES**

Several magazines are available that deal with MIDI. The most authoritative is Keyboard (GPI Publications) which regularly features application articles, current events, educational columns and comprehensive reviews of equipment and software. Electronic Musician (Mix Publications) tends to focus more on do-it-yourself projects, both programming and equipment. Also worth checking are Music Technology (Music Maker Publications) and Music, Computers & Software (Keyboards, Computers & Software, Inc.). The latter publishes a yearly buyers guide to MIDI products.

There are several magazines aimed at particular instrument brands. These include Aftertouch (in Northridge, California) for Yamaha equipment, Cozmosynth (B. B. Publications) for Casio, and Transoniq Hacker (in Portland, Oregon) for Ensonia. All provide information on new products, equipment application notes and patches for creating new sounds or effects. And for Atari users, Antic and its sister publication START regularly feature articles on MIDI products and software, as well as publishing original MIDI programs.

### BBS

For up-to-the-minute information or quick answers to problems, nothing beats the telecommunications grapevine. This is a great source of hands-on experience to tap before investing in new equipment or software. The user base ranges from novices to professional MIDI programmers. Quite often users' soft-

ware questions will be answered by the original programmers.

Of the national information services, CompuServe and GEnie have the most active MIDI forums. Common to both are large libraries of files containing patches, prerecorded music, reviews and tutorials.

The best dedicated BBS is Midwest MIDI, the home of both MIDI-Net and the International Electronic Musicians User Group (IEMUG). MIDI-Net is an echo mail conference dedicated to MIDI that operates throughout the United States and in Canada and Europe. Callers log on via local BBS nodes which all feed into a central message bank. Check with Midwest MIDI for the location of the nearest node to you. Besides the message base, there are many music and information files in its download library.

Other good boards to try are East Coast MIDI, MIDI World Network

continued on next page

voice 3 offset at -12 (down an octave).

Finally, choose the patch programs to give each voice its own distinctive sound. Let's use the preset bank for all four with voice 1 (base voice) as program number 2 (trumpet), voice 2 as number 7 (flute), voice 3 as 14 (accordion) and voice 4 as number 8 (bass). The ST then dives into the mono mode setup subroutine and flashes an onscreen message to start playing.

Play a solo on the CZ keyboard and listen to the added depth and dynamics you get from the overlay effect. The pitchbend effect also can be used to spice up the base voice. As with CZ Split, when you're done just press the Portamento On/Off button on the CZ keyboard.

### HOW THEY WORK

The key to these programs is the MIDI command for Local Off. This divorces the keyboard from the synthesizer sound generation circuitry. Pressing keys or controls sends the appropriate commands to the MIDI Out port, but only data received at the MIDI In port will cause sound to be produced. If we put an ST in the middle of this loop, we can monitor the MIDI commands sent and either modify or pass them on unchanged to have the CZ play in real time.

For the programs given here, all we are interested in is Note On MIDI events—all other commands and data are immediately sent back to the CZ. For the split keyboard effect, when a Note On command is intercepted, its associated MIDI key value data byte is used to flag whichever voice will be sounded. The Note On command

is altered to change the channel, according to the designated split points, and passed on to the CZ for play.

The overlay effect is even simpler. Each Note On event detected is sent back on its base channel as well as on all desired overlay channels. The MIDI key data byte is changed for each channel to reflect the desired offset for chord tracking.

The pitchbend effect always operates on the base channel while in real-time play. That is why I set the split zones to run from right to left—most players I know use pitchbend on the upper keys rather than the bass parts. It would be nice to be able to assign the effect to any voice, and I'd love to hear from anyone who can do it.

### 1/230S FIX

Earlier I said that those with a CZ-1 or CZ-230S would need to do some extra work to get the expected patch program changes assigned. At the bottom of the MIDI implementation charts for your synthesizer is a section on program changes that lists the program numbers associated with the various patch banks. Use these numbering assignments when asked for your patch program numbers, but start numbering from 1 instead of 0.

If the CZ tones don't sound right during play, pressing the Solo button on the CZ keyboard twice should clear it up. Apparently there's a bug in some of the earlier CZ ROMs that can be corrected with a firmware update. This is pretty well documented, and you can contact your Casio dealer for further information.

FOR MORE ARTICLES LIKE THIS, CIRCLE 204 ON READER SERVICE CARD. Listing on page 73 - page 75

and TACE BBS. At the professional level is PAN, the Performing Artists Network serving all facets of the international music industry. This service, however, has a \$150 signup fee plus hourly charges.

### **ORGANIZATIONS**

Among the better known national users groups are the International MIDI Association (IMA), International Electronic Musicians User Group (IEMUG) and Canadian MIDI User Group (CMUG). All feature regular newsletters, discount pricing on selected products and services, and a large user base to draw on for help.

At the local level, many cities have MIDI users groups, typically centered around music equipment stores, that provide regular product demonstrations and "how to" sessions. Now that Atari has aggressively committed itself to the MIDI market, you should start see-

ing a lot more of our favorite computers at these stores.

### RESOURCE LIST

Microsoft Press, 16011 NE 36th Way, Box 97017, Redmond, WA 98073.

Hal Leonard Publishing Corp., P.O. Box 13819, Milwaukee, WI 53213.

GPI Publications, 20085 Stevens Creek, Cupertino, CA 95014.

Mix Publications, Inc., 6400 Hollis Street, #12 Emeryville, CA 94608.

Music Maker Publications, Inc., 7361 Topanga Canyon Blvd., Canoga Park, CA 91303. Keyboards, Computers & Software, Inc., 190 East Main Street, Huntington, NY 11743.

Aftertouch, P.O. Box 7938, Northridge, CA 91327.

B.B. Publications, 353 Corbett Canyon Road, Arroyo Grande, CA 93420.

Transoniq Hacker, 5047 SW 26th Drive, Portland, OR 97201.

Antic Publications, Inc., 544 Second Street, San Francisco, CA 94107. (415) 957-0886.

Midwest MIDI BBS, (405) 733-3102.

East Coast MIDI, (516)
928-4986. continued on page 57

# THE INCREDIBLE BACK ISSUE SALE!

### ANTIC Back Issues

### **HOW TO ORDER**

Ordering individual magazines or disks is easy! AMS stands for Antic Magazine. ADS stands for Antic Disk. Follow these product codes with the month and year you want. For example, to order the March 1987 disk and magazine, write:

AMS0387

For Antic Magazine March 1987 ADS0387

For Antic Magazine

March 1987

### WHAT IS AVAILABLE

Individual back issue disks and magazines are available for July 1983 through the current issue. September 1984 magazine is sold out.

Individual Antic disks are \$5.95 each, Antic magazines are \$4.00 each. Remember to include shipping and handling charges (see below)

### 6 month back packs only \$20.00 each

Get a complete set - order both magazines and disks in our special BACK PACK SALE

DISKS

JULY THRU DECEMBER 1983 DBP8302

JANUARY THRU JUNE 1984

DBP8401

JULY THRU DECEMBER 1984 DBP8402

JANUARY THRU JUNE 1985 DBP8501 JULY THRU DECEMBER 1985 DBP8502

JANUARY THRU JUNE 1986 DRP8601

JULY THRU DECEMBER 1986 DBP8602

JANUARY THRU JUNE 1987 DBP8701 MAGAZINES

JULY THRU DECEMBER 1983 MBP8302

JANUARY THRU JUNE 1984 MBP8401

JULY THRU DECMEBER 1984 MBP8402

JANUARY THRU JUNE 1985 MBP8501 JULY THRU DECEMBER 1985 MBP8502

JANUARY THRU JUNE 1986 MBP8601

JULY THRU DECEMBER 1986

MBP8602

JANUARY THRU JUNE 1987 MBP8701

Available only in six month sets shown above.

### START Back Issues



Start magazines are \$4.00 each. Start disks are \$10.95 each. Remember to include shipping and handling charges (see below)

SHIPPING AND HANDLING INFORMATION Please include \$1.00 for each magazine ordered Please include \$3.00 for 1-10 disks \$6.00 for 10 or more disks ST RESOURCE PROGRAMS
(From Antic)

	ISSUE	DISK #
COMPENDIUM #1	8/85-1/86	SB0101
COMPENDIUM #2	2/86-5/86	SB0102
COMPENDIUM #3	6/86-9/86	SB0103
COMPENDIUM #4	10/86-2/87	SB0106
COMPENDIUM #5	3/87-7/87	SB0107
Compendium disks are	\$10.95 each.	

**VISA AND MASTERCARD HOLDERS** 

CALL TOLL FREE 800-234-7001
OR SEND YOUR CHECK OR MONEY ORDER TO
ANTIC PUBLISHING

BACK ISSUES

544 SECOND STREET SAN FRANCISCO, CA 94107

Please indicate by product code which issues you would like. California residents add 6½% sales tax.

# ST Toolbox

### Smooth Talker, Superbase Personal

### SUPERBASE PERSONAL

Superbase Personal, Version 1.026 is a fully relational database manager that's very powerful, but it's still easy to learn and use. This high-quality British import has a well-designed GEM interface that makes the normally complex relational capabilities a piece of cake to set up and use.

The manual was written for PC users operating under GEM, but it has a section for ST users explaining the differences. You really must read the manual thoroughly, but it's very clear, with excellent layout and tutorials. By the time you finish the manual, you'll be well-prepared to use Superbase.

Superbase runs in high resolution or medium resolution. The menu bar on the main screen controls your basic choices. DESK lets you access your desk accessories. The PROJECT menu contains all selections needed for working with files and their indexes, as well as report formats (called "Query" by the British authors). The RECORD menu lets you add, change and delete records within open files.

The PROCESS menu covers all main processing requirements including search, sort, report, update, print, delete, import and export. The SET menu contains several options for modifying Superbase operations such as printing to screen or printer and setting paging, control number and date formats.

You can examine your data in three views. Record View simply displays one record at a time on your screen, one field per line. Form View also displays your records one at a time, but in the screen format you choose—very similar to Broderbund's Syn-File+ on the 8-bit Atari. Table View displays your records in columns, much like a spreadsheet.

The SYSTEM menu lets you set up printer options, get a directory list, change directories, display the status of system files or open files, list a text file, or reorganize a database file.

At the bottom of the main screen is the Control Panel, set like a VCR with buttons for Pause, Stop, Fast Forward and Rewind, as well as Select Current, First or Last Record. Another button lets you specify a key to look up, and the Filter Button lets you set up complex search and selection logic.

Another powerful feature is the External File System, which lets you keep a database containing ASCII text files and graphics images from popular programs such as NEOchrome and DEGAS.

In one affordable package, Superbase combines the ease of using a simple, non-relational database along with the power of a genuine relational database. I heartily recommend this program to everyone from the beginner to the business user.—STEPHEN ROQUEMORE

(Superbase is the ST database software most-used by the editors of **Antic** and START. —ANTIC ED)

\$149.95, color or monochrome. Progressive Peripherals & Software, 464 Kalamath Street, Denver, CO 80204. (303) 825-4144.

CIRCLE 206 ON READER SERVICE CARD

### **SMOOTH TALKER**

My first experience with software that produces computer speech was S.A.M. (no longer available) for the Atari 8-bit machines. S.A.M. produced decent speech. But it pushed the 6502 microprocessor to its limits, so graphics had to be turned off to preserve sound quality. **Smooth Talker** 

produces speech on your Atari ST. It's strictly for fun because the speech produced cannot be used in your own programs.

Smooth Talker starts up with a rudimentary text-editing window where you type any text you want the program to say. The editor lets you highlight text and use Cut, Paste and Copy. However, the arrow keys are disabled, as is key repeat, which makes editing far more work than it should be. Furthermore, the key repeat is not re-enabled when you quit the program, so you can't use key repeat again unless you reboot. A non-GEM set of menus lets you load and save files created with the editor. Other options will speak all the text, only the highlighted section, each word as it is typed in or each letter as you type it in.

After text has been entered, you can adjust pitch, tone, volume, speed and male or female gender. These options can be entered directly into the text using a special notation, or you can bring up a window and use the mouse pointer to click on the appropriate buttons to make your choices. By highlighting a particular section of text, the settings can be applied to just that section. Thus, there can be multiple settings within the text, simulating several different voices. A whole coordinated conversation can be set up.

Smooth Talker has an excellent English-to-Phonetics converter. Phonetics uses a special notation to indicate how a word will sound and the best-sounding speech programs require that phonemes (building-blocks of speech) be entered instead of English text. Phonetics, while not especially difficult, must be learned and experimented with, so most casual users won't bother. Smooth Talker lets

you enter standard English text, including numbers and abbreviations (Dr., Mr., etc.), and converts this text to speech surprisingly well.

Punctuation is used to indicate inflection. You *can* enter phonemes if you want to, and the manual includes a brief section on English phonemes. You can also call up a phonetics window on the screen, and see what your text looks like converted to phonemes.

Smooth Talker supports multiple dictionaries. If a word is mispronounced, (such as chihuahua, which comes out sounding like "chihew-a-hew-a") you can enter the spelling in the dictionary and then enter how the word is supposed to be pronounced. This can be done in phonetics (CHAXwAAwAA) or in deliberately misspelled english (Chi wa wa). From then on, whenever the word is encountered, your pronunciation will override the built-in rules. This feature permits you to build up a dictionary of abbreviations, since you can redefine pronounciation of abbreviations.

The proof of the pudding is obviously how good the speech sounds. It is certainly easy to tell that a computer is talking, but careful adjustment of the parameters (especially volume and pitch) provides speech which is clear and easy to understand. The 68000 microprocessor is still near its limits—moving the mouse pointer steals enough of its capacity to seriously impair the quality of the speech produced.

Overall, Smooth Talker is fun to play with, but not very useful. The shortcomings of the editor are annoying, especially since the program does not seem to be able to load anything but its own files. (I tried 1st Word files, but they didn't work.) But if what you want to do is wow your friends with the "talking computer," then Smooth Talker should fill the bill very nicely.—DAVID PLOTKIN

\$49.95, color or monochrome. (First Byte) Marketed by Electronic Arts, 1820 Gateway Drive, San Mateo, CA 94404. (415) 571-7991.

CIRCLE 207 ON READER SERVICE CARD

### RESOURCE LIST

continued from page 54

MIDI World Network, (213) 826-4288.

TACE BBS, (817) 778-2506.

PAN, (215) 489-4640 (voice).

International MIDI Association (IMA), 12439 Magnolia Blvd., Suite 104, North Hollywood, CA 91607.

International Electronic Musicians User Group (IEMUG, c/o MidWest MIDI Consultants, Inc., P.O. Box 30995, Midwest City, OK 73140.

Canadian MIDI User Group (CMUG), c/o Eric Barager, Box 1043, Belleville, Ontario, Canada K8N 5B6.

# Come to grips with GEM!

Pascal \$149 Fortran \$199



Prospero Pascal for GEM and Prospero Fortran for GEM - two new products for the Atari ST - with:

- Complete programming environment with editor and workbench
- High performance compiler (Pro Pascal or Pro Fortran)
- Linker, Run-time Libraries, Librarian, X-referencer, Symbolic Debugger
- · Compiled Pascal or Fortran GEM bindings
- Complete language and GEM documentation
- · Access to BIOS, XBIOS and Line A routines


The programming environment is designed to stay resident in your Atari while you are programming. It controls the editor, the compiler, the linker and utility programs, and allows you to run the program you have compiled or any other program.

With the four-window editor you can load up to four different source files, and cut and copy between them - the editor understands Wordstar® command sequences. It has block copy and move as well as powerful search and replace functions.

The compiler is Prospero's well established Pro Pascal or Pro Fortran-77 compiler, both of which conform fully to ISO and ANSI standards.

The linker is fast and efficient; assembler language libraries may be introduced.

The debugger provides complete source line tracing and source variable display capability; break points can be set; the calling sequence may be shown, the last ten lines executed can be listed, as can any source lines from the main program or any libraries; you can execute SID or any other program; screen switching separates program text and GEM output.



Windowing and graphics support is provided by GEM; the documentation gives all the explanation needed to use these powerful functions.

The three volume **Documentation** pack includes:

- Installation and operating instructions
- · Implementation details
- The programming language specification
- Detailed descriptions of all 109 VDI Bindings and all 101 AES Bindings, with example programs.

TO BUY NOW CALL 1-800-327-6730. Visa, Mastercard & CODs taken.

Prospero Software, Inc. 100 Commercial Street Suite 306, Portland, ME 04101. Tel (207) 874 0382. Distributor and dealer inquiries invited.

For international sales call London 01-741 8531 or write to Prospero Software Ltd, 190 Castelnau, London SW13 9DH, England.

Prospero Software

LANGUAGES FOR MICROCOMPUTER PROFESSIONALS



# Lyco Computer

## **Marketing & Consultants**

Triple Pack ..

### Lyco Means Total Service.



Mark "Mac" Bowser, Sales Manager

VISA"

I would personally like to thank all of our past customers for helping to I would personally like to thank all of our past customers for helping to make Lyco Computer one of the largest mall order companies and a leader in the industry. Also, I would like to extend my personal invitation to all computer enthusiasts who have not experienced the services that we provide. Please call our trained sales staff at our toll-free number to inquire about our diverse product line and weekly specials.

First and foremost our philosophy is to keep abreast of the changing market so that we can provide you with not only factory-fresh merchandise but also the newest models offered by the manufacturers at the absolute best possible prices. We offer the widest selection of computer hardware, software and accessories.

Feel free to call Lyco if you want to know more about a particular item. can't stress enough that our toll-free number is not just for orders. Many companies have a toll-free number for ordering, but if you just want to ask a question about a product, you have to make a toll call. Not at Lyco. Our trained sales staff is knowledgeable about all the products we stock and is happy to answer any questions you may have. We will do our best to make sure that the product you select will fit your application. We also have Saturday hours — one more reason to call us for all your computer needs.

Once you've placed your order with Lyco, we don't forget about you. Our friendly, professional customer service representatives will find answers to your questions about the status of an order, warranties, product availability, or prices.

Lyco Computer stocks a multimillon dollar inventory of factory-fresh merchandise. Chances are we have exactly what you want right in our warehouse. And that means you'll get it fast. In fact, orders are normally shipped within 24 hours. Free stripping on prepaid orders over \$50, and there is no deposit required on C.O.D. orders. Air freight or UPS Blue/Red Label shipping la available, too. And all products carry the full manufacturers' warranties.

I can't see why anyone would shop anywhere else. Selection from our huge in-stock inventory, best price, service that can't be beat—we've got it all here at Lyco Computer.

10 ORDER, CALL TOLL-FREE: 1-800-233-8760 New PA Wats: 1-800-233-8760 Outside Continental US Call: 1-717-494-1030

Hours: 9AM to 8PM, Mon. - Thurs. 9AM to 6PM, Friday — 10AM to 6PM, Saturday

For Customer Service, call 1-717-494-1670, 9AM to 5PM, Mon. - Fri. Or write: Lyco Computer, Inc. P.O. Box 5088, Jersey Shore, PA 17740

Risk-Free Policy: • full manufacturers' warranties • no sales tax outside PA
• prices show 4% cash discount; add 4% for credit cards • APO, FPO,
international: add \$5 plus 3% for priority • 4-week clearance on personal checks
• we check for credit card theft • compatability not guaranteed • return
authorization required • price/availability subject to change • Prepaid

### **Monitors**

### Thomson: 230 Amber TTL/12" ..... ... \$79.95 4120 CGA .....\$225.95 4160 CGA ..... \$259 95 \$319.95 4460 EGA ..... \$389.95 4375 UltraScan ..... GB 100 EGA Card ...... \$129.95 GB 200 Super Card ...... \$219.95

Magnavox:	
BM7652	\$84.95
BM7622	\$84.95
7BM-613	\$79.95
7BM-623	\$79.95
CM8502 \$	189.95
CM8505 \$	209.95
CM8562 \$	239.95
CM8762 \$	249.95

Blue	Chip:
ВСМ	12" Green TTL \$64.95
BCM	12" Amber TTL\$69.95

8CM-515 ..... \$269.95

NEC:	
Multisync II	\$599

Save \$210 over NEC Multisync with Thomson 4375 UltraScan \$389.95

### **Modems**

Avatex:	
1200e	\$69.95
1200i PC Card	\$69.95
1200hc Modem	\$89.95
2400	\$179.95
2400i PC Card	\$169.95
Hayes:	
Smartmodem 300	\$149.95
Consider 1000	COOF OF

### Smarteam

Smartmodem 2400 ...... \$425.95



### **人ATARI**

### Leader Board Pack \$14.95 Activision: Music Studio ..... Solid Gold Vol.#1 ..... \$10.95 Batteries Included: Paperclip 80 Col ...... \$31.95 Broderbund: Print Shop ..... Print Shop Compan. .... \$22.95 Graphic Lib. I, II, III ..... \$13.49 Bank St. Writer ..... \$27.95 Electronic Arts: Pinball Con Set ...... \$8.95 Lords of Conquest ...... \$8.95 Starfleet I ...... \$32.95 Chess Master 2000 ..... \$25.95 Music Con Set ...... \$8.95 Super Boulderdash ...... \$8.95 One on One ..... \$8.95 Firebird: The Pawn ..... Microleague: Microleag. Baseball ..... General Manager ...... \$16.95 Stat Disk ..... \$13.95 Microprose: Conflict in Vietnam ..... F-15 Strike Eagle ...... \$19.95 Kennedy Approach ..... \$13.95

### JL ATARI'ST

Microleague:	
Microleague Baseball .	. \$33.95
General Manager	. \$16.95
Wrestling	. \$25.95
Microprose:	
Silent Service	. \$22.95
F-15 Strike Eagle	. \$24.95
Gunship	
Strategic Simulations	
Phantasie	
Phantasie II	
Road War 2000	
Colonial Conquest	
	. <b>\$22.3</b> 0
Sublogic:	
Flight Simulator II	
Scenery Disk	. \$14.95
Timeworks:	
Wordwriter ST	. \$44.95
Partner ST	. \$39.95
Data Manager ST	. \$44.95
Unison World:	
Art Gallery 1 or 2	. \$14.95
Print Master	
Fonts & Borders	
Music Studio	
Bureaucracy	
Electronic Arts:	
Arctic Fox	. \$25.95
Empire	
Starfleet I	
Chess Master 2000	
Gridiron	
	. 402.50
Ерух:	
Sub Battle Simulator	
World Games	
Wrestling	
Winter Games	. \$11.95
Firebird:	
Pawn	
Starglider	
Golden Path	
Guild of Thieves	
Tracker	\$25 OF

### A ATARI ST

Silent Service ...... \$19.95

Top Gunner ..... \$13.95 Strategic Simulations: Battle of Antetiem ...... \$28.95

Wargame Construc. .... \$16.95 Wizards Crown .....

Eternal Dagger ..... \$22.95

Flight Simulator II ...... \$31.49

Phantasie II ......

Shiloh .

Sublogic:

\$22.95

\$22.95

... \$22.95

1200 Baud	Modem	Access:	
11-		Leader Board	\$22.95
1	THE	Tournament #1	\$11.95
	M	10th Frame	\$22.95
	OUR	Activision:	
2	PRICE	Champion. Baseball	\$22.95
	/\$8995	Champion. Basketball .	\$22.95
s Compatible	3	Championship Golf	\$New
s Companois	MA	GFL Football	\$22.95

### **Joysticks**

Tac 3	\$9.95
Tac 2	\$10.95
Tac 5	\$12.95
Tac 1 + IBM/AP	\$26.95
Economy	\$5.95
Slik Stick	\$6.95
Black Max	\$10.95
Boss	\$11.99
3-Way	\$19.99

1-800-233-8760




**NX-1000** 

- 144 cps Draft
- 36 cps NLQ
- EZ Operation Front Panel Control



### SEIKOSHA Sp 180Ai

- 100 cps draft
- 20 cps NLQ



### **Panasonic**

1091 Model II

- 192 cps Draft
- 32 cps NLQ



## **PRINTERS**

### **stoi**r

NX-1000	\$179.95
NX-1000C	\$179.95
NX-1000 Color	\$225.9
NX-1000C Color	\$229.95
NX-15	\$309.95
NR-10	\$339.95
NR-15	\$439.95
NB-15 24 Pin	\$699.95
NB24-10 24 Pin	\$425.95
NB24-15 24 Pin	\$579.9

### **BROTHER**

M1109	\$195
M1409	\$299
M1509	\$335
M1709	\$475
Twinwriter 6 Dot & Daisy	
M1724L	\$599
HR20	\$339
HR40	\$569
HR60	\$709.9

### SEIKOSHA

SP 180Ai	\$129.95
SP 180VC	\$129.95
SP 1000VC	\$139.95
SP 1000AP	\$169.95
SP 1200VC	\$155.95
SP 1200Ai	\$165.95
SP 1200AS RS232	\$165.95
SL 80Ai	\$299.95
MP1300Ai	\$269.95
MP5300Ai	\$399.95
MP5420Ai	\$879.95
SP Series Ribbon	\$7.95
SK3000 Ai	\$339.95
SK3005 Ai	\$419.95
SPB 10	\$CALL
SL 130Ai	\$599.95

### **Toshiba**

321SL	\$489
341 SL	\$659
P351 Model II	\$899
351 SX 400 cps	1019

### **EPSON**

LX800	\$179.95
FX86E	\$279.95
FX286E	\$424.95
EX800	
LQ500	\$309.95
LQ1000 w/Tractor	
LQ2500	\$819.95
GQ3500	\$LOW
LQ850	\$489.95
LQ1050	\$659.95

### **CITIZEN**

120 D	
180 D	\$189.9
MSP-10	\$259.9
MSP-40	\$309.9
MSP-15	\$349.9
MSP-50	\$399.9
MSP-45	\$459.9
MSP-55	\$539.9
Premiere 35	\$499.9
Tribute 224	\$649.9

### **Panasonic**

1080i Model II\$179.95	
1091i Model II\$199.95	
1092i \$319.95	
1592 \$409.95	
1595 \$459.95	
3131 \$299.95	
3151 \$479.95	
KXP 4450 Laser \$CALL	
1524 24 Pin\$559.95	
Fax Partner \$589.95	

### **OKIDATA**

Okimate 20	\$119
Okimate 20 w/cart	\$179.95
120	\$189.95
180	\$219.95
182+	\$225.95
183	
192+	\$309.95
193 +	\$449.95
292 w/interface	\$449.95
293 w/interface	\$585.95
294 w/interface	\$819.95
393	\$955.95

### **JLATARI 520 ST Computer**

- Built-in Drive
- Thomson 4120 Monitor

\$769<sup>95</sup>



\$955 95




THOMSON

### JLATARI HARDWARE

520 ST FM Mono	\$675.9
520 ST FM Color	\$769.9
1040 ST Mono	\$739.9
1040 ST Color	\$955.95
130XE Computer	\$135.9
SX551 Drive	\$174.9
SF 314 Disk Drive	\$219.9
Indus GT Atari Drive	\$169.9
SHD 204 20 MEG Drive	\$579.9
XM301 Modem	\$42.9
SX212 Modem	\$89.9
GTS 100 (3.5" DSDD ST)	\$195.9
GTS 1000 51/4 DSDD ST .	SCAL

### **Attention Educational** Institutions:

If you are not currently using our educational service program, please call our representatives for details.





### ST New Products

By GREGG PEARLMAN, Antic Assistant Editor

### CATCH THE WAVE

GenWave/12 is a mouse-driven, generic waveform editing system and sample translator for your 1040ST or Mega that supports several popular 12-bit samplers. You can transfer sound samples via MIDI from the sampler to the computer for high-resolution waveform display, editing and digital signal processing. GenWave/12 supports Emu Emax and SP-1200, Sequential P-2000/2, Akai S900 and other instruments conforming to the MIDI Sample Dump Standard.

Features include a visual looping editor, variable crossfade looping and free-hand waveform drawing. Digital processing elements include digital equalization and enveloping, gain change and unlimited cut-and-paste splicing.

\$299. Drumware, 12077 Wilshire Blvd., Suite 515, Los Angeles, CA 90025. (213) 478-3956. Requires 1Mb.

### B/W COLOR

With E. Arthur Brown Co.'s new composite cable (\$24.95), any ST can use composite video monitors. The cable connects to the standard ST monitor port and converts the RGB signal to gray-scaled low-resolution and medium-resolution composite output—resulting in clear gray-scaled black and white images on color and monochrome composite monitors.

Developed by Hypertek/Silicon Springs, a Canadian firm, **ST OmniRes** (\$34.95) lets you run "color only" software on your monochrome monitor—and has a utility for displaying high-resolution on color monitors. This product is also available from Brown.

Because of the increase in RAM chip costs, Brown's 1 to 4Mb **Solderless RAM** II upgrades are now selling for \$249.95 for a fully socketed board, but empty boards will remain at \$169. Free RAMdisk and spooler software is included. Installing RAM II is simple: just remove your ST's MMU chip from its socket, plug it in to the new MMU Adaptor Board, then plug the Adaptor Board back into the MMU socket. Then do the same with your shifter chip.

E. Arthur Brown Co., 3404 Pawnee Drive, Alexandria, MN 56308. (612) 762-8847, (612) 763-6393. (IRCLE 228 ON READER SERVICE CARD

### BE KIND—REWIND

Attention, video store managers: Fast Forward (\$299) and Fast Forward Advanced (\$900) video store management software from Turning Point Software, will help you keep your business under control. The capabilities of this software range from a single-user or single-terminal system to a multiuser/networking system with barcode reader capability and more. Each package can handle movie reservations, rentals and purchase, as well as a customer base. Fast Forward Advanced has networking capabilities, costing \$500 for two more terminals and \$100 for each terminal after that.

Fast Forward features include an easyto-use calendar for movie reservations, allowing movies to be booked well in advance; simple data management techniques for adding movies to your inventory; a security system; membership maintenance capabilities; straightforward invoicing; customizable reports and options for full networking.

Barcode software costs \$100 for a single user, \$150 for a networking system; modem drivers cost \$200 per location; and a demo version of Fast Forward costs \$25—it's fully functional but has limited record capacity.

Turning Point Software, 801 Mohawk Road West, Hamilton, Ontario, L9C 6C2 Canada; 2201 Pine Avenue, Niagara Falls, NY 14301. (416) 575-2867.

CIRCLE 235 ON READER SERVICE CARD

### **PASSPORT TO MIDI**

In version 2.0 of Master Tracks Pro (\$349.95), the Punch In and Punch Out features offer a dialog window to set autopunch in/out points for your music. And a new Conductor Track Data Window graphically reflects changes made to the conductor track from the change window or with the pencil and eraser tools. The Elapsed Time indicator, Quantize window and measure insertion have been improved as well.

Master Tracks Jr. \$(129.95), an entrylevel sequencer for the ST, provides 64 tracks for real-time or step-time recording, a MIDI song pointer, 100K-plus note capacity (with 1Mb), auto-punch in/out, step input, MIDI files and more.

Passport Designs Inc., 625 Miramontes Street, Half Moon Bay, CA 94019. (415) 726-0280. CIRCLE 226 ON READER SERVICE CARD

### SAVED! AGAIN

In version 2 of HiSoft's useful utility package, Saved!, the RAMdisk can now survive a machine reset, and you can copy files or whole directories into it automatically upon booting. You can use mouse or keyboard to access all popular commands, as well as set the system path so that you can put your applications on the RAMdisk, saving your floppies for data. Saved! also has UnDel, a utility for recovering deleted files.

About \$50 in British pounds. (Updates cost about \$8.) HiSoft, The Old School, Greenfield, Bedford, UK MK45 5DE. (0525) 718181.

### **SOFTWARE BLITTER**

For text applications, such as word processing, why knock yourself out installing a blitter chip when you can use **Turbo ST**, Softrek's "software blitter"? Installation takes about two seconds; after you load your favorite word processor, program editor, database, etc., you'll see a dramatic increase in speed—in ST Writer, for example, paging speed is increased 108%, and scrolling speed is increased 42%.

\$49.95. Softrek, 2628 Martz Court, Orlando, FL 32817. (305) 657-4611. CIRCLE 229 ON READER SERVICE CARD

### SENTRY

If you have a hard disk, whenever your system bombs, reports a fatal error or just generally gives you grief, chances are that some data has been damaged. That's where **Hard Disk Sentry** comes in. During the diagnostic process, Sentry performs tests, reports which files are in jeopardy and verifies if the subdirectories are linked properly. Then it fixes as many errors as it can.

\$49.95. Beckemeyer Development Tools, 478 Santa Clara Avenue, Oakland, CA 94610. (415) 452-1129. CIRCLE 231 ON READER SERVICE CARD

### MINDSCAPE GALORE

It's probably best to pay your newspaper subscriptions by mail. Otherwise you'll be disturbed by a **Paperboy** (\$49.95) every month—and they only drop by during dinner and/or "Star Trek." In this arcade classic, your job is to deliver the morning

### ST New Products

paper to your subscribers without incident, except for breaking the occasional window or otherwise wreaking havoc as the mood suits you—just like real life.

Remember how in the film **Indiana Jones and the Temple of Doom** (\$49.95) the audience had no chance to relax between the horrible events that befell Indy? Same here. And you may not have the luck the professor did in his encounters with various hazards—which are still pretty small potatoes compared to what awaits you in the Temple.

Impact (\$39.95) is part Pong, part Breakout and part Araknoid. While you deflect the bouncing ball and knock down the barriers, you'll be destroying alien objects and catching falling tokens to win special weapons and bonus points. Road Runner (\$49.95) is basically like the cartoons: it's you against Wile E. Coyote, Super Genius. If he catches you, you're through. In the cartoons, the Road Runner always wins and the coyote always hits the ground astoundingly hard. In the

game, the Road Runner's odds aren't so hot. Meep, meep.

Indoor Sports (\$49.95) features simulations of bowling, darts, air hockey and ping-pong. Each game allows individualized playing styles and has colorful, realistic graphics. In Superstar Ice Hockey (\$49.95) you make the trades, recruit players from the minors, conduct training camps, make line changes and call strategies. You'll compete with 19 other teams on your way to the Stanley Cup. The program can track as many as nine seasons.

The following programs are from Thunder Mountain, Mindscape's line of discount software. All titles are \$14.95:

Fly above three detailed planets, vaporizing all in your path, in **Leviathan**, a space shoot-em-up featuring diagonal scrolling landscapes and true perspective graphics. **Top Gun** puts you at the controls of a somewhat less advanced vessel, an F-14 Tomcat, as you take on another player or the computer.

In Winter Challenge, up to six players

go for the gold in the ski jump, downhill racing, bobsled, giant slalom and biathlon, while in **Tau Ceti**, a 360-degree scanner, four-way view screen and infrared night sights are part of the unique graphics in this space adventure.

Tai-Pan, based on the highly-acclaimed James Clavell novel combines trading skills, strategy and combat action as you seek your fortune. Wizball features dazzling graphics as you discover the secret powers and controls of the Wizball, restore the colors to Wizworld and defeat the evil Zark.

Mindscape Inc., 3444 Dundee Road, Northbrook, IL 60062. (800) 221-9884, (312) 480-7667.

CIRCLE 188 ON READER SERVICE CARD

New ST product notices are compiled from information provided by the products' manufacturers. Antic assumes no responsibility for the accuracy of these notices or the performance of the product.



ST's Color or Mono



# MICROTYME

A DIVISION OF MICRO PERIPHERALS, INC.

25

36

18

Last V-8

Leader Board

Mastertype Mega Font II

Mercenary

Millionaire

Moon Mist

Movie Maker

Music Const. Set

Leather Goddesses Loderunner MAC/65

Mercenary Data Disks

P.O. BOX 369





21

20

28 24

11

20

27

49

21

13

ea I3



Supra 20, 30, 60 Meg	CALL
SH 204 20 Megabyte	CALL
130 XE	CALL
XF-551 Disk Drive	CALL
1020 Color Printer / Plotter	29
Power Supply 1050/551	19
Power Supply XE/XL	29
Power Supply for Indus GT	
XEP-80 80 Column!	CALL
PRINTERS	
PANASONIC:	
PANASONIC: KX-P1080i, 120 cps	. 189
The State of the S	
KX-P1080i, 120 cps	.219
KX-P1080i, 120 cps KX-P1091i, 160 cps	.219
KX-P1080 <i>i</i> . 120 cps KX-P1091 <i>i</i> , 160 cps KX-P1092 <i>i</i> , 240 cps	.219
KX-P1080i, 120 cps KX-P1091i, 160 cps KX-P1092i, 240 cps KX-P110 Ribbon, Blk	.219
KX-P1080 <i>i</i> , 120 cps KX-P1091 <i>i</i> , 160 cps KX-P1092 <i>i</i> , 240 cps KX-P110 Ribbon, Blk STAR:	.219 .339 9
KX-P1080/, 120 cps KX-P1091/, 160 cps KX-P1092/, 240 cps KX-P110 Ribbon, Blk STAR: NX-1000	.219 .339 9
KX-P1080/, 120 cps KX-P1091/, 160 cps KX-P1092/, 240 cps KX-P110 Ribbon, Blk STAR: NX-1000 OTHERS	.219 .339 9 CALL CALL

ATARI

MODEMS
SX-212 - 300/1200 CALL
AVATEX 1200 H.C
AVATEX 2400 NEW CALL
SUPRA 2400
INTERFACES
P:R: CONNECTION

### 

MONITORS
NAP Green W/Audio90
NAP Amber W / Audio95
NAP Composite Color 199
ACCESSORIES
Disk File (holds 100!) 514 13
Power Strip, Spike & Surge 16
Epyx 500XJ Joystick
6' Atari Serial I/O Cable
U.S. DOUBLER w/DOS 49
U.S. DOUBLER no DOS 29

PRINTER SUPPLIES
MAILING LABELS, White, 500 pk. 4
PAPER, Micro Perfs 500 shts8

8-E	BIT S	OFT	WA	RE
WE	CAN'T	LIST	'EM	ALL
Action				

Action Tool Kit

ACTION TOOL INIT						
Alternate Reality						
Atari Writer Plus						
Atari Writer 80						
Auto Duel						
Award Ware						
B-Graph						
Basic XE						
Basic XL						
Basic XL Tool Kit .						
Bop 'n' Wrestle						
Champ LodeRunner	r					
Chessmaster 2000						
F-15 Strike Eagle .						
Fight Night						
Flight Cinculator II						

Scenery Disk Set (#1-6)	74	Never I
Fraction Action	21	NINJA
Gauntlet	23	Page D
Gemstone Warrior	12	Paper (
Gettysburg	39	Pawn .
Gunslinger	. 17	Phanta
Hardball	20	Pinball
Hitchhiker's Guide	23	Planeta
Home Accountant	27	PrintSh
Infiltrator	19	PrintSh
Karateka	18	Graphi
Kickstart		PS Inte

23	Page Designer
12	Paper Clip w/Spell
39	Pawn
17	Phantassie I or II
20	Pinball Const. Set
23	Planetarium
27	PrintShop
19	PrintShop Companion .
18	Graphics Libraries
. 7	PS Interface
. 7	R-Time-8 Cart
11	Racing Destruction
22	Rambo XL
23	Reforger 88
46	Rubber Stamp
27	Silent Service
16	Sixgun Shootout
20	Sparta DOS-X Cart

Speed King . . . . Spy vs. Spy I & II Star Fleet I . . . .

Star Baiders II

Strip Poker Data Disks Super Boulderdash

Strip Poker

Never Ending Story

Syn-Calc		3
Syn-File Plus		
Timewise		
Top Gunner		1
Touchdown Football		1
Trail Blazer		
Triple Pack		
Tycoon		
Typesetter		2
Ultima III, IV	C	4L
Video Poker		
Video Vegas		. 2
Wargame Const. Set		. 1
Warship		3
Wizard's Crown		2
XLENT Word Processor		2
ZORK Trilogy		.3

### ST SOFTWARE

OVER 500 TITLES IN STOCK. LARGEST SELECTION IN THE COUNTRY!

HOURS: M-F 9 am-9 pm EST SAT 10 am-4 pm

CALL

CALL

TO ORDER, CALL TOLL FREE 1-800-255-5835

Ohio Residents, Order Status or Tech. Info, Call (513) 294-6236

### TERMS AND CONDITIONS

• NO EXTRA CHARGES FOR CREDIT CARDS! • We do not bill until we ship • Minimum order \$20 • C.O.D. - \$3.00 Ship/Handl. must be prepaid • Ohio residents add 6% sales tax • Please allow 3 weeks for personal or company checks to clear • Shipping/Handling: (Call for Quote). Hardware, minimum \$4; Software and most accessories, minimum \$3 • Overnight shipment available at extra charge • We ship to Alaska, Hawaii, Puerto Rico (UPS Blue Label Only), APO, and FPO • Canadian orders, actual shipping plus 5%, minimum \$5 • All defective products require a return authorization number to be accepted for repair or replacement • No free trials or credit • Returns subject to 15% re-stocking charge • Due to changing market conditions, call toll free for latest price and availability of product. FOR YOUR PROTECTION, WE CHECK ALL CREDIT CARD ORDERS FOR FRAUD.

LX-86 . . FX-286E

# ST Games Gallery

Pinball Wizard, Airball, President Elect, Tanglewood, Diamond Mike

### PINBALL WIZARD

Accolade's **Pinball Wizard** is the best pinball construction simulation



I've seen for any computer. Bright colors are part of the fun of arcade pinball, and Pinball Wizard captures that flavor to the hilt. There are a few set-ups that can be played immediately to learn the mechanics of the game, but the real fun here is creating your own, saving them to a blank disk and then amazing your friends with your creativity.

The game has a parts box containing almost any kind of obstacle you'd want to put on the playfield. A detailed drawing utility, which even includes a magnification option, will give your finished product as much polish as you have patience for. Sections of the construction package help control scoring, bonuses, slope, tilt, speed, elasticity and the number of balls per game.

The games can be played with the keyboard or the mouse, but for real pinball addicts, the keyboard is the only real choice. The finished products will play more like real pinball machines than anything you've ever experienced on computers.—RICK TEVERBAUGH

\$34.95, color. Accolade, 20813 Stevens Creek Blvd., Cupertino, CA 95014. (408) 446-5757.

CIRCLE 213 ON READER SERVICE CARD

### AIRBALL, AIRBALL CONSTRUCTION SET

MicroDeal's **Airball** looks to be a clever, detailed and complex challenge in the growing line of ball-andmaze chases. In Airball, you're what appears to be a beach ball that bounces around from room to room looking for various items left behind by the evil wizard who turned you into a bag of air in the first place. The ultimate goal is to find a spellbook that will turn you back into a human and end the game.

However, there are a couple of



catches. You have a slow leak and must find a room with a pump every couple of minutes or you'll *spppfffttt* away to nothing. But don't stay on the pump too long or you'll explode.

Best advice here is to watch the demo for a while to get a feel for the pace and speed at which you'll move around the maze. The game has outstanding graphics and good animation, but the control system is subpar. Only the keyboard worked well for me, although control is *said* to be accomplished through joystick, mouse or keyboard. Most arcade vets hate to operate these games with the board.

I don't think that Airball has the delicious tension of Marble Madness or the charm of Trail Blazer. A separate product is the **Airball Construction Set** (\$24.95) for those who want to

create their own rooms.—RICK TEVERBAUGH

\$39.95, color. MicroDeal USA (Michtron), 576 S. Telegraph, Pontiac, MI 48053. (313) 334-8729.

CIRCLE 215 ON READER SERVICE CARD




### PRESIDENT ELECT

With another presidential election just around the corner, SSI has released the 1988 Edition of their election simulation, **President Elect.** This specialized program will appeal only to a select audience, but I guarantee that those who find the strategies of the campaign trail intriguing will not be disappointed.

Although election campaigns begin over a year before Election Day, President Elect covers only the final nine weeks. The game also dispenses with such trivialities as the candidates' positions on the major issues of the day. Instead it ties success to the proper use of money and manpower, a politician's main resources. In President Elect these resources are represented as Political Action Points (PAPs) and each candidate starts with his share of PAPs to spend as he sees fit.

After establishing an organization (by allocating PAPs to weekly overhead costs, thereby determining efficiency), the battle begins. You campaign on a national level (through the print and broadcast media) all the way

continued on page 64



# CONNECT YOUR COMPUTER TO A HIGHER INTELLIGENCE.

### CompuServe's reference databases make you more productive, competitive, and better informed.

Remember the last time you tried to get your hands on hard-to-find facts? In a magazine article you read a year ago. In a news report you never saw. Or in a table of data you didn't know existed.

Imagine those facts just a few keystrokes away on your personal computer. Through CompuServe.

### Your personal research center.

Save hours of research by going

straight to the reference information you need in seconds.

Access thousands of sources of information in the areas of business, finance, medicine, education, demographics, science, law, news, popular entertainment, and sports.

### What you know can help you.

Research an industry or company through articles, financial statements, and other sources. Analyze an investment. Assist in a job search. Follow market competition. Investigate a business opportunity.

Check characteristics such as age,

income, and occupation in any U.S. community. For a geography report, a business plan, or a family move.

All you need to access CompuServe's unlimited world of information is a modem and just about any personal computer. Visit your computer dealer today. To order direct, or for more information, call or write:

## CompuServe®

Information Services, P.O. Box 20212 5000 Arlington Centre Blvd., Columbus, OH 43220 **800-848-8199** 

In Ohio and Canada, call 614 457-0802

An H&R Block Company

CIRCLE 007 ON READER SERVICE CARD

### ST GAMES GALLERY

continued from page 62

down to whistle stops in individual states. Your goal is to build and retain voter support. But too many stops are tiring and increase the odds that the weary candidate will commit a serious blunder. Throughout the game a colorful map keeps each player updated on voter support in each state, helping you decide which regions should be targeted during your next turn.

Even though the most visible portion of the game involves the allocation of resources, this program's foundation is based on real-life assumptions, such as incumbency, national economy and world peace. Debates provide the chance for each presidential hopeful to display his knowledge on the issues of the day, or fall prey to a campaign-wrecking social faux pas. Each campaign week brings a new map, new results and another chance to shift resources.

But while President Elect sports one of the most reasonable prices for ST software, this keyboard driven game is a direct conversion of the PC/MS-DOS version and even the graphics are somewhat lackluster. Still, it is unlikely that any who buy President Elect will be disappointed, as there should be little doubt about what's in the box. This is *not* an arcade game. But as an educational and engaging simulation, President Elect gets my vote.—STEVE PANAK

\$24.95, color. Strategic Simulations Inc., 1046 N. Rengstorff Avenue, Mountain View, CA 94043. (415) 964-1353.

CIRCLE 214 ON READER SERVICE CARD

### **TANGLEWOOD**

I have played literally hundreds of games over the last few years and I find it unusual to have trouble understanding a program. **Tanglewood**, therefore, is unusual. And while I like a challenge, this game is just about the most confusing thing I've ever loaded into my ST.

The scenario is simple enough: your computer lets you see into an alien world and control five robotic mobiles which move about on the planet surface. Increasing the challenge, the operation and characteristics of the mobiles are as mysterious as the ultimate objectives of the game. What is certain, however, is that each mobile is in a varying state of disrepair—and unreliable until overhauled.

When you boot Tanglewood, your screen becomes a control panel with switches, indicators, dials and monitors. All control is through the mouse, and your first session with Tanglewood is spent trying to determine what the various switches do. Once you can communicate with mobile, you try moving about the planet. I say "try" because the mouse-induced movement of the mobiles is most frustrating-it never seems as if you have full control. The graphics are very attractive. I'm disappointed that the game failed to draw me into its world.

Like Hacker (which fills your monitor with a cryptic prompt, challenging you to break into a foreign computer system) few hints are provided to help you start. Ultimately, the game becomes a search in which you try to locate objects and use them properly. Tanglewood can confuse, and possibly challenge, you for days to come.—STEVE PANAK

\$39.95, color. MicroDeal USA (Michtron), 576 S. Telegraph, Pontiac, MI 48053. (313) 334-8729.

CIRCLE 216 ON READER SERVICE CARD

### DIAMOND MIKE

**Diamond Mike** is overly similar to the arcade classic Boulder Dash which itself was derived from Dig Dug, but at least displayed some originality in blending fast action with thoughtful strategy.

In Boulder Dash you struggle through a number of caves, collecting diamonds and avoiding danger, primarily from falling rocks. Each cave contains an exit which will open when enough gems have been collected, and each maze is a puzzle whose escape requires skill, strategy, and a little luck. To describe Diamond Mike, all you need is to substitute the words "Diamond Mike" for "Boulder

Dash" and numerous items for diamonds. You'll also have to substitute slower programming code, causing less satisfactory play. The low price, decent manual and enclosed bonus games do little to improve this package.—STEVE PANAK

\$19.95, color or monchrome. XLEnt Software, P.O. Box 5228, Springfield, VA 22150. (703) 644-8881.

CIRCLE 217 ON READER SERVICE CARD

### SUPER CYCLE

Super Cycle is a clone of Pole Position, with motorcycles instead of cars. But it's as exciting and as much fun as the original. You accelerate and shift through three gears as the screen shows a speedometer, tachometer and gearshift. If you shift to a high gear before gaining enough speed, you'll find yourself moving slowly, so practice your gears on Level 1 until you've mastered them. And watch out for other racers trying to bump you off the road, smash into you from behind or slow you down by hogging the road.

There's great scenery along the way: you'll see such sights as the Sphinx, Mount Rushmore, the Great Wall of China and the Space Shuttle sitting on its launch pad. There are also many obstacles along the way. Running into a pothole stops you dead in your tracks. Other obstacles include oil slicks, icy roads, a narrowing road with barricades and a distracting thunderstorm. Sharp curves, lampposts and trees approach you at frightening speeds.

My copy of Super Cycle came with instructions for the Commodore computer that don't match the Atari ST version. Also, on one occasion the game tried to save a high score and crashed. However, Super Cycle now saves scores flawlessly. A two-player mode or a construction set for building your own tracks would have made it a better game, but it's still full of racing fun.— JOHN MANOR

\$19.95, color. Epyx, 600 Galveston Drive, Redwood City, CA 94063. (415) 366-0606.

CIRCLE 246 ON READER SERVICE CARD

All this software without typing—yours for only \$5.95. Your double-sided Antic Monthly Disk has every type-in program from this issue, plus this month's Super Disk Bonus and other extras. Shipment within 24 hours is guaranteed when you phone your MasterCard or Visa order to the Disk Desk: (800) 234-7001. Now Toll-Free!

# SOFTWARE LIBRARY

BONUS GAME	
SLEUTH	67
CMAC VIDEO	
P.S. ENVELOPE MAKER	
P.S. ENVELOPE MAKER	68
► GAME OF THE MONTH	
ESCAPE FROM HELL!	69
► LIST PROCESSING POWER UPGRADE STRING ARRAY SIMULATOR	
STRING ARRAI SIMULATOR	• • • • • • • • /1
► FEATURE APPLICATION	
GTIA JOYSTICK PAINTER	72
ST RESOURCE	
	William Section W
SUPER CZ	72
DUILIR UZ	•••••/3
TYPING SPECIAL ATARI CHARACTERS	66
HOW TO USE TYPO II	(=
<b>DISK SUBSCRIBERS:</b> Programs for 8-bit Atari computers can be used immediately. Just follow instructions are articles. ST Owners: See monthly disk's ST Help File for instructions on how to transfer programs.	tions in the accompanying cams to 3-1/2 inch disk.
DOS COMPATIBILITY: All 8-bit programs published by Antic are tested to work with Atari Disk Opera	ting System (DOS) 2.0S and

2.5—not with the incompatible DOS 3.0. DOS 2.0S is available on each Antic Monthly Disk. Copy the DOS.SYS and DUP.SYS files. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electron-

ic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher.

# TYPING SPECIAL ATARI CHARACTERS

**Antic** printed program listings leave a small space between each Atari Special Character for easier reading. Immediately below you will see the way **Antic** prints all the standard Atari letters and numbers, in upper and lower case, in normal and inverse video.

The Atari Special Characters and the keys you must type in order to get them are shown in the two boxes below.

NORMA	L VIDEO
FOR TYPE THIS	FOR TYPE THIS THIS
CTRL A CTRL B CTRL C CTRL C CTRL C CTRL E CTRL G CTRL G CTRL I CTRL I CTRL J CTRL J CTRL L CTRL N CTRL N CTRL N CTRL P CTRL R	CTRL S CTRL T CTRL U CTRL V CTRL X CTRL X CTRL Z ESC ESC ESC CTRL - ESC CTRL - ESC CTRL + ESC CTRL * CTRL ; U SHIFT = ESC SHIFT CLEAR ESC TAB

FOR TYPE THIS THIS	FOR TYPE THIS THIS
□ 木 CTRL , □ 木 CTRL A □ 木 CTRL B □ 木 CTRL D □ 木 CTRL E □ 木 CTRL F □ 木 CTRL H □ 木 CTRL I □ 木 CTRL J □ 木 CTRL K □ 木 CTRL M □ 木 CTRL N □ 木 CTRL N □ 木 CTRL Q □ 木 CTRL R □ 木 CTRL U □ 木 CTRL W	CTRL X CTRL Y CTRL Z SC SHIFT DELETE ESC SHIFT INSERT ESC CTRL TAB ESC SHIFT TAB ACTRL ACTRL ASHIFT ESC CTRL DELETE ESC CTRL DELETE ESC CTRL DELETE

Whenever the CONTROL key (CTRL on the 400/800) or SHIFT key is used, *bold it down* while you press the next key. Whenever the ESC key is pressed, *release* it before you type the next key.

Turn on inverse video by pressing the Reverse Video Mode Key . Turn it off by pressing it a second time. (On the 400/800, use the Atari Logo Key instead.)

Among the most common program typing mistakes are switching certain capital letters with their lower-case counterparts—you need to look especially carefully at P, X, O and O (zero).

Some of Atari Special Characters are not easy to tell apart from standard alpha-numeric characters. Usually the Special Characters will be boxed. Compare the two sets of characters below:

SPECIAL			STANDARD					
	CTRL F	1	/ /.					
	CTRL G		SHIFT +					
	CTRL N	_	SHIFT -					
	CTRL R	-						
	CTRL S	+	+					

# HOW TO USE TYPO II (8-BIT)

TYPO II automatically proofreads Antic's type-in BASIC listings for 8-bit Atari computers. It finds the exact line where you made a program typing mistake.

Type in TYPO II and SAVE a copy to disk or cassette. Now type GOTO 32000. When you see the instruction on the screen, type in a single program line without the two-letter TYPO II code at the left of the line number. Press the [RETURN] key.

Your line will reappear at the bottom of the screen with a two-letter TYPO II code on the left. If this code is not exactly the same as the line code printed in the magazine, you mistyped something in that line.

To call back any line previously typed, type an asterisk [\*] followed (without in-between spaces) by the line number, then press [RETURN]. When the complete line appears at the top of the screen, press [RETURN] again. This is also the way you use TYPO II to proofread itself.

To LIST your program, press [BREAK] and type LIST. To return to TYPO II, type GOTO 32000.

To remove TYPO II from your program, type LIST "D:FILENAME",0,31999 [RETURN] (Cassette owners LIST "C:). Type NEW, then ENTER "D:FILENAME" [RETURN] (Cassette-ENTER "C:). Your program is now in memory without TYPO II and you can SAVE or LIST it to disk or cassette.

```
TYPO II Codes!
 WB 32000 REM TYPO II BY ANDY BARTON
UM 32010 REM UER. 1.0 FOR ANTIC MAGAZINE
H5 32020 CLR :DIM LINE$(120):CLOSE #2:CLO
       32030 OPEN #2,4,0,"E":OPEN #3,5,0,"E"
32040 ? "5":POSITION 11,1:? "DECOMPTED"
 EM
       32050 TRAP 32040:POSITION 2,3:? "Type
       in a program line"
32060 POSITION 1,4:? " ":INPUT #2;LINE
       $:IF LINE$="" THEN POSITION 2,4:LIST
:GOTO 32060
32070 IF LINE$(1,1)="*" THEN B=VAL(L
       32070 IF LINE$(1,1)="*" THEN B=VAL(LINE$(2,LEN(LINE$)):POSITION 2,4:LIST B:
```

```
NY 32100 POKE 842,13:5TOP
CN 32110 POKE 842,12
ET 32120 ? "K":POSITION 11,1:? "MONTE POSITION 2,15:LIST B
         32130 C=0:ANS=C
32140 POSITION 2,16:INPUT #3;LINE$:IF
LINE$="" THEN ? "LINE ";B;" DELETED":G
        OTO 32050
32150 FOR D=1 TO LEN(LINE$):C=C+1:ANS=
ANS+(C*ASC(LINE$(D,D)):NEXT D
32160 CODE=INT(ANS/676)
32170 CODE=ANS-(CODE*676)
32180 HCODE=INT(CODE/26)
32190 LCODE=CODE-(HCODE*26)+65
32200 HCODE=HCODE+65
32210 POSITION 0,16:? CHR$(HCODE);CHR$
           (LCODE)
         32220 POSITION 2,13:? "If CODE does no
t match press MRGOURNM and edit line a
bove.":GOTO 32050
```

challenging memory game, no reading required

GOTO 32060 32080 POSITION 2,10:? "CONT" 32090 B=VAL (LINE\$):POSITION 1,3:? " ";

## SLEUTH

### LISTING 1

Don't type the

GOTO

Don't type the TYPO II Codes!

```
REM BY HEATH LAWRENCE
                   6 REM BY HEATH LAWRENCE
7 REM (c) 1988, ANTIC PUBLISHING
10 GOSUB 405
20 GOSUB 350
30 REM MAIN ROUTINE
40 GOSUB 160:V1=Z:X1=CX:Y1=CY:GOSUB 16
0:V2=Z:X2=CX:Y2=CY:CX=10:CY=10:LOCATE
10,10,Z:IF Z<97 THEN Z=213
50 IF V1=V2 THEN SC=1:GOTO 80
60 C=95:FOR Q=10 TO 0 STEP -1:C=C+5:SO
UND 1,C,10,8:POSITION 9,0:7 **6;Q;"U":F
OR D=1 TO 100:NEXT D:NEXT Q
70 POSITION X1,Y1:7 **86;"U":POSITION X2
,Y2:? **6;"(U":SOUND 1,0,0,0
80 IF PL=1 AND SC=1 THEN SC1=SC1+1:POS
ITION 6,21:7 **6;SC1;;JX=1:GOSUB 310
90 IF PL=1 AND SC=1 THEN PL=2:I=1:F
=13:STE=1:GOSUB 230:GOTO 120
100 IF PL=2 AND SC=1 THEN SC2=SC2+1:PO
SITION 18,21:7 **6;SC2:JX=13:GOSUB 310
110 IF PL=2 AND SC2<>10 THEN PL=1:I=13
:F=1:STE=-1:GOSUB 230
120 SC=0:IF SC1=10 THEN JX=1:GOTO 260
130 IF SC2=10 THEN JX=1:GOTO 260
                                                                            (C) 1988, ANTIC PUBLISHING
 RP
RA
 RB
                         140
```

```
150 REM MOVE CURSOR
160 S=STICK((PL-1)*STCK):POKE 77,0:IF
STRIG((PL-1)*STCK)=0 AND Z=213 THEN GO
              280: RETURN
IF 5=15 TH
SUB 280:RETURN
170 IF 5=15 THEN POSITION CX,CY:? #6;"
U":FOR D=1 TO 20:NEXT D:POSITION CX,CY
:? #6;CHR$<Z>:GOTO 160
180 POSITION CX,CY:? #6;CHR$<Z>
190 AX=1*<5=5 OR 5=6 OR 5=7>-1*<5=9 OR
5=10 OR 5=11>:AY=1*<5=9 OR 5=13 OR 5=
5>-1*<5=10 OR 5=14 OR 5=6>
200 CX=CX+AX:CY=CY+AY:CX=CX+17*<CX<1>-18*(CX)18>:CY=CY+18*(CY<1>-19*(CY>19):LOCATE CX,CY,Z:POSITION CX,CY
210 ? #6;"U":SOUND 1,X+Y,10,8:SOUND 1,0,0;GOTO 160
  0,0,0:GOTO 160
 220 REM INDICATE PLAYER TURN
230 FOR L=I TO F STEP STE:POSITION L,2
2:? #6;"^":FOR D=1 TO 30:NEXT D:POSITI
ON L,22:? #6;" "
 ON L,22:? #6;" "
240 50UND 1,L+90,10,8:NEXT L:POSITION
F,22:? #6;"" "
250 REM GAME OUFR
 250 REM GAME OVER
260 POSITION JX,22:? #6;"*":JUMPS=1:GO
```

continued on next page

SUB 310:ON PEEK(53279) <> 6 GOTO 260:GOT D 20 CO 260:GOT D 20 CO 270 REM REVEAL SHAPE

D 200 FOR REVEAL SHAPE

MP 2200 FOR R = 215 TO 218:POSITION CX,CY:?
 #6:FIR\$
#1 10 75:NEXT D:NEXT A:50UND 1,0.0.0

POSITION CX,CY:? #6:CHR\$
#1 200 FOR PEEC FOR STORY: RETURN

#1 200 FOR PEEC FIRE FOR SOUND 1,0.0.0

#1 310 POSITION X1, Y1:? #6; CHR\$
#1 20 FOR PEEC FIRE FOR SHEAT D:NEXT A:50UND 1,0.0.0

#1 300 REM JUMP ANIMATION

#1 300 REM JUMP ANIMATION

#1 300 FOR PEEC BO TO 10 STEP -8:SH=225\*CP)
#1 370 FOR PEEC BO TO 10 STEP -8:SH=225\*CP)
#1 370 FOR PEEC BO TO 10 STEP -8:SH=225\*CP)
#1 370 FOR PEEC BO TO 10 STEP -8:SH=225\*CP)
#1 370 FOR PEEC BO TO 10 STEP -8:SH=225\*CP)
#1 370 FOR PEEC BO TO 10 STEP -8:SH=225\*CP)
#1 370 FOR PEEC BO TO 10 STEP -8:SH=225\*CP)
#1 370 FOR PEEC BO TO 10 STEP -8:SH=225\*CP)
#1 370 FOR PEEC BO TO 10 STEP -8:SH=225\*CP)
#1 27 SS:POKE T10 JX, 21:? #6; CHR\$\*CSTD SHEXT PEEC BO TO 10 STEP -8:SH=225\*CP)
#1 27 SS:POKE T20 SS:DHO 1, 2, 213
#1 360 GRAPHICS 17:POKE 756, 5T 256:POKE 7 12, 25; POKE T10 SS:DHO 1, 2, 213
#1 370 FOR PEEC BO TO 10 STEP -8:SH=225\*CP)
#1 10 19:FOR NILL #6; FOR NIEXT X:FOR YE OF TO 20:FOR TION X: 20:POST TION

automate your "Print Shop" envelopes

# P.S. ENVELOPE MAKER Article on page 27

### LISTING 1



REM DISKFILE ENHANCEMENT REM BY S.L. HARRISON
REM <>1988, ANTIC PUBLISHING
POKE 712,98:DIM FILE\$<14> 50 235 DATA WER 250 GOTO 2695:REM MAIN PROGRAM NJ "I Stan Harrison I II" FOR DE=1 TO 200:NEXT DE
RESTORE 210:I=0
TRAP 680:I=I+1:GOTO 620
TRAP 40000:? C5\$:GOSUB 270:REM SET 520 HH 610 670 HE 680 TU 975 IF FLAG THEN POKE 702,64:GOTO 1045 990 I=0:TEMP\$=BL\$ 990 I=V:|EMP3=DL3 1043 GOTO 1050 1045 FOR I=0 TO COUNT-1 1047 TRAP 2760:INPUT #3;Q\$:IF I=0 AND LEN(Q\$)<1 THEN POP :GOTO 1045 1073 IF NOT FLAG THEN GOTO 1080 1075 NEXT I 1077 GOTO 1120 PZ LIB GE 177 GOTO 1120
195 PASS=1:IF FLAG THEN GOTO 2695
150 IF Q\$="N" OR Q\$="N" THEN 2695
195 IF FLAG AND PASS THEN GOTO 2720
15 GOSUB 3000:REM ->KEYBD OR DISK
190 REM KEYBOARD OR DISK
100 GOSUB 270:REM SETBG
110 POKE 702,64:REM UPPERCASE
120 ? C\$\$:POSITION 2,10:? "ENTER NAME
186 2695 2715 2990 NL 3000 3010 3030 IF Q\$="K" OR Q\$="K" THEN FLAG=0:R FTURN OC 3040 IF Q\$ <> "D" AND Q\$ <> "d" THEN GOTO 3020 3050 3060 REM GET NAME FROM DISK

3070 G05UB 270:G05UB 310:REM SETBG, CU RSOR 3080 ? CS\$: POSITION 7,10:? "INSERT DIS K WITH LABEL FILES":? " PRESS MRE DURNM WHEN READY" 3090 CLOSE #1:0PEN #1,4,0,"K:":GET #1, L:IF L<>155 THEN GOTO 3090 3100 GOSUB 310:CLOSE #1:0PEN #1,6,0,"D 3110 TRAP 3120: INPUT #1, TEMP\$:? TEMP\$: GOTO 3110 3120 CLOSE #1:? :? "ENTER NAME OF FILE JL CONTAINING NAMES": INPUT FILES
3130 TEMP\$="D:":IF FILE\$ (2,2) <>":" AND FILE\$(3,3)(>":" THEN TEMP\$(3)=FILE\$:FILE\$:FILE\$:F ZM 3140 CLOSE #1:OPEN #1,4,0,FILE\$:COUNT= 3150 INPUT #1,05 3160 IF LEN (Q\$> <1 THEN GOTO 3200 COUNT=COUNT+1 3170 CV 3180 IF COUNT>4 THEN CLOSE #1:GOTO 322 3190 GOTO 3150 RO 3200 IF COUNT=0 THEN GOTO 3150
3210 CLOSE #1:GOTO 3270
3220 ? C\$\$:POSITION 2,11:? "IDO NOT IN
CLUDE BLANK LINES!!"
3230 POSITION 2,10:? "HOW MANY LINES I
N EACH RECORD 3\mathbb{R}";:INPUT #16;COUNT
3240 IF COUNT<1 THEN ?:? "YOU MUST HA
UE AT LEAST ONE LINE":GOTO 3260
3250 IF COUNT>4 THEN ?:? "YOU CAN'T H
AVE MORE THAN 4 LINES"
3260 IF COUNT<1 OR COUNT>4 THEN FOR DE
=1 TO 150:NEXT DE:GOTO 3020
3270 CLOSE #3:OPEN #3,4,0,FILE\$ COUNT=0 THEN GOTO 3150 3200 IF LL DL =1 TO 150: 3270 CLOSE TR #3: OPEN #3,4,0, FILE\$ 3280 RETURN

# ESCAPE FROM HELL!

Article on page 13

### LISTING 1

Don't type the TYPO II Codes!

1 REM ESCAPE FROM HELL!
2 REM BY TONY BARNES
3 REM (c) 1988, ANTIC PUBLISHING
10 GRAPHICS 18:POKE 756,152:POKE 708,3
8:POKE 709,244:POKE 710,50:POKE 711,21 LI 1 UI 2 QR OU 12 DIM SET\$ (120), DEU\$ (24)
15 SUI=1:GOSUB 10000
20 POKE 559, 34:GOTO 9000
500 FOR T=200 TO 0 STEP -50:SOUND 1,T,
12,T/25:SOUND 0,T,8,T/25:NEXT T
505 SC=SC+10:IF SC>HUN AND FLG THEN PO RC BN P :GOTO 700 506 POSITION 6,11:? #6;5C:BMB=BMB+1:IF BMB>=MAX THEN POP :GOTO 550 UK 510 RETURN 550 COLOR 138:PLOT 0.0:DRAWTO 19.0:FOR 7 D TO 10:50UND 1,237,20,T:50UND 0,23 555 COLOR 138:PLOT 0,T:COLOR 42:PLOT 1,T:DRAHTO 18,T:COLOR 138:PLOT 19,T:NEX , 20 , T SC. COLOR 138: PLOT 0,11: DRAWTO 19,11: P QA 560 05ITION 6,5:? #6;"penance" 561 POSITION 5,6:? #6;"continues":FOR T=15 TO 0 STEP -0.1 565 SOUND 0,237,20,T:SOUND 1,238,20,T: DU T:FOR T=INT(TMR/10) TO 0 STEP -10 570 FOR I=6 TO 0 STEP -1:SOUND 0,30,10,1:NEXT I:SC=SC+5:NEXT T:SCR=SCR+1:GOT YX 0 8000 600 FOR ZQ=15 TO 0 STEP -1:50UND 1,122 -ZQ,8,ZQ:50UND 0,0,3 610 COLOR 134:IF ZQ/2=INT(ZQ/2> THEN C GX ZE OLOR 26 620 PLOT 620 PLOT X1, Y1: NEXT ZQ: COLOR 27: PLOT X 1, Y1: SOUND 0,0,0,3 630 FOR ZQ=0 TO 15 STEP 3: SOUND 1,122-ZQ,8, ZQ: COLOR (27-(ZQ/2=INT(ZQ/2>>) 635 ZQ1=USR(FLIPM,39128,39128,8) 640 PLOT X1, Y1: NEXT ZQ: SOUND 0,0,0,0: S NN XZ OUND 1,0,0,0: COLOR 32: PLOT X1, Y1 700 GRAPHICS 18:POKE 756,152:DEG :M=-1/430:OLDX=0:OLDY=0:POKE 712,114:POKE EK LE LX 760 JNK=USR (MOU, ADR ("DZ\$自由回")+3\*(A/30= YII 760 JNK=USR(MOU, ADR("UZ\$EMBU") + 3\*(A) 30=
INT(A) 30 > , 38960, 3>
765 OFFSET=SIN(A) \* 3+9 \* Y = M\*A + 11
770 COLOR 32 \* PLOT OLDX, OLDY \* COLOR 38 \* P
LOT OFFSET, Y \* OLDX = OFFSET \* OLDY = Y
775 IF VOL=0 THEN FOR X = 0 TO 3 \* SOUND X
,0,0,0 \* NEXT X \* IF T > 24 THEN FOR X = 1 TO 05 T:NEXT X T:NEXT X
778 SET\$=" / / PRESS TRIGGER TO
DIE AGAIN"
780 NEXT A:GRAPHICS 34:POKE 756,152:PO
KE 712,114:POKE 710,114:POKE 708,14:PO
SITION 6,5:? \*6;"MDSDOMDIAN":X=1
781 POKE 752,1:POKE 656,2:POKE 657,2:?
SET\$(X,37);SET\$(1,X);:IF X>36 THEN X= 1
785 POKE 711, PEEK (20): IF STRIG (6) - 0 ) II
EN POKE 559,0: GRAPHICS 2: GOTO 15
790 POKE 77,0: X=X+1: GOTO 781
800 X=X2+0.3\* (X2<X1) - 0.3\* (X2>X1): LOCAT
E X, Y2, Z: IF Z>128 AND Z<137 THEN 2000
801 IF INT (X2+0.5) INT (X2P+0.5) THEN Z
Q=USR (MOV, ADR (5ET\$) + 48, 38968, 24)
802 IF INT (X2+0.5) (INT (X2P+0.5) THEN Z
2-1150 (MOV, ADR (DEV\$), 38968, 24) CB NP L5

FD | 803 X2P=X2 TA | 805 IF Z=32 OR <Z>166 AND Z<170> THEN 815 815 F2=F2+1:IF F2=3 THEN F2=0:ZQ=U5RCM QU,FIRE+CRND(0)>0.66>\*9,39120,8> 820 COLOR 32:PLOT X2,Y2:X2=X:COLOR 167
+F2:PLOT X2,Y2:LOCATE X2,Y2+1,Z
825 IF Z=32 THEN COLOR 32:PLOT X2,Y2:Y
2=Y2+1:COLOR 167:PLOT X2,Y2
830 IF Z=26 THEN 850 KK 830 IF Z=2 835 RETURN 850 I=Y2+1:COLOR 27:PLOT X2,I:FOR T=15 TO 0 STEP -1:SOUND 1,162,10,T:NEXT T 855 SOUND 0,Y2,10,2:SOUND 1,Y2+50,10,2 :LOCATE X2,Y2-1,Z:IF Z<>32 THEN 865 860 COLOR 32:PLOT X2,Y2:Y2=Y2-1:IF Y2= LD RN 860 COLOR 32:PLOT X2,Y2:Y2=Y2-1:IF Y2= 0 THEN 865 862 COLOR 168:PLOT X2,Y2:GOTO 855 865 COLOR 26:PLOT X2,I:50UND 0,0,0,0:5 KD OUND 1,0,0,0 : RETURN 1000 POKE 77,0:TMR=TMR-1:POSITION 15,1 1:? #6;INT<TMR/10>;" ";:IF TMR<=0 THEN 2000 1002 IF PEEK(53279)=6 THEN 20 1003 SUI=1:IF PEEK(644)=0 THEN GOSUB 6 00:GOTO 2000 1004 REM COLOR 25:PLOT X1,Y1 1005 GOSUB 800:ST=PEEK(632):IF ST>12 T RM KD HEN 1040
1010 X=X1+(ST(8)-(ST)8):IF X(0 OR X)19
THEN 1050
1015 LOCATE X,Y1,Z:IF Z=32 THEN 1030
1017 IF Z=175 THEN GOSUB 500:GOTO 1030 UN MR 1020 X=X1 1030 FRM=1-FRM:COLOR 32:PLOT X1,Y1:X1= X:COLOR (130+2\*(5T>8))+FRM:PLOT X1,Y1 1035 SOUND 0,21,8,8:50UND 0,0,0,0:GOTO OH 1050 1040 COLOR 134:PLOT X1,Y1 1050 LOCATE X1,Y1+1,Z:IF Z=32 THEN COL OR 32:PLOT X1, Y1: Y1=Y1+1:COLOR 129:PLO T X1,Y1
1 055 IF Z=26 THEN 1100
1060 IF Z=175 THEN GOSUB 500:COLOR 32:PLOT X1,Y1+1
1065 IF Z>166 AND Z<170 THEN 2000
1070 TE Z=11 THEN COLOR 12:PLOT X1,Y1+ TH LH 1072 IF Z=12 THEN COLOR 32:PLOT X1, Y1+ RT 1075 IF Z=173 THEN ST=7:GOSUB 800:GOTO 1010 1077 IF Z=174 THEN ST=11:GOSUB 800:GOT LN 1090 GOTO 1000 1100 I=Y1+1:COLOR 27:PLOT X1,I:FOR T=1
5 TO 0 5TEP -1:50UND 1,122-T,8,T:ZQ=U5
R(FLIPM,39128,39128,8)
1101 50UND 0,0,0,3:NEXT T:50UND 0,0,0, 1102 FOR T=0 TO 53 STEP 6:50UND 0,T,10,14:NEXT T CU 1105 50UND 1,62-Y1-INT (RND (0) \*4),10,Y1 1106 SOUND 0,62,0,4 1107 LOCATE X1,Y1-1,Z:IF Z<>32 THEN 11 ZL 1110 COLOR 32:PLOT X1, Y1:Y1=Y1-1:IF Y1 1110 COLOR 32:PLOT X1,Y1:Y1=Y1-1:IF Y1
=0 THEN 1120
1115 COLOR 134:PLOT X1,Y1:GOTO 1105
1120 COLOR 26:PLOT X1,I:50UND 0,0,0:
50UND 1,0,0,0:GOTO 1000
1200 REM
1270 END
1280 DATA 319,53,72,42,217,1,23,0,0,0,0,0,0,106,72,72,53,173,1,23,0,0,0,0,0,0,1290 DATA 106,64,81,53,162,1,23,0,0,0,0,0,0,0,106,72,85,53,217,1,293,0,0,0,0,0

continued on next page

```
SHI
                                                                      8235
                                                                             ? #6;"*GEGGGGGGGK**** *":
                                                                      8240
                                                                              ? #6; ***
                                                                  IU
                                                                                           1 1
                                                                                                                 M M .. :
                                                                      8245
                                                                                #6; "**
                                                                                           #6; ***
                                                                  MX
                                                                      8250
                                                                                                               D****;
                                                                  SZ
                                                                      8255
                                                                                #6;"*
                                                                                                 1
                                                                                                        1
                                                                                                             ********
                                                                  ZT
                                                                                #6;"*BEB* *** ***
                                                                      8260
    .2.53,72,53,173,1,23,0,0,0,0,0,0

1330 DATA 106,53,64,40,162,1,18,0,0,0,0

0,0,106,53,72,42,217,1,23,0,0,0,0,0

1340 DATA 83,0,0,0,0,0,2,53,72,53,173,1

1,1,0,0,0,0,0,2,53,72,53,173,1

1350 DATA 23,0,0,0,0,0,106,53,64,40,16

2,1,18,0,0,0,0,0,106,53,72,42,217,1

1360 DATA 23,0,0,0,0,0,0,0,0,0,0,0,0,0

6,53,72,52,173,1,23,0,0,0,0,0

1370 DATA 106,57,81,47,193,1,106,53,85
                                                                                                                 2×";
                                                                                #6; "*
NS
                                                                  GG
                                                                      8265
                                                                                                             *== *"
                                                                              ZE
                                                                      8270
NU
                                                                      8275
                                                                  UV
                                                                      8277
                                                                             MAX=14:X1=1:Y1=0:X2=16:Y2=9:IF 5U
                                                                      I THEN
8278 RE
                                                                                 TMR=901
                                                                  CL
                                                                             RETURN
TH
                                                                             ? #6;"*
? #6;"*
? #6;"*
? #6;"**
                                                                  YF
                                                                      8280
                                                                                                                  *";
                                                                  MS
                                                                      8285
                                                                                                  2114
                                                                      8290
                                                                  NJ
                                                                                                              2× ×";
     ,72,217,1,106,53,96,72,144,1,23,0,0,0,
                                                                                                    *****
                                                                  FG
                                                                      8295
                                                                                                                  36 ** :
                                                                      8300
                                                                                #6;"* 🛛 🖪 *
                                                                                                                  ¥ ** ;
                                                                                                     * 2
                                                                                                               36
    1380 DATA 212,57,96,72,144,1,23,0,0,0,0,0,638,53,85,72,217,1,23,0,0,0,0,99
2000 I=PEEK(560):FOR T=100 TO 200 STEP
10:50UND 0,T,10,10:50UND 0,T,8,10:Z=I
CU
                                                                  TII
                                                                      8305
                                                                               #6;"****
                                                                                                     ******
                                                                             UP
                                                                      8310
JD
                                                                  KQ
XP
                                                                      8315
                                                                                                                  ***;
                                                                      8320
    NT (RND (0) * 2)

2002 POKE 560, I + 3 * (Z = 2) - 3 * (Z = 1) : NEXT T

:FOR T = 15 TO 0 STEP - 1

2005 SOUND 0, PEEK (53770), 0, T: SOUND 1, 2

08, 12, T: NEXT T: MN=MN-1: IF MN < 0 THEN 20
                                                                      8325
                                                                  AJ
NK
                                                                      8327
                                                                             MAX=15:X1=14:Y1=9:X2=0:Y2=0:IF 5U
                                                                      8327 MAX=15:X1=14:Y1=7:X2=0:12=0:11
I THEN TMR=501
8328 RETURN
9000 GRAPHICS 2:POKE 756,152:POKE 710,
66:POKE 752,1:POKE 712,66:POKE 711,0
9001 ? :? ,"BY TONY BARNES"
9002 ? ,"YOUR SCORE = ";SC
9004 ? " PRE55 THE TRIGGER TO BEGIN
                                                                  RY
                                                                  MN
     20
    2010 POKE 560,I:GOTO 8000
2020 POKE 560,I
2025 ? #6;"5":Y1=1:DY=1:GOTO 9000
YC
                                                                  TI
BC
                                                                  ND
            POKE 559,0:? #6;"M":BMB=0:IF 5CR=
    7 THEN SCR=1:FLG=1
8002 IF MN>0 THEN FOR T=1 TO MN:POSITI
ON 16+T,0:? *6;"G";:NEXT T
8005 POSITION 0,1:ON SCR GOSUB 8020,80
                                                                      9006
                                                                              ? #6;"
                                                                                                 BEGDDB":? #6
                                                                  TC
                                                                      9008
                                                                              ? #6;"
                                                                                                  #6 #6
                                                                             ? #6;" < <
? #6;" > >
? #6;" <<<< <
                                                                  KG
                                                                      9010
                                                                                                >> 4
                                                                                                       <<
OX
                                                                      9012
                                                                  HY
                                                                                                        >
                                                                                                              > 11
     80,8130,8180,8230,8280
                                                                                                               < ...
                                                                  EG
                                                                      9014
                                                                            8010 POKE 559,34:POSITION 0,11:? #6;"5
                                                                  BO
                                                                      9016
                                                                  DA
                                                                      9018
     CORE=";5C
                                                                      9020
     8015
           POSITION 10,11:? #6;"TIME="; INT CT
     MR/10>: COLOR 134: PLOT X1, Y1: GOTO 1000
                                                                       : SOUND
    8020
            ? #6;"
                            ****
                                                                      JA
            ? #6; "*
BO
                            36 ** ;
    8025
                                      1
            ? #6;"**
                                              * ***;
                                                                      ₩₽₽₽₩₽₽₽₩₽₽₽
ZW
    8030
                            **** ***
                                                                      9030 GRAPHICS 18:POKE 756,152:POKE 708,18:POKE 709,244:POKE 710,50:POKE 711,
              #6; "***
    8035
                               1
                                      **
                                              M M 11
               #6; "***
ZR
    8040
                                            ***;
              #6;" Z Z ***
                                                                      214 : DEG
    8045
                                             HH H";
            7 #6;"*** ***** *** *** **;
7 #6;" * ****** *** **;
7 #6;" * ******* *** *******;
                                                                      9035 50UND 2,106,8,2:50UND 3,1,14,14:5
C=0:5CR=1:HVN=INT(RND(0)*2500)+2450:MN
                                                                  CB
    8050
UQ
MG
    8055
                                                                       3:TIMR=1001
AII
    8060
                                                                  BG
                                                                      9037
                                                                             MN=3:TIMR=1001:HUN=HUN* (PEEK (632)
FR
    8065
                                                                     MAX=11:X1=0:Y1=1:X2=9:Y2=8:IF 5UI
    8067
                                                                  SC
      THEN
              TMR=1001
           RETURN
CE
    8068
            YB
    8080
YK
    8085
10
    8999
                             **
                                                                      COGORCOGORGEOGOGOGO:: REM FM, TO, KN
LO
    8095
               #6;"****
    8199
                                     **
                                               2 H ";
                                                                      #6; "* 🛛
                             **
                                      *
ND
    8105
                                             ******
           ? #6;"*
? #6;"
? #6;"
                                                                      TPPZET FKUPYZKETATPTATUTPPLATEDPEDPEDÆTE">
                              **
              #6;"* **
                                      Z
                                               □*";
KA
    8110
                                             ****";
EE
    8115
                        *
                                       **
                                                                  JU
                                                                               SET$(1,60)="田田B(田田$f田田園(乙田$6田田園田
                             HK
    8120
                                      Ø Ø";
              #6; "*[**[***[***[****";
                                                                      告告告告告告告告自己告告告《Z告$1告告《Z告$fDDDI_==2620
SD
    8125
       127 MAX=17:X1=0:Y1=9:X2=16:Y2=7:IF SU
THEN TMR=501
                                                                      000
    8127
                                                                  VB
                                                                      10007
                                                                      BU
    8128
           RETURN
           ? #6;" * Z Z Z Z X ";
? #6;"* Z Z Z Z Z X";
? #6;"* Z Z Z Z Z X";
HA
    8130
                                                                     10000 FIRE=ADR("MM/YUMZZMARKAMA")
10009 DEV$="> SEMARIGIESE DE CICHE DE COMPLETAN
10010 POKE 204,152:POKE 206,224:I=USRC
MOV,I,CHR,512>:RESTORE 30000:FLG=0
10018 ZQ=USRCMOV,ADR(SET$),38920,120>
10020 READ I:IF I=-1 THEN RETURN
10030 FOR Z=0 TO 7:READ T:POKE CCHR+I*
8)+Z,T:NEXT Z
10040 COTO 10020
                                                                  UN
                                                                      10008
                                                                               FIRE=ADR("簡單回YUDIZZ簡單图CK型U^")
FU
    8135
                                                                  BU
NU
    8140
                                                                  GX
    8145
OR
    8150
                                                                  BO
    8155
              #6;"*
                          /
                                                 ***;
DO
                                  11
                                           NW
               #6;"*
                       OIL
    8160
                                                 BE ** :
              M *** ;
    8170
MA
                                                                  XA
                                                                      10040 GOTO 10020
30140 REM
AE
                                                                  BX
     8177
            MAX=18:X1=4:Y1=8:X2=15:Y2=8:IF 5U
                                                                              DATA 26,0,0,8,89,214,251,175,122
                                                                      30150
       THEN
               TMR=1001
            RETURN
    8178
                                                                      30160 DATA 27,82,218,219,127,182,171,2
                                                                  ON
BZ
            **********
    8180
                                                                      39,90
NI
     8185
                                                                  7 G
                                                                              DATA 28,170,170,170,170,170,170,
     8190
                                        170,170

QB 30175 DATA 30.85,85,85,85,85,85,85
            ? #6;"* ZZ
? #6;"*
? #6;"*
? #6;"*
                              999
                                      92555* ***;
                             MO
     8200
    8205
                          8210
                                                                 LISTING 2
               #6; "*
                                          ****
              #6;"*
                                                                     10 REM ESCAPE FROM HELL! LISTING 2
20 REM BY TONY BARNES
30 REM (C) 1985,1988 ANTIC PUBLISHING
40 REM (LINES 10-250 MAY BE USED WITH
OTHER BASIC LOADERS IN THIS ISSUE.
           ? #6; "******************
    8225
                                                                  AA
    8227
           MAX=14:X1=0:Y1=0:X2=15:Y2=9:TF 511
                                                                  UK
              TMR=901
       THEN
                                                                  GD
```

ac .. .

1 THEN TMR=9 8228 RETURN 8230 ? #6;"\*

BW

```
50 REM CHANGE LINE 70 AS NECESSARY.>
60 DIM FN$(20), TEMP$(20), AR$(93):DPL=P
EEK(10592):POKE 10592,255
70 FN$="D:LINES.LST":REM THIS IS THE N
AME OF THE DISK FILE TO BE CREATED
                                                                                                                                                                                                          PG 1020 DATA 1570182081731320022010002082 36096034041044055048056041155049048048 048049032077079086061065068 1030 DATA 0820400341041041332411041332 40104133213104133212104133239104133238
MO
                            OF THE DISK FILE TO BE CREATED? "MDisk or Massette?"; POKE 76
RD
             80
                                                                                                                                                           764,25
                                                                                                                                                                                                                        160000177240145212230212208
1040 DATA 0022302132302402080022302411
                                                                                                                                                                                                            UE
             90 IF
                                           NOT
                                                            (PEEK (764) = 18 OR PEEK (764) =
                                                                                                                                                                                                                         98238208234198239016230096034041058082
            7069077032070077044084079044
1050 DATA 0750780841550490480480480520
32070076073080077061065068082040034104
104133241104133240104133213
1060 DATA 1041332121041332391041332381
                                                                                                                                                                                                            RX
VB
                                                                                                                                                                              AN
                            ? ,"BY CHARLES JACKSON"
POKE 10592,DPL:TRAP 200
? :? :? "Creating ";FN$:? "...plea
                                                                                                                                                                                                                       1060 DRIR 1041332121041332391041332381
60000177240162008024010102203202208249
165203145212230212208002230
1070 DRIR 2132302402080022302411982382
08223198239016219096034041155049048048
048054032083069084036040049
1080 DRIR 0440540480410610340240240660
600240240361020240240000600990024036054
KR
             130
PU
             140
                                                  by . ..
                        stand
                                                                                                                                                                                                            BM
              Se
              150 RESTORE : READ LN:LM=LN:DIM AS(LN):
             160 ARS="": READ ARS
 YC
             170
                            FOR X=1 TO LEN(AR$) STEP 3:POKE 75
             2,255
                                                                                                                                                                                                                         024024000024024024016024024
            2,255
180 LM=LM-1:POSITION 10,10:? "Countdo wn...T-";INTcLM/10);")
190 A$cc,C>=CHR$cVALcAR$cx,X+2>>>:C=C+
1:NEXT X:GOTO 160
200 IF PEEK(195)=5 THEN ? :? :? "GTOO MANY DATA LINES!":? "CANNOT CREATE FILE
DM
                                                                                                                                                                                                                        1090 DATA 0240000240240240080240240240240240
                                                                                                                                                                                                                        102148157157073095061021054
1100 DATA 0211571571390341550490480480
48055032083069084036040054049044049050
048041061034157125020054020
MM
                                                                                                                                                                                                                       048041061034157125020054020

1110 DATA 0610931371591250210542512512

5100022322322300025517121325500000000

00025512912925500000000000

1120 DATA 2552471311291312472550002552

39193129193239255000024056058118102255

195000034155049048048048056

1130 DATA 0320700730820690610650680820

400340000000008089214251175122000000016

154107223245094034041155049
              E!": END
            210 IF C<LN+1 THEN ? :? "GTOO FEW DATA
LINES!":? "CANNOT CREATE FILE!":END
220 IF FN$="C:" THEN ? :? " Prepare ca
CM
                                                                                                                                                                                                            KX
            230 OPEN #1,8,0,FN$
240 POKE 766,1:? #1;A$;:POKE 766,0
250 CLOSE #1:GRAPHICS 0:? "MODMOWING MEDICAL PROPERTY OF THE PROPERTY O
PU
AL
                                                                                                                                                                                                                        154107223245094034041155049
GN
             1000 DATA 440
                                                                                                                                                                                                                        1140 DATA 0480480480570320680690860360
                                                                                                                                                                                                                        61034041185185146250188168108168185185
209185190040108040188186145
            1010 DATA 057048050050032090081061085083082040065068082040034104104104170173
LL
                                                                                                                                                                                                            LZ 1150 DATA 249190168236034155
             011212024101020010141010212
```

list processing power pick-up Article on page 29

# STRING ARRAY SIMULATOR

### LISTING 1

### Don't type the TYPO II Codes! LISTING 2

FM	2 REM STRING ARRAY HANDLER #1
ET	4 REM BY RICHARD WHITSELL
05	6 REM (C) 1988, ANTIC PUBLISHING INC.
TH	10 MAXNUM=10: MAXLEN=20+1
FR	20 DIM STORAGES (MAXNUM*MAXLEN)
NJ	30 DIM WORKS (MAXLEN)
LS	40 GRAPHICS 0
TJ	50 PRINT "ENTER 10 NAMES"
GP	60 FOR INDEX=0 TO MAXNUM-1
ZG	70 INPUT WORKS: GOSUB 6000
NM	80 NEXT INDEX
	90 GRAPHICS 0
LX	
QU	
QN	
UL	
SE	120 GOSUB 5000
TW	130 PRINT WORKS, LENCHORKS
MG	140 NEXT INDEX
QV	145 REM =================
OA	150 END
ON	4999 REM SUBROUTINE TO GET STRING
PX	5000 START=INDEX*MAXLEN+1
PJ	5010 LENGTH=ASC (STORAGE\$ (START, START))
GQ	5015 IF LENGTH=0 THEN WORK\$="": RETURN
HR	5020 START=START+1
OX	5030 FINISH=START+LENGTH-1
UD	5040 WORK\$=STORAGE\$(START,FINISH)
A5	5050 RETURN
KZ	5998 REM
MG	5999 REM SUBROUTINE TO PUT STRING
PY	6000 START=INDEX*MAXLEN+1
LD	6010 STORAGE\$ (START, START) = CHR\$ (LEN (WO
	RK\$>>
MU	
	6020 START=START+1
NR	
XA	
AT	6050 RETURN

```
GP
        REM STRING ARRAY HANDLER #2
    4 REM BY RICHARD WHITSELL
6 REM (C) 1988, ANTIC PUBLISHING INC.
10 MAXNUM=10: MAXLEN=20
20 DIM STORAGE$ (MAXNUM*MAXLEN)
30 DIM WORK$ (MAXLEN)
ET
05
OP
FR
QY
          DIM LENARRAY (MAXNUM)
         GRAPHICS 0
PRINT "ENTER 10 NAMES"
FOR INDEX=0 TO MAXNUM-1
INPUT WORK$:GOSUB 6000
NEXT INDEX
L5
     40
     50
GP
     60
ZG
     70
     80
NM
    90 GRAPHICS 0
100 PRINT "NOME",,"DENGEROR"
     105
            REM =
UL
            FOR INDEX=0 TO MAXNUM-1
     110
           GOSUB 5000
PRINT WORKS, LEN (WORKS)
NEXT INDEX
SE
     120
TH
     130
MG
     140
            REM ===========
KY
     145
OA
     150
           END
     4999
                     SUBROUTINE TO GET STRING
              REM
     5000
             START=INDEX*MAXLEN+1
UU
              LENGTH=LENARRAY(INDEX)
IF LENGTH=0 THEN WORK$="": RETURN
FINISH=START+LENGTH-1
     5010
GO
     5015
OU
     5020
VA
     5030
              WORKS=STORAGES (START, FINISH)
AP
     5940
              RETURN
K7
              REM
             REM SUBROUTINE TO PUT STRING
START=INDEX*MAXLEN+1
LENARRAY (INDEX)=LEN(WORK$)
IF LEN(WORK$)=0 THEN RETURN
FINISH=START+LEN(WORK$)-1
     6000
nn
     6010
MU
     6015
NO
     6020
              STORAGES (START, FINISH) = WORKS
     6030
             RETURN
```

# GTIA JOYSTICK PAINTER Article on page 37

### LISTING 1

```
1000 REM GEDIT.BAS
1010 REM BY ROBIN SHERER
1020 REM (C)1987, ANTIC PUBLISHING
                           2160 REM
2170 DIM 55$(95):REM SOUNDS.OBJ
2180 SS$="hhhdd>TOD D@=@RDQ=GRDQ=HCDQ@
MCCCQUUERCERON (=@RDQ=GRDQ=CO@MCCQ=
                         は他に登り見上はなる。PIRの2 (一般に)第一日の新年のこの新年の日間では

中に使わる。

2230 REM

2240 DIM CC$(37):REM CIOCTL.OBJ

2250 CC$="hhhは日間は日間は日間は日間にしました。

日から日にしている。

3000 DIM PIC$(7689):PIC$(1)="嗯":PIC$(7689)=PIC$(7689)=PIC$(1)="嗯":PIC$(7689)=PIC$(1)="嗯":PIC$(7689)=PIC$(1)="嗯":PIC$(7689)=PIC$(1)="嗯":PIC$(7689)=PIC$(1)="嗯":PIC$(7689)=PIC$(1)="嗯":PIC$(7689)=PIC$(1)="嗯":PIC$(7689)=PIC$(1)="嗯":PIC$(7689)=PIC$(1)="嗯":PIC$(7689)=PIC$(1)="嗯":PIC$(7689)=PIC$(1)="嗯":PIC$(7689)=PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="嗯":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(1)="®":PIC$(
                       689)=PIC$:PIC$:(2)=PIC$
4000 REM
4010 REM MAILINE
4020 DIM F$:(16),G$:(16)
4030 DIM H:(10)
4040 GRAPHIC$ 10:G05UB 5400
4050 5A=PEEK(88)+PEEK(89)*256
4060 RESTORE
4070 REM SET UP COLOR$
4080 FOR I=704 TO 712
4090 READ B:POKE I,B
4100 NEXT I
4110 DATA 12,0,29,66,71
4120 DATA 123,156,214,234
4130 REM DRAW SCREEN
RR
AQ
 1111
                       4130 REM DRAW SCREEN

4140 COLOR 1
4150 PLOT 0,0:DRAWTO 79,0
4160 PLOT 0,182:DRAWTO 79,182
4170 FOR I=1 TO 8
4180 COLOR I:C=(I*10)-1
4190 FOR J=184 TO 188
4200 PLOT C-1,J:DRAWTO C-9,J
4210 NEXT J
4220 NEXT I
4230 C=37:R=90:UC=1:N=1:CI=2:RI=3
4240 REM GET USER INPUT
4250 X=USR(ADR(WT$),40)
4260 TRAP 5170:POKE 764,255
4270 T=STRIG(0):S=STICK(0)
4280 FOR I=1 TO 9
4290 NEXT I
 MY
BA
GP
JK
FC
JX
RAOX
MK
BW
                      4200 FUR 1-1 10 4200 HCID=PEEK(703+I)
4300 NEXT I
4310 K=PEEK(764):IF T=1 THEN 4370
4320 REM PAINT
4330 FOR I=R-RI TO R
4340 PLOT C,I:DRAWTO C+CI,I
4350 NEXT I
4360 REM FLASH CURSOR
4370 LOCATE C,R,C1
4380 LOCATE C,R-RI,C2
4390 LOCATE C+CI,R-RI,C3
4400 LOCATE C+CI,R-RI,C3
4410 COLOR 0:PLOT C,R
4410 COLOR 0:PLOT C,R
4420 PLOT C+CI,R-RI
4430 PLOT C+CI,R-RI
4440 PLOT C+CI,R-RI
4440 PLOT C+CI,R-RI
4440 PLOT C+CI,R-RI
4440 COLOR 1
YA
NS
XM
 YO
OT
YO
YB
YL
                        4450 X=USR(ADR(WT$),1)
4460 COLOR 1
4470 X=USR(ADR(WT$),1)
4480 PLOT C,R
4490 PLOT C,R-RI
4500 PLOT C+CI,R-RI
4510 PLOT C+CI,R:POKE 77,0
4520 X=USR(ADR(WT$),1)
4530 COLOR C1:PLOT C,R
4540 COLOR C2:PLOT C,R-RI
4550 COLOR C3:PLOT C+CI,R-RI
4560 COLOR C4:PLOT C+CI,R-RI
4570 COLOR N
4580 REM CHECK KEYBOARD
WR
MH
 DH
TR
                                                                      REM CHECK KEYBOARD
IF K=255 THEN 5190
                           4580
```

```
X=USR(ADR(SS$),0)

IF K=47 THEN POKE 764,255:END

IF K=42 THEN N=0:GOTO 4250

IF K=118 THEN 4040

IF K<128 THEN 4750

IF K=142 THEN RI=RI+1
                                  4595
                                    4600
                                  4610
         UV
                              4640 IF K=142 THEN RI=RI+1

4650 IF K=143 THEN RI=RI-1

4660 IF K=134 THEN CI=CI-1

4670 IF K=135 THEN CI=CI+1

4680 S=1:IF RI<0 THEN RI=0:S=2

4690 IF CI<0 THEN CI=0:S=2

4700 IF RI>20 THEN CI=20:S=2

4710 IF CI>20 THEN CI=20:S=2

4710 IF CI>20 THEN CI=20:S=2

4720 X=USR(ADR(SS$),5)

4730 GOTO 5290

4740 REM GET COLOR

4750 IF K<>18 THEN 5010

4760 N=INT((UC+10)/10):COLOR N

4770 COLOR 1

4780 PLOT UC-1,191:DRAWTO UC+7,191

4790 X=USR(ADR(WT$),40):COLOR W

4810 T=STRIG(0):IF T=0 THEN 4920

4820 REM COLOR HUE
       XJ
YS
        XK
SP
OP
       UR
         UH
       LOZH
       WH
WH
                                4810 S=STICK(0)
4820 REM COLOR HUE
4830 IF S<13 AND 5<>14 THEN 4910
4840 A=(N-1)*16
4850 IF S=14 THEN B=PEEK(704+N)+2
4860 IF S=13 THEN B=PEEK(704+N)-2
4870 IF B<0 THEN B=0
4880 IF B>255 THEN B=255
4890 POKE 704+N,B:GOTO 4790
4900 REM COLOR SELECTION
4910 IF 5<>7 AND 5<>11 THEN 4790
4920 COLOR 0
4930 PLOT UC-1,191:DRAHTO UC+7.196
        PU
       RX
BL
LI
                               4880
4890
4910
4910
4920
4930
4940
4950
4960
       KK
BK
                           4920 COLOR 0
4930 PLOT UC-1,191:DRAWTO UC+7,191
4940 COLOR N
4950 IF T=0 THEN 4250
4960 IF 5=7 THEN UC=UC+10
4970 IF 5=11 THEN UC=UC-10
4980 IF UC<1 THEN UC=1
4980 IF UC<1 THEN UC=71
5000 GOTO 4760
5005 REM 5AUE SCREEN
5010 IF K<>62 THEN 5095
5020 POKE 764,255:X=U5R (ADR (MM$), (PEEK (88) *PEEK (89) *256), ADR (PIC$), 7680)
5030 FOR X=704 TO 712:PIC$ (6977+X,6977
+X)=CHR$ (PEEK (X)):NEXT X
5040 GRAPHICS 0:GOSUB 5400:? :? "Filen ame to SAVE"; INPUT G$:IF LEN(G$)<1 THEN 5080
5050 IF G$<1,12="D" AND (G$<2,2)=":" O
      YK
UJ
MM
        GU
       KN
ZX
YH
      UF
       EU
                              EN 5080

5050 IF G$(1,1)="D" AND (G$(2,2)=":" O

R G$(3,3)=":") THEN F$=G$:G0T0 5070

5060 F$(1,2)="D:":F$(3,LEN(G$)+2)=G$

5070 CLOSE #1:OPEN #1,8,0,F$:? #1;PIC$
      MM
    TR 5080 POKE 559,0:GRAPHICS 10:GOSUB 5400
:X=USR(ADR(MM$),ADR(PIC$),(PEEK(88)+PE
TR 5080 POKE 559,0:GRAPHIC5 10:GOSUB 5400
:X=USR:GADR:CMM$>,ADR:CPIC$>,CPEK:C88>+PE
EK:C89>*256>,7680>
HR 5085 FOR X=704 TO 712:POKE X,ASC:CPIC$C
6977+X,6977+X>>:NEXT X:POKE 559,34:GOT
0 4250

WY 5090 REM LOAD SCREEN
FB 5095 IF K<>0 THEN 5190
XI 5100 POKE 764,255:X=USR:CADR:CMM$>,CPEK:C88>+PEEK:C89>*256>,ADR:CPIC$>,7680>
ZE 5110 FOR X=704 TO 712:PIC$<6977+X,6977
+X>=CHR$:CPEK:CX>>:NEXT X
F120 GRAPHICS 0:GOSUB 5400:? :? "Filen
ame to LOAD";:INPUT G$:IF LEN:CG$><1 TH
EN 5080
QT 5130 IF G$<(1,1)="D" AND CG$<(2,2)=":" OR
R G$<(3,3)=":">THEN F$=G$:GOTO 5140
BM 5135 F$<(1,2)="D:":F$<(3,LEN:CG$>+2>=G$
DO 5140 CLOSE #1:OPEN #1,4,0,F$
DR 5150 GRAPHICS 10:GOSUB 5400:X=USR:CADR:CC$>,1,7,5A,7680>
ZD 5155 FOR X=704 TO 712:GET #1,Y:POKE X,
Y:NEXT X
SU 5160 CLOSE #1:GOTO 4250
CG 5170 X=USR:CADR:CSS$>,3>:GOTO 4250
EU S180 REM CURSOR MOVEMENT
T 5190 IF S=15 THEN 4270
XE 5200 IF S=14 THEN R=R-RI-1
TF 5210 IF S=15 THEN 4270
XE 5200 IF S=14 THEN R=R-RI-1
LR 5220 IF S=11 THEN C=C-CI-1
CZ 5230 IF S=10 THEN R=R-RI-1:C=C-CI-1
EI 5240 IF S=9 THEN R=R+RI+1:C=C-CI-1
```

4590

to

left #2, et

from

to

h 1 goes f point #1

"; Nsplit%

(1-3)

Input "Enter # of split points
@Check\_range(1,3,Nsplit%)
Exit If In\_range%

```
0 IF S=7 THEN C=C+CI+1
9 IF S=6 THEN R=R-RI-1:C=C+CI+1
9 IF S=5 THEN R=R+RI+1:C=C+CI+1
9 REM CHECK CURSOR LIMITS
9 IF C<0 THEN C=0
1 IF C>79-CI THEN C=79-CI
1 IF R<1+RI THEN R=1+RI
1 IF R>181 THEN R=181
6 OTO 4260
END
1 IF BPV
ID
         5250
BX
         5260
5270
NE
CH
CB
KK
ZF
         5290
         5300
5310
         5320
5M
FJ
        5330
5340
        4,112
5410
IG
                                 BRK THEN POKE 16,112: POKE 5377
                      RETURN
00
```

### LISTING 2

```
10 REM GEDIT.BAS, LISTING TWO
20 REM BY ROBIN SHERER
30 REM (c) 1985,1987 ANTIC PUBLISHING
35 REM (CREATES LINES 2030, 2080, 2130,
2180 & 2250)
40 REM (LINES 10-250 MAY BE USED WITH
OTHER BASIC LOADERS IN THIS ISSUE.
50 REM CHANGE LINE 70 AS NECESSARY.)
60 DIM FN$(20), TEMP$(20), AR$(93):DPL=P
EEK(10592):POKE 10592,255
70 FN$="D:LINES.LST":REM THIS IS THE N
AME OF THE DISK FILE TO BE CREATED
80 ? "MOISK OF Massette?";:POKE 764,25
MU
ZX
FJ
JW
 EV
 TJ
 PR
 MO
 RD
                  5 90 IF NOT CPEEK (764) = 18 OR PEEK (
58) THEN 90 
100 IF PEEK (764) = 18 THEN FN$ = "C:"
110 POKE 764,255: GRAPHICS 0:? "
TIC'S GENERIC BASIC LOADER"
120 ? ,"BY CHARLES JACKSON"
130 POKE 10592, DPL: TRAP 200
140 ? :? :? "Creating ";FN$:? "...
5e Stand by."
150 RESTORE : DFAD | N: | M-| N: | DTM A&C
                                                                                      (PEEK (764) = 18 OR PEEK (764) =
 PY
   TH
  VB
  MY
 KB
PU
                   150
                                         RESTORE : READ LN: LM=LN: DIM A$ (LN) :
                  160 AR$="":READ AR$
170 FOR X=1 TO LEN(AR$> STEP 3:POKE 75
2,255
  BP
  YC
                  2,255
180 LM=LM-1:POSITION 10,10:? "Countdo wn...T-";INT (LM/10);")
190 A$(C,C)=CHR$(VAL(AR$(X,X+2)):C=C+1:NEXT X:GOTO 160
200 IF PEEK(195)=5 THEN ? :? "GTOO MANY DATA LINES!":? "CANNOT CREATE FILE
 DM
  BK
 MM
                  CM
                   AR
   AL
                1000 DATA 352
1010 DATA 0500480510480320870840360610
34104104170224000240025169255141255006
138160006162255202208253136
1020 DATA 2082482062550062082411702022
082311041702240002400118141255006160006
162255202208253136208248206
1030 DATA 2550062082410960341550500480
5604803207007703606103410410414133205104
133204104104133206104170224
1040 DATA 0002400161602551652061452041
36208251145204230205202208240104168192
000240014165206136192000240
1050 DATA 0051452041362082511452040960
34155050049051048032077077036061034104
104133207104133206104133205
1060 DATA 104133204104170224
1040 DATA 0051452041362082511452040960
34155050049051048032077077036061034104
104133207104133206104133205
1060 DATA 1041332041041702240002400181
60255177206145204136192255208247230207
230205202208238104168177206
1070 DATA 145204136192255208247230207
230205202208238104168177206
1070 DATA 169020141002101621741420012
10169002141028002169000205028002208251
2002202142001210224160208235
1090 DATA 096169040141002101691701410
01210169016141028002169000205028002208
251141001210096169140141000
1100 DATA 21016692021410012101690161410
28002169000205028002208251141001210096
034155050050083048032067067
1110 DATA 0360610341041041771669000
241050162022082501701041041577066003104
                    1000
                                                DATA
  HO
  WK
  FS
  VC
   TH
  AN
  EX
  EC
  EU
   PC
   DM
   CX
```

# real-time MIDI special effects Article on page 51

";Czt% split poi in 3) our brand of CZ synth:"
= CZ-101/1000"
= CZ-3000/5000"
= Other (CZ-230S/CZ-1)" patches: or 2 goes synth 1, for 2 go Input "What is your brand @Check\_range(1,3,Czt%)
Exit If In\_range% areas CZ of p keyboard point #1, brand H H H "What is yo Spc(3);"1 = Spc(3);"2 = Spc(3);"3 = Rem Identify Rem Set up k Rem split po. Do MCK=MCK-1 Exit Print Print Print Do Print Print synth

keyboard CZ the

number

patch

and

point

lon Base 0 Vprg(3), Sp%(3)

Dim

Hidem Option

on

once on

patches

separate

4 sep gets

up to patch

Play Each

Program CZSPLIT By Jim Pierson-Perry (c) 1988 Antic Publishing

play area at

OWN

patch

selecting

LISTING

(1-13)channel for base, Mc%) channel OCheck range (1,13 MIDI MIDI "Enter CZ Get Input Next Rem

"; Mc%

ANTIC SOFTWARE LIBRARY \* 73

CJ

Begin program:
Rem initialize
For I%=0 To 3
Sp%(I%)=36
Vprg(I%)=0

```
byte for command byte or another note on data pair
                                                                                                                                                                                                                                                                                                                                                                           Rem Note on processing section
Rem Get following MIDI key data byte (tells what note was pressed)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Rem Determine what keyboard area the note was in and set up for
                  Print "Press PORTMENTO ON/OFF button on CZ to end program"
                                                                                                                                                  Rem If it is Portamento button on/off then branch to exit
If B%=176+Mc% Then
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Rem Exit gracefully - first clear out the MIDI pipeline
                                                                                                                                                                                                                                                                                       Rem Not a note on - pass it straight through to CZ
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Rem Send the note on MIDI key data byte to the CZ
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               CZ keyboard
                                        Rem Real-time MIDI data processing section
Print "CZ setup complete - ready to play."
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Rem Get the note on velocity data byte
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              CZ
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Out 3,127
Rem Reset the Portamento on/off button
Out 3,176+Mc%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             note on event
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          Rem corresponding patch to sound If T%=>Spl% Then
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          Rem It was a new command byte
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               control to the
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Rem And send it right back
                                                                                                                                                                                                                                           Rem Test for note on command
                                                                                     Rem Get current MIDI byte
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Rem It was another
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          Rem Test next MIDI
                                                                                                                                                                                                                                                               If B%<>144+Mc% Then
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 If T%=>Sp2% Then
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           If T%=>Sp3% Then
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Out 3,145+Mc%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Out 3,144+Mc%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Out 3,146+Mc%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     If T%<128 Then
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          While Inp? (3) <>0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             Rem Return Local
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Out 3,147+Mc%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Out 3,176+Mc%
                                                                                                                                                                                                                                                                                                                                                                                                                     T%=Inp(3)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         T%=Inp(3)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                T%=Inp(3)
                                                                                                                                                                                                                                                                                                              Out 3, B%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             Goto D
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Goto D
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 T%=Inp(3)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  Goto D
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Goto C
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Goto B
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 Out 3, T%
                                                                                                           B%=Inp(3)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                B%=T%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Out 3,122
                                                                                                                                                                                              Goto X
                                                                                                                                                                                                                                                                                                                                  Goto A
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Endif
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Endif
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          Endif
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Endif
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Else
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Out
                                                                                                                                                                                                                    Endif
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Endif
                                                                                                                                                                                                                                                                                                                                                        Else
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Wend
                                                                                                                                                                                                                                   Rem If cartridge selected as bank and it is not present, the default bank
                                                        Print Spc(3); "Enter MIDI key value (36-96) for split point #"; 1%;
                                                                                                                                                                                                                                                                                                                                                                  Print Spc(3); "Bank (Preset=1, Internal=2, Cartridge=3) =
                                                                                                                                                                                                                                                                                               Print "Enter voice selection for keyboard zone "; 1%+1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       Print Spc(3); "Source (Preset=1, Memory=2) = ";
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           =
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Sp3%=Sp%(2)
Rem Subroutine to set up mono playing mode for CZ
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Print Spc(3); "Bank (A=1, B=2, C=3, D=4) =
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Print Spc(3); "Program Number (1-8) = ";
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Print Spc(3); "Program Number (1-16) =
                                                                                                                                                                                                          Rem Chose patches for the keyboard areas
                                                                                                                                                                                                                                                       Rem is the corresponding Preset patch
                                                                             Input Sp%(1%-1)
@Check_range(36,96,Sp%(1%-1))
Exit If In_range%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Gosub Monoset (Mc%, Nsplit%, Vprg)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     @Check_range(1,16,T%)
Exit If In_range%
                                                                                                                                                                                                                                                                                                                                                                                                                     Ocheck range (1, 3, B%)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 @Check_range(1,4,5%)
Exit If In_range%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   @Check_range(1,8,T%)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 @Check_range(1,2,B%)
Exit If In_range%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Print Spc(3); "Program #
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Vprg(I%)=32*(B%-1)+T%-1
                                                                                                                                                                                                                                                                                                                                                                                                                                 Exit If In range%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Exit If In_range%
                                                                                                                                                                                                                                                                               For I%=0 To Nsplit%
              For I%=1 To Nsplit%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                T%=8*(S%-1)+T%
                                                                                                                                                                                                                                                                                                                      If Czt%=1 Then
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              If Czt%=2 Then
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Input T%
                                                                                                                                                                                                                                                                                                                                                                                           Input B%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Input B%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             Input 5%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Input T%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Goto Dun
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Goto Dun
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Sp1%=Sp%(0)
Sp2%=Sp%(1)
```

Loop

Loop

Loop

Loop Next I%

Loop

Loop

Endif

Cls

Input T%

Print Next 1%

Loop

Endif

```
continued on next page
```

```
Rem Clear out the MIDI pipeline before starting to play
                                                                                                                                                       Rem Set the N+1 patches for MIDI channels Mc thru Mc+N
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Print "Please enter a number in the correct range."
                                                                                                                                                                                                                                                                                                                                                                                                             Procedure Check_range(Lo%, Hi%, Number%)
In_range%=(Number%>=Lo%) And (Number%<=Hi%)
If Not In_range%</pre>
                                                    Rem Set CZ to Mono mode
                                                                                                                                                                                                        Out 3,192+Mc%+I
                                                                                                                                                                                                                                                                                                              While Inp? (3) <>0
                                                                                                                                                                                                                                  Out 3, Vprg(I)
                                                                                                                                                                                 For I=0 To N%
                                                                           Out 3,176+Mc%
                                                                                                                                                                                                                                                                                                                                      B%=Inp(3)
3,122
                                                                                                     Out 3,126
                          3,0
                                                                                                                                                                                                                                                            Next I
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  Endif
                                                                                                                                                                                                                                                                                                                                                             Wend
                                                                                                                                                                                                                                                                                                                                                                                       Return
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            Return
                                                                                                                                                                                                                                                                                                                                                                                                                                                              Rem Vprg = array with patch ID program values for the N+1 voices
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Mou
                                                                                                                                                                                                                                                                                                                               Rem Procedure to set up CZ in N+1 separate monophonic voices Rem (Max * of voices is 4)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                Rem First turn off local keyboard control, all notes will
```

# Wetlay real-time MIDI special effects Article on page 51

# LISTING

Program CZOVERLY By Jim Pierson-Perry (C) 1988 Antic Publishing Rem Rem

Rem Overlay up to 4 separate mono voices on the CZ (1 base + 3 overlays) Each of the overlay voices can be offset up/down the scale from the base voice (e.g. play oactave or fifth apart) Rem Initialize overlay offset and patch number arrays Option Base 0 Dim Vprg(3),0v(3) Begin program: Hidem Rem ] Rem

Rem Get CZ MIDI channel for sending For I=0 To 3 Vprg(I)=0 0=(I)AO Next I

Input "Enter MIDI base channel (1-13) "; Mc% @Check\_range(1,13,Mc%)
Exit If In\_range%

Mc%=Mc%-1

Rem Identify brand of CZ synth for use in selecting patch programs Input "What is your brand (1, 2, or 3) ";Czt%
@Check\_range(1,3,Czt%)
Exit If In\_range% Print Spc(3);"3 = Other (CZ-230S/CZ-1)" Print "What is your brand of CZ synth: Print Spc(3);"1 = CZ-101/1000" Print Spc(3);"2 = CZ-3000/5000" Print

Loop

@Check\_range(1,16,T% Exit If In\_range% If Czt%=2 Then Input T% Goto Dun Loop Endif

Rem Get number of overlay voices, their offset (in MIDI key terms) from Rem the base voice and their associated patch program numbers Cls

Input "Enter # of overlay voices (1-3) ";Nover%
@Check\_range(1,3,Nover%)
Exit If In\_range%

Loop

Print Spc(3); "Source (Preset=1, Internal=2, Cartridge=3) = Spc(3);"Enter MIDI key offset for overlay voice #";I;
Ov(I) For I=0 To Nover% Print "Enter selection for voice #";I+1 For I=1 To Nover% If Czt%=1 Then Print Input Next I

Print Spc(3); "Program Number (1-16) = @Check\_range(1,3,B%)
Exit If In\_range% Input B% Loop

Print Spc(3); "Source (Preset=1, Memory=2) = "; @Check range (1,3,B%) Input B%

out **JUNE 1988** 

Out

3,176+Mc%

Return CZ to poly playing mode

3,176+Mc%

3,127

Out Rem

Input "Would you like to start again (N to exit)";A\$
If Left\$(A\$,1)="N" Or Left\$(A\$,1)="n"

Rem See if user wants to run program again

Print

Rem Mc = base MIDI channel that CZ receives on

Procedure Monoset (Mc%, N%, Vprg)

Goto Begin program

Endif

Showm

Rem N = # of voices - 1

Rem come solely from MIDI in to the CZ

Else

Rem It was a new command byte

Goto B B%=T%

```
Rem Vprg = array with patch ID program values for the N+1 voices
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Rem First turn off local keyboard control, all notes will now
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Goto Begin_program
Rem Procedure to set up CZ in N+1 separate monophonic voices
Rem (Max # of voices is 4)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Rem Clear out the MIDI pipeline before starting to play
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Out 3,4 \, Rem Set the N+1 patches for MIDI channels Mc thru Mc+N \,
                                                                                                 Rem Exit gracefully - first clear out the MIDI pipeline
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Print "Please enter a number in the correct range."
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                Input "Would you like to start over (N to exit)", A$ If Left$(A$,1)="N" Or Left$(A$,1)="n"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          Rem Find out if user wants to run program again
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       Rem Mc = base MIDI channel that CZ receives
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Procedure Check_range(Lo%,Hi%,Number%)
In_range%=(Number%>=Lo%) And (Number%<=Hi%)
If Not In_range%</pre>
                                                                                                                                                                                                    Rem Return Local control to the CZ keyboard
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          Rem come solely from MIDI in to the CZ
                                                                                                                                                                                                                                                                                                          Rem Reset the Portamento on/off button
                                                                                                                                                                                                                                                                                                                                                                                     Out 3,0
Rem Return CZ to poly playing mode
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Procedure Monoset (Mc%, N%, Vprg)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 Rem N = # of voices - 1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                Out 3,0
Rem Set CZ to mono mode
Out 3,176+Mc%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Out 3,192+Mc%+I
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            While Inp?(3)<>0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Out 3, Vprg(I)
                                                                                                                           While Inp?(3)<>0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  Out 3,176+Mc%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              For I=0 To N%
                                                                                                                                                                                                                                                                                                                                3,176+Mc%
                                                                                                                                                                                                                               Out 3,176+Mc%
                                                                                                                                                                                                                                                                                                                                                                                                                                          Out 3,176+Mc%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      B%=Inp(3)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Out 3,126
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          Out 3,122
                                                                                                                                                 T%=Inp(3)
                                                                                                                                                                                                                                                                                  3,127
                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Out 3,127
                                                                                                                                                                                                                                                                                                                                                                  3,65
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Next I
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             Out 3,0
                   Endif
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Showm
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Endif
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Wend
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Rem
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Return
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Return
                                              Endif
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Endif
                                                                                                                                                                              Wend
                                                                                                                                                                                                                                                                                  Out
                                                                                                                                                                                                                                                                                                                                       Out
                                                                                                                                                                                                                                                                                                                                                               Out
                                                                                                                                                                                                                                                         Out
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       processing section following MIDI key data byte (tells what note was pressed)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Rem Test next MIDI byte for command byte or another note on data pair
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                Rem For each voice add the offset to the note on key data byte
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  end program"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Rem If it is Portamento button on/off then branch to exit
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       Rem Subroutine to set up mono playing mode for the CZ Gosub Monoset(Mc%,Nover%,Vprg)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Rem Not a note on - pass it straight through to CZ
Print Spc(3); "Bank (A=1, B=2, C=3, D=4) = ";
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Print "CZ setup complete - ready to play."
Print "Press PORIMENIO ON/OFF button on CZ to
                                                                                                                                                           Print Spc(3); "Program Number (1-8) = ";
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Rem Real-time MIDI data processing section
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  Rem Turn on the base and overlay voices
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           Rem Get the note on velocity data byte
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Rem It was another note on event
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Rem Test for note on command
                                                                                                                                                                                                              @Check_range(1,8,T%)
Exit If In_range%
                                                  @Check_range(1,4,S%)
Exit If In_range%
                                                                                                                                                                                                                                                                                                                                                                                                 Print Spc(3); "Program #
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           Rem Get current MIDI byte
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       Vprg(I)=32*(B%-1)+T%-1
```

If B%<>144+Mc% Then

Out 3, B%

Goto A

Else

Rem Note on Rem Get the

T%=Inp(3)

If B%=176+Mc% Then

Goto X

Endif

B%=Inp(3)

Exit If In\_range%

Input

Loop

T%=8\*(S%-1)+T%

Loop

Goto Dun

Endif

B%=1

Input T%

Print Dun:

Next

Input T%

Goto C

If T%<128 Then

T%=Inp(3)

For I=0 To Nover% Out 3,144+Mc%+I

V%=Inp(3)

Out 3, T%+0v(I)

Out 3, V%

Next I



# **SHOPPERS** DISPLAY **ADVERTISING**



Antic Rates

B/W 1X	460.
B/W 3X	850.
B/W 6X	1525.


Have your ad displayed with other industry advertisers

> CONTACT Karen Gorden (415) 957-0886



### TIRED OF TYPING? **BUGGED BY DEBUGGING?**

GET ALL THE PROGRAMS WITH ANTIC ON DISK! MORE THAN 40% OFF REGULAR PRICE! ANTIC'S MAGAZINE DISK ONLY \$5.95 (plus 2.00 shipping and handling) FOR SAME DAY SERVICE CALL (415) 957-0886 between 8am and 3pm Ask for the DISK DESK. Use your Visa or Mastercard. Or send check or money order to: ANTIC PUBLISHING 544-2ND ST. SAN FRANCISCO, CA 94107







The nation's leading computer camp offers all traditional camping activities and camaraderie in a beautiful setting. Your child will have exclusive use of a major brand microcomputer for at least 6 hours every day. 1, 2, 3 and 8 week co-ed sessions for ages 8-18. An experienced staff ratio of one

to three and a computer ratio of one to one uncaps the creativity of young people. Students receive hands-on experience in robotics, graphics, lasers, sound, languages, telecommunications and more. For free brochure contact:

Call (317) 297-2700 or write to MIDWEST COMPUTER CAMP 9392 Lafayette Road, Unit G4 Indianapolis, IN 46278

CIRCLE **014** ON READER SERVICE CARD

### Education by mouse . . .

### **Quiz Plus** \$29 for Atari ST

QuizPlus is a 100% mouse-driven quiz and tutorial administering program. The PLUS: QuizPlus can mix DEGAS-format graphics into your presentation or quiz.

In minutes, you easily convert your pre-existing quiz or text files for use with QuizPlus, using a standard wordprocessor. If you want, add a few DEGAS-format pictures or diagrams. Your quiz becomes a colorful computereducation program!

See it at your Atari dealer, or order direct from:

Mad Scientist Software 2063 North 820 West, Pleasant Grove, UT 84062

VISA/MC orders call 801-785-3028.

CIRCLE 062 ON READER SERVICE CARD

An incredible simulation

## Cardiac Arrest!

Complete with binder and manual for \$69

There's nothing like Cardiac Arrest! You interpret the history, on-screen EKG, lab data, and vital signs, then give treatment orders in plain English. Doctors and nurses use it to train and certify as ACLS (Advanced Cardiac Life Support) providers, yet the excellent manual allows computer buffs to enjoy it as a challenging medical adventure. Caution: requires brain cells. IBM, Apple II+/c/e, Atari ST, Atari XL/E.

"impressive and amazingly complete" Antic, May 1987 "both highly educational and fun to play" ST World, May 1987

Other software: ACLS Protocols, \$29. EKG Teaching, \$29. CardioQuiz, \$19. Blood Gases, \$24. QuizPlus, \$29. Demo, \$7. Ask about the ACLS Package (includes Cardiac Arrest!) for \$109. Order direct!

### Mad Scientist Software

2063 N. 820 W., Pleasant Grove, UT 84062 Visa/MC orders call 801-785-3028

CIRCLE **061** ON READER SERVICE CARD

### THE AMAZING NEW VOICE MASTER : Junior

TURNS YOUR \$39.95 INTO A TALKING AND LISTENING SERVANT

Get speech output and voice recognition in ONE product. Voice Master Jr. is easy

to use with new commands added to BASIC. A music bonus lets you write and compose by whistling the tunel Unlimited uses for fun, education, practical ap-plications. Demo programs included. Price only \$39.95 including software and manual. A Patented price/performance breakthrough!

TO ORDER BY MAIL include \$4 shipping & handling (S6 Canada, 512 overseas) per order. Visa, Master-Card phone orders accepted. Available for C64:128 and Atari 800/800XL/130XE. Specify when ordering. 30 day money back guarantee. one year warranty. Other enhanced voice I/O systems are available for Commodore, Apple, and



Call or write today for FREE Product Catalog

COVOX INC. (503) 342-1271 675 Conger St., Eugene, Oregon 97402

CIRCLE OLO ON READER SERVICE CARD

Libraria over 117 ce a fina a sur a como

That the experts **DON'T** want you to know!

Now you can delve into the programs written by the BIG developers, and actually FORCE them to give up their secrets!

With MLTMDIS, a TRIPLE-PASS DISASSEMBLER for the 8 bit ATARI computers, you can actually LIST as SOURCE CODE any machine language program MLTMDIS includes all system labels as well as our own. MLTMDIS actually CREATES ITS OWN LABELS and inserts them in the source code You can make the listing in either AMAC or MAC 65 format, and if you send it to a diskette file, you can even change it and re-assemble it

MLTMDIS is a sophisticated piece of software that has been used by professionals to unlock the secrets of competitors' products MLTMDIS is 100% machine language, and extremely fast!

Send only \$15.95 + \$1 postage and handling to PMW Technology, 1140 N. Higley, Suite 109-310, Mesa, AZ 85205 (add \$2.90 for COD)

Phone (602) 981-8550

Arizona residents, add 6.5% sales tax AMAC is a trademark of ATARI Inc. MAC-65 is a trademark of Optimized Systems Softw.

CIRCLE O18 ON READER SERVICE CARD

### Easy Scan #

The Image Scanner for Atari 8-bits! Created in a joint effort between I.C., and Jim Bteinbrechner of Sector 1 Computers "Original author of Amodem).

Now, you can "scan" almost any graphics Now, you can "scan" almost any graphics image (from magazine, photograph, etc.) into the computer! Then, save your images as standard 62 sector files. Also includes conversion utilities for Print Shop, Koala, RLE, and Fun With Art file formats. EXCELLENT for User-Groups, posters, banners, flyers, and more!

System requirements: XL/XE with at least 128K and graphics capable printer like; Epson FX-80, Star 10%/8010/NX10, and all Panasonics. Others are being tested.

Price: \$79.95 (UBA/APO/FFO) + \$3.00 8&H. COD \$1.90(USA). Canada/Mexico: Add \$7.00 8&H. All other countries add \$10.00 8&H.

Easy Scan Demo Disk - \$10.00 We have many other products! Call/Write for FREE catalog.

Innovative Concepts 31172 Shawn Drive Warren, MI 48093 (313) 293-0730

Dealer/Distributor inquires Welcome!

### New! 3-D Graphic WW11 Sea Game

Now play "Destroyer Warship" on your XL/XE-Computer System! It is a WWII arcade type Sea Battle against Japan! You are captain and protect Midway Island and the Shipping Lanes! Its a hard war if you can take it! Play it! Be a hero and play "Destroyer Warship"!! Now Only! \$14.95 + 2.95 shipping & handling. (Continental U.S.). \* Requires XL/XE, joysticks & 1050 drive. 64K

New! "Lem Landing Simulator & Fastbudget" Land the LEM on the planets or figures your budget! (Order Yours Today!)
\* LEM Landing Simulator & Fastbudget

- \* Now Only \$9.95 + \$2.95 shipping & handling. (Continental U.S.). \* Requires XL/XE, joystick & 1050 drive.
- 64K
  \* Cashier's Check or Money Order only!
- Michigan Residents add 4% Sales Tax. Send To: IntelaSoft P.O. Box 102

St. Charles, MI 48655 Prices are subject to change without notice. Due to low prices all sales are final.

CIRCLE **005** ON READER SERVICE CARD

### **Antic Classifieds**

### SOFTWARE

Atari ST Public Domain Disks Over 400 available. \$4.00 each. 800/XL/XE Disks also available \$3.00 each. Telephone support. Same Day Shipping. Visa/MC welcome. Send large SASE or call for catalog. Specify computer. Brad Roltgen Enterprises, 6210 N. First, Suite 130-AN, Fresno, CA 93710. (800) 622-7942, (209) 432-2159 in CA. (6/88)

### NO THRILLS INTERFACE

XL/XE computers can have a cheap way to hook-up IBM drives. Will be shipping in 6 weeks. Advanced orders are now being taken. \$99 + \$3 shipping (normal price \$130). IRATA VERLAG, 1272B Potter Dr., Colorado Springs, CO 80909. (6/88)



GOOD STUFF! ATARI ST & PC PUBLIC DOMAIN SOFTWARE. Best value for your money: 140 ST disks & 500 PC. Rent entire ST library for as low as \$1.45/disk & FREE SHIP-PING! Call today for free catalog: 1-800-327-2540 or write COMPUTER SOLUTIONS NW, PO Box 446, Benzonia, MI 49616. (6/88)

AMAZING ATARI 8-BIT SOFTWARE!!! Choose from over 240 Public Domain Theme Disks or pick individual programs. Free 55 page Catalog! BELLCOM, Box 1043-A, Peterborough, Ontario, Canada K9J 7A5. (7/88)

Powerful Software for all 8-bit Atari Computers. Send \$1.00 for list to Dennis Bishop PO Box 453, Ramona, CA 92065. (6/88) \$\$\$WIN with Thoroughbred/Harness, Greyhound Handicapping Software . . . \$52.95. Football, Baseball, Basketball Handicapping Software . . . \$52.95 each. Software Exchange, Box 5382-AN, W. Bloomfield, MI 48033. Free information. (313) 626-7208. VISA/MC. Orders: 1-800-527-9467. (7/88)

DISK-A-MONTH PROGRAM-Receive the latest/best public domain releases automatically—monthly—for your 8-bit or ST computer. Twelve monthly disks packed with applications, utilities, games, tutorials—all in ARCED format—the most for your money. Subscribers receive extra disks twice each year. Only \$39.95 for annual subscription; \$3.50 for sample. VISA/MASTERCARD holders call 800-862-2345 (dialtone) then dial "PAT" to subscribe, or send check/money order to PATNOR, POB 370782, El Paso, TX 79937. (8/88)

Fountain of the Gods! Can you explore all the chambers? ML 8-bit vr. only \$13.50. 2 sides, updates and support. Send to Joe Butner, 4005 Rogers St., Oak Hill, WV 25901. (6/88)

FREE CATALOG! Atari replacement parts, custom chips, service manuals, schematics, diagnostics, upgrades, books, software, accessories, and more for every Atari product! 805/489-3700 Electronic Dimensions, PO Box 1846, San Luis Obispo, CA 93406. (6/88)

AAPDS offers a demo and a catalog disk for \$3. Send to 6-18th Edgemoore Hutchinson, KS 67502. 150 SD/DS disks listed. (6/88)

### **GAMING LANGUAGE-SPI**

Easy to program. Graphics, PM, and sound at near MACHINE LANGUAGE SPEED. REQ, 48 + disk drive. Send \$29.95 to SPI, 9512 WESSEX PLACE, LOUISVILLE, KY 40222. (6/88)

BEST PD DISKS/PRICES-FASTEST SER-VICE-FREE- Bonuses. 8Bit and ST. Great sample disk with catalog \$3.50. Please specify computer. PATNOR, POB 370782, El Paso, Texas 79937. (8/88)

### \*\*\*\*\*

Stop overpaying for P.D. software!!! ALL 8-bit disks only \$2.00 each, ST only \$3.00. Quantity discounts, great selection. Specify computer. Send large SASE: MWPDS, 890 N. Huntington St., Medina, OH 44256. (6/88)

COMPREHENSIVE COMIC BOOK SYSTEM! ATARI 8-bits with 48-K & disk drive. Excellent manual! \$19.95. SASE = More info. BUECO, 3900 Hampton Dr., Anchorage, AK 99504. (6/88)

### ARM+ C & D (maps)

Lost in the CITY? Can't find that last Guild? You need ARM+C, \$4.95. Includes every Bank, Tavern, Inn, Wall, etc. plotted on a detailed map. Plus Journal Log Sheet for accurate record keeping. Too dark in the Dungeon? Get ARM+D, \$5.95. All maps are for ALTERNATE REALITY (tm) players. Rush payment to: MARS MERCH., Maps Dept., 15W615 Diversey, Elmhurst, IL 60126-1257. PH:(312) 530-0988. (7/88)

An Ad In Antic Reaches More Than 100,000 Serious Atari Users.

# Classifieds

BUY-SELL-TRADE-SWAP INTHE CLASSIES

### **Antic Classifieds**

Karen Gordon, Advertising Sales Coordinator 544 Second Street, San Francisco, CA 94107 Telephone (415) 957-0886

Name	Company
Address	Phone
City/State/Zip	
MasterCard/Visa Number	Expiration Date
Signature	Issue(s) Ad To Appear
Enclosed is my payment for \$	
RATE: \$1.00 PER WORD—twenty (20)	word minimum.

**BOLDFACE:** Add \$7.50 per line for boldface words or add \$40.00 for the entire ad set in boldface (any number of lines).

**STARS:** Add \$6.50 for one (1) line of six (6) stars \*\*\*\*\* at top of ad.

**TERMS:** Prepayment is required. Check, Money Order, Visa or MasterCard is accepted. Make check payable to Antic Publishing.

**FORMS:** Ads are subject to publisher's approval and **MUST BE TYPED.** Please underline words to be set in boldface.

**GENERAL INFORMATION:** Advertisers using Post Office Box numbers in their ads must supply permanent address and telephone numbers. Ad will appear in the next available issue after receipt unless otherwise specified.

**DEADLINE:** 90 days prior to cover date (e.g., August 1988 closes May 1, 1988—August issue on sale July 1, 1988).

Clip this coupon, attach to typewritten copy and send with remittance to address above.

HANDWRITTEN COPY WILL NOT BE ACCEPTED.


### **Advertisers List**

Be sure to mention ANTIC when contacting these advertisers—all of whom support the Atari 8 bit and ST computer. This list is provided as a courtesy to our advertisers. ANTIC does not guarantee accuracy or comprehensiveness.

READER SERV	/ICE NO. P	AGE NO.	RE	ADER SERVICE NO. PAGE N	10.
Abbys	. 002	8	Innovative Concepts	<b>012</b> 7	7
Alpha Systems					
American Technavision					
Antic		32		019	
Antic				020 58,5	
B & C Computervisions				061 7	
Compuserve				062 7	
Computability				<b>021</b> B	
Computer Mail Order				<b>031</b> 6	
Computer Repeats				p <b>014</b> 7	
Covox Company				018 7	
Dr. T's Music Software				036 2	
Firebird				<b>015</b> 5	
Firebird			Software Discounters .	040 3	1
General Electric			Springboard Publishing	023	5
ICD, Inc				4	
ICD, Inc				029IF	
ICD, Inc				016 3	
ICD, Inc				<b>025</b> 3	

## **Advertising Sales**

Phoebe Thompson Associates Phoebe Thompson 408-356-4994 The Pattis Group Michael Mooney 312-679-1100



John Taggart
Antic Magazine
544 Second Street
San Francisco, CA 94107
(415) 957-0886

Garland Associates John A. Garland 617-749-5852 Phoebe Thompson Associates 15640 Gardenia Way Los Gatos, CA 95030 PHOEBE THOMPSON

The Pattis Group 4761 W. Touhy Ave. Lincolnwood, IL 60646 MICHAEL MOONEY 312-679-1100

408-356-4994

Garland Associates 10 Industrial Park Rd. Hingham, MA 02043 JOHN A. GARLAND 617-749-5852

Address all advertising materials to: DEBRA K. STELLA Advertising Production Coordinator Antic Magazine 544 Second Street San Francisco, CA 94107

# **Tech Tips**

By CHARLES JACKSON, Antic Technical Editor

Antic pays \$25 for every original and exclusive Tech Tip submission that we publish. Send your 8-bit or ST disk and printout to: Antic Tech Tips, 544 Second Street, San Francisco, CA 94107. Tech Tips welcomes very short programs that demonstrate the Atari's powers, simple hardware modifications, or useful macros for popular software.

### MAKE A MEM.SAV

A MEM.SAV file on your DOS disk can be extremely useful, especially if you're using the 130XE RAMdisk. You can work on your program, go to DOS for whatever reason, return to BASIC, and voila—your program has remained in memory.

But what if your disk doesn't have a MEM.SAV? You could do one of two things: SAVE the file you're working on using whatever filename you like, use DOS, then reLOAD the file upon your return to BASIC; or—and this is even simpler—type the following line in immediate mode (that is, without a line number): OPEN #1,8,0,"D1:MEM.SAV":END

When you type DOS from BASIC, your Atari loads DUP.SYS into memory. In the process, it overwrites about 6K of the memory area that holds your BASIC program. A MEM.SAV file—if you have one on your disk— prevents this.

The part of your program that would normally be displaced by DUP.SYS is saved automatically in a file called MEM.SAV. Once DOS has copied your program into MEM.SAV, the DOS menu will appear. (Note that some Copy functions will not work when you're using a MEM.SAV.)

When you're through, DOS will use the MEM.SAV file to restore your BA-SIC program to your previous state when you return to BASIC.

### DOS 2 TRANSFUSION

nce in a while, somebody sends rating system other than DOS 2.0S or 2.5.

Antic an article on a disk which uses an operating system other than DOS 2.0S or 2.5. (*Please don't.—ANTIC ED*) We cannot read these submissions without a conversion utility or some other programming acrobatics.

In order to use a recent review sent on a DOS 4 disk, we came up with this "quick-and-dirty" program that reads a user-specified range of sectors from one disk (any DOS), converts the contents of each sector into a 128-byte string, displays the string, then stores it in a DOS 2.0S disk file.

This program needs two disk drives, or one physical drive and one RAMdisk. It does not transfer files, or even sectors, but, rather, 128-byte chunks of information. The program works with files in any format: Letter Perfect, Write 80, even DOS 3.

Don't type the TYPO II Codes! The DOS 2 DIM SCTR\$ (128) , FN\$ (15) 5 GOSUB 200 6 GOSUB 300:FOR NUM=FIRST TO LAST:SCTR \$(1)="\\":SCTR\$(128)=SCTR\$:SCTR\$(2)=SCT OD Transfusion program is R\$ quite flexible. TG 8 AD=ADR(SCTR\$):ADHI=INT(AD/256):ADLO= AD-CADHI\*256> 10 REM READ A SECTOR INTO A STRING You can add a **REM** statement 20 POKE 770,82:REM MRIADDISACTION AND POKE 771,64:REM MRIADDISACTION AND POKE 772,ADLO:POKE 773,ADHI:REM MAD DRIESS COMMENTS ZC LD to lines 5 and 5M 140, for in-POKE 776,128:POKE 777,0:REM ##### stance, to get BYTES! 60 POKE 766,1:REM DISPLAY CTRL CODES
100 ? "SECTOR #";NUM
110 NUMHI=INT (NUM/256):NUMLO=NUM- (NUMH just a screen IZ display (or you I#256> 120 POKE 778, NUMLO: POKE 779, NUMHI can just enter 130 JNK=USR(ADR("h SDM"), 135 REM (ASCII equivalents for the a ve string are: 104, 32, 83, 228, 96) 140 ? #1;5CTR\$; 145 ? 5CTR\$ "S:" as the DOS 2 file-OG ZG name). You can BM add a REM to END 200 ? "M File Transfuser Routine®®" 210 ? "ENTER OBJECT FILENAME: ";:INPUT line 100 and HE end line 145 #16,FN\$ 220 OPEN #1,8,0,FN\$:RETURN
300 ? "STARTING, ENDING SECTOR: ";:INP
UT #16,FIRST,LAST:RETURN with a semicolon (";") to get

a continuous display onscreen. If you know where the link pointers (if any) are in your sectors, you can change lines 140 and 145 accordingly. For instance, the last three bytes in Atari DOS 2 sectors are the link pointers, so you can change the SCTR\$ to SCTR\$(1,125) so that those three bytes won't be displayed or written to disk. (If the source disk doesn't use link pointers, you'll need to write all the bytes to disk.)

Lines 15 through 50 set up the Serial Input/Output's (SIO) Device Control Block. Line 15 tells the computer which drive has the source disk. Line 20 is the command to read information. The POKEs in line 40 are the address of SCTR\$, broken into low and high bytes. And line 50 tells how many bytes are transferred, also broken into Lo/Hi bytes.

Again, this program isn't built for just one disk drive. Perhaps, however, you can figure a way to do it and publish the result in Tech Tips. (Hint: use buffered I/O.)

DOS 2 Transfusion isn't really a program per se, but rather a routine that can be used in many different settings. How you use it is up to you. (See ABC's of Atari computers by David Mentley (Datamost Press) and Mapping the Atari by Ian Chadwick (Compute! Publications) for more information on these routines.—ANTIC ED)





Screenshots from Atari ST. Telecom Soft, P.O. Box 2227, Menlo Park, California 94026.

CIRCLE 028 ON READER SERVICE CARD

In the 22nd century, the Aircraft Carrier does more than launch planes. At close range or miles away, its ability to inflict damage is staggering. Breakthrough propulsion systems put its top speed at over 60 knots. Space age defense and 360-degree turret mounted laser

From the bridge of the future you control the ship itself, a squadron of remote fighters, an amphibious assault division, and a huge array of onboard weapons systems.

• Protect your ship with defense drones and 360-degree turretmounted laser cannon with telephoto tracking.

• Conduct your war maneuvers in a huge territory that includes 64 islands. Your goal is to capture the enemy complex and destroy its forces.

• Take on the enemy carrier, run a gauntlet of missiles and confront futuristic naval threats.

Dispatch the amphibious assault division to establish beachheads, capture airstrips and missile silos.
3D solid-filled graphics, smooth

scrolling land and sea-scapes, and great sounds and special effects.

Carrier Command. A step ahead of

Available now on Atari ST. Coming soon on Amiga, C64, Mac and IBM.





Atari ST<sup>®</sup> Atari Corporation. Amiga<sup>®</sup> and C64<sup>®</sup> Commodore Business Machine Inc. Mac<sup>®</sup> and Apple II<sup>®</sup> Apple Computers Inc. IBM<sup>®</sup> International Business Machine Corporation.

# Mark Williams Raises C Programming To A New Level.

New source level debugger, csd, cuts development time in half!

Now, on top of the world's best C compiler, Mark Williams brings you *csd*, the world's <u>only</u> source level debugger for the Atari ST!

With *csd*, you actually debug in C. Forget about trying to find bugs in clunky assembler and struggling with long dumps. *csd* gives you the interactive advantages of an interpreter plus the speed of a compiler. An

indispensable companion for Mark Williams C.

Reviewers have been raving about the IBM version of *csd* for years:

"csd is close to the ideal debugging environment...a definite aid to learning C and an indispensable tool for program development."

—William G. Wong, BYTE

"This is a powerful and sophisticated debugger built on a well-designed, 'serious' compiler."

-Jonathan Sachs, Micro/Systems Journal

### **FEATURES**

### Mark Williams C For the Atari ST

- ★ New! Resource Editor includes compiler/ decompiler for direct access to resource text
- ★ New! Peephole optimization—faster compile times and faster code
  - Full access to AES/VDI libraries with complete documentation and examples
  - Source and object code for RAM disk cuts compile time in half
  - Integrated edit/compile cycle: editor automatically points to errors.
  - MicroEMACS full-screen editor with commented source code
  - Full K & R plus ANSI extensions
  - Microshell Command Processor, a powerful UNIX style shell
  - Complete symbolic debugger and assembler

- Powerful utilities: make, linker, archiver, egrep, sort, diff and more
- Over 600 pages of documentation with more than 100 sample programs

Featuring New Resource Edito

### New! csd C SOURCE DEBUGGER:

- · Cuts development time in half!
- Debug in C source code not assembler
- Provides separate source, evaluation, program and history windows
- Ability to set trace points and monitor variables
- Can interactively evaluate any C expression
- Can execute any C function in your program
- Trace back function
- On-line help screens

MARK WILLIAMS C FOR THE ATARI ST: \$179.95 csd C SOURCE DEBUGGER: \$69.95\* 60 DAY MONEY BACK GUARANTEE

\*Introductory price-good through May 31, 1988

# WE'VE UPPED COMPILER PERFORMANCE, TOO!

Our new Resource Editor makes creating window driven interfaces with icons, alerts, pull down menus and dialogue boxes a snap. And its exclusive compiler/decompiler lets you directly access resources, making changes

quick and easy while simplifying project management.

Unparalleled compiler speed, fast, compact code, complete utilities and outstanding documentation have made Mark Williams C the preferred compiler for the Atari ST. Reviewers enthusiastically agree:

"Mark Williams C may be the best implementation of C on the Atari ST to date...not only for the experienced, professional developer, but also for the weekend programmer."

—George Miller, COMPUTE!'S Atari ST Disk and Magazine

"... the all-around best choice for serious software development on the ST."

-Douglas Weir, Analog Computing

### COUNT ON AN UPSTANDING REPUTATION

Mark Williams has been producing and improving quality programming tools since 1976. A good reason why the Mark Williams C compiler is the one chosen by Atari. And just one more reason you should choose Mark Williams, too.

### SPECIAL UPDATE OFFER AVAILABLE NOW!

If you already own Mark Williams C, a special update offer is available for version 3.0 and *csd* by calling Mark Williams. If not, there's never been a better time to ask your Atari dealer about Mark Williams C and *csd*. Or you can order by calling 1-800-MWC-1700.

(In Illinois, 1-312-472-6659)



1430 W. Wrightwood, Chicago, IL 60614 © 1988 Mark Williams Company

CIRCLE **021** ON READER SERVICE CARD