

COMPU-READ

Age 8 through Adult.
To improve reading speed,
recall, and test-taking skills. This
documentation includes
instructions for Apple II, II + ,
Apple IIe, Franklin Ace, Atari
Diskette, and Atari Cassette.



Letters
Words
Synonyms
Sentences

COMPU-READ 3.0
User Documentation

TABLE OF CONTENTS

Acknowledgements	2
<u>I. INTRODUCTION</u>	<u>3</u>
1. What is COMPU-READ 3.0?	
2. Quick Entry Usage	
APPLE Users	
ATARI Users	
3. Using the Documentation	
<u>II. THE INSTRUCTIONAL MODEL</u>	<u>6</u>
1. Effective Reading Requires the Perception of patterns.	
2. Users and Learners Require Immediate feedback as to Performance.	
<u>III. USING THE PROGRAMS</u>	<u>11</u>
1. General Description	
2. The SYSTEM GENERATOR	
Learning Sequence	
Learning Parameters	
Learner Progress	
File Builders	
Run COMPU-READ	
<u>IV. ERROR HANDLING</u>	<u>24</u>

COMPU-READ 3.0 Program and Documentation
(C) COPYRIGHT 1981 EDU-WARE SERVICES, INC.

All Rights Reserved. Any reproduction of the program diskette, or this printed documentation is strictly forbidden, without the expressed written consent of Edu-Ware Services, Inc.

ACKNOWLEDGEMENTS

COMPU-READ 3.0 was developed exclusively by Edu-Ware Services, Inc., a California software development company dedicated to the production of instructionally valid C.A.I. and intellectually challenging games.

It took the efforts of a number of individuals to bring this product to fruition:

Sherwin Steffin created the basic instructional design which led to the development of the COMPU-READ 3.0 Programs, and was the primary author of the previous Version 2.0 of the same system. He wrote all of the documentation, including the description of the Instructional Model.

David Mullich coded the entire set of programs, for both the Apple and Atari versions, and was the designer of the SYSTEM GENERATOR which is the heart of this new system.

Steven Pederson developed the Edu-Ware high-resolution (upper and lower case) font used throughout these programs.

Scott Clapp was responsible for all system testing of the Apple Version, and made a number of significant scoreboard modification suggestions.

Steven Barr was responsible for all system testing of the Atari Version of these programs.

I. INTRODUCTION

1. What is COMPU-READ 3.0?

COMPU-READ 3.0 is a response to a strongly felt need on the part of many school and consumer computer owners to have available an integrated system for the improvement of reading skills. This series of four learning experiences in reading, coupled with extensive utilities is designed to answer that need.

For almost two years, Edu-Ware sold COMPU-READ Version 2.0, and many thousands of these programs are still being used in various settings. Yet, Compu-Read 2.0 was among the oldest programs in the Edu-Ware inventory. As such, it lacked both the instructional quality and programming sophistication which have become a hallmark of more recent Edu-Ware product developments. The remediation of these deficits provided the rationale for the development of this completely new version of COMPU-READ.

The four learning experiences span the range from the youngest reader to the skilled adult who wishes to improve his reading speed and recall.

These goals are achieved through the use of a variety of features:

** Display of all letters is provided in upper and lower case, and is available in double size letters in three of the four programs. (Because of the potential length of sentences, the SENTENCES UNIT has only unit-size letters available.) This exclusive Edu-Ware high resolution font has been specifically designed with the intent of providing maximum legibility to the user, regardless of screen format employed.

- ** A SYSTEM GENERATOR provides control of a variety of learning parameters allowing flexibility in prescribing the difficulty and challenge of reading tasks.
- ** File building routines, with user-friendly editing features make possible a range of data bases. These may be utilized to vary the level of challenge of the reading tasks presented.
- ** A graphic and numeric reporting system giving the learner complete data about his progress and reading rates.
- ** Program design suitable for both adjunct and stand-alone learning in both home and classroom environments.
- ** Detailed documentation which describes both the system, and the instructional model upon which it is premised.

2. Quick Entry Usage

If you are one of those users who would rather use the system before reading further, you can do so by following this quick guide:

APPLE Users:

(A) Boot the diskette. This disk will operate with either 3.2.1, or 3.3 DOS. If you have difficulty in booting the disk, consult your DOS Manual for assistance. A few seconds of disk activity causes an Edu-Ware identification to appear on the screen. The COMPU-READ 3.0 Master Menu appears next. If you prefer, the entire system will run automatically. The following Learning Experiences require data base files which have already been pre-set: WORDS AND PHRASES; SYNONYMS AND ANTONYMS; SENTENCES.

(B) To use any of the programs, follow the screen directions as they appear; at the completion of the program, a "report card" will be displayed, showing you how well you have done. Exit the program using screen directions.

(C) To use the SYSTEM GENERATOR to make modifications in the programs, press the [RIGHT ARROW] key when the Edu-Ware identification first appears. This action will cause a jump to the SYSTEM GENERATOR before going to the Master Menu. Make any desired modifications to the parameters shown. Use the documentation for additional help.

ATARI Users

At startup, leave power off both the disk drive and the computer; insert the COMPU-READ diskette in the drive, and close the latch; turn on the TV set, and power for the drive; when disk activity stops, turn on the computer.

The [RIGHT ARROW] function referred to in the documentation is replaced with [CTRL] [RIGHT ARROW] when using the Atari 800.

3. Using the Documentation

The remainder of this documentation is designed to give you much greater control in using these programs for your own learning, or that of a student. You also develop an understanding of the program design rationale.

You will find some general comments on the care and feeding of your diskettes. Should a problem occur, be certain to read the Limited Warranty at the end of this material, and follow the directions exactly.

II. THE INSTRUCTIONAL MODEL

Before proceeding with further operating instructions, it seems appropriate to discuss the rationale which has been employed in constructing the instructional model:

1. Effective reading requires the perception of patterns.

If we are able to recall our own struggle to acquire reading skills, most of us will remember being first taught to recognize and identify individual letters. Next came combinations of letters into words, or word groups. Finally we learned to assemble long strings of words into complete thoughts or sentences. Yet, analysis of eye movements clearly demonstrates stopping and starting, and at times reversal of direction of eye fixation (attention). The net effect of these interruptions is a reduction in smooth "scanning" of printed material and a net decrease in the speed by which the information contained within is processed.

The printed page offers a stimulus situation to the reader which is relatively uncontrollable by outside influences, and certainly difficult to measure in terms of specific performance. Over the years educators have attempted to remediate these kinds of non-optimal reading situations through the use of a tachistoscope. This device projects letters, words, and sentences at a controlled rate upon a reflective screen as is used with a motion picture projector. Such control devices greatly enhance the ability of the user (teacher, reading instructor) to control the reading experience for the learner. However, the major problem with such devices was that the specific

software employed was for the most part completely unmodifiable by the user; i.e., the data base was supplied by the manufacturer.


The microcomputer allows users complete control of the data base and a number of variables which were heretofore unavailable for adjustment.

2. Users and learners require immediate feedback as to performance.

In order for the learner and the user to both have knowledge of performance (and for teacher grading purposes) we have provided a number of displays which provide both user and learner this information. These displays indicate the number of trials, the number of right and wrong, and the percentage of correct trials for each of the learning experiences. Of perhaps greater interest is a graphic display that appears in the lower right hand corner of the screen. This display consists of a series of vertical lines. Each vertical line represents a percentage of change between that trial and the trial immediately preceding it. An increase in size between adjacent bars represents a correct response, and a corresponding increase in display speed, while a decrease represents a failure in the previous trial. Interpretations of these graphs can be used as guidelines by the user in resetting parameters and assessing student performance.


Figure 1a shows the performance pattern demonstrated by a learner when the initial speed/difficulty level was far below what the student was able to perform at system entry. The continuously increasing display speeds are indicative of the fact that the learner found no challenge since he was consistently able to get all the trials correct. However, for the learner who is timid, or who has a poor self-concept with

respect to his reading abilities, the ease of mastery may lead to an improved self-concept.




1a. too easy

Figure 1b represents the converse to the learning environment demonstrated in 1a. In this instance, the learner was presented with tasks far too difficult for him to master. At no point was he able to achieve success in any portion of the learning experience. Users seeing such patterns should be quick to modify the parameters. The performance demonstrated the learner's inability to cope with the difficulty of the task.




1b. too difficult

In figure 1c we have a situation which may be considered ideal. The learner has a number of files in which he is unable to initially meet the task demands. Then he begins to level out, getting some trials correct and some incorrect. In the last third of the curve, he begins to master the learning task and eventually ends with the maximum display speed possible for this particular series of trials.




1c. skills gained

Figure -1d represents a situation in which the trials are not initially demanding of the learner, and at some point in the series he begins to "plateau" out; i.e., he reaches a point at which he is unable to move beyond his current learning, but is able to maintain it. One would expect in this kind of graph, that the appropriate response on the part of the user is to extend the number of trials so that new learning can begin to occur after the plateau.



1d. learning plateaus

Finally, figure 1e illustrates a situation in which the learner finds the task too difficult, begins to fail, plateaus out, and is unable to demonstrate new learning. The appropriate response on the part of the user in this case, may well be to start the next series at the last point in the plateau, so that the learner can begin to master new tasks from the plateau. Small increments of time should be employed so that new learning and task difficulty proceed in small steps.



1e. starts too difficult
then plateaus

Users will be certain to discover other patterns and make other adjustments. The descriptive statements shown above are only to be taken as suggestions. Users may wish to make a variety of interpretations of the displays which they see, and to develop a variety of learning sequences best suited to the learners with whom they are dealing.


III. USING THE PROGRAMS

1. General Description

COMPU-READ 3.0 represents a comprehensive reading system. It is designed to span the range from the

youngest reader at the primary school level to the adult reader wishing to improve his speed and recall of printed material. As such, it consists of a number of components, illustrated in the graphic flow chart shown below in figure 2.

Figure 2 THE COMPU-READ SYSTEM



2. The SYSTEM GENERATOR

In order to fully utilize the programs, users will want to make their own adjustments in the defaulted parameters which have been installed for each of th

current units. Thus, a SYSTEM GENERATOR is provided which allows the user maximum flexibility in his prescription of the learning sequence.

If you are an individual user of these programs, you will want to build your own files for practice, set your own speed, and develop the sequence best suited to your learning. On the other hand, if you are a parent or a teacher helping students to learn reading, you will be particularly concerned with adjusting this system to each learner. In either event, the SYSTEM GENERATOR is provided for this purpose. It is accessed at the time of the boot program. As soon as the disk is loaded, an Edu-Ware identification will appear on the screen. If you wish to go into the SYSTEM GENERATOR, simply press the [RIGHT ARROW] key once while the Edu-Ware identification is on the screen, but before disk activity initiates again. If you do not press the [RIGHT ARROW] key at this time, the boot program will go directly into the COMPU-READ menu as shown in the figure below. To return to the SYSTEM GENERATOR, simply re-boot the disk after pressing [RESET]. If, on the other hand, you wish to go from the boot program directly into the COMPU-READ menu, do not touch the [RIGHT ARROW] key. This will be the case after you have set up the SYSTEM GENERATOR and have handed the diskette to a learner. He will boot the diskette, and go directly to the prescribed COMPU-READ menu.

The SYSTEM GENERATOR consists of five sub-programs. They are:

- [1] Learning Sequence
- [2] Learning Parameters
- [3] Learner Progress


[4] File Builders

[5] Run COMPU-READ

Another choice provided is the [0] (Zero Key), which allows you to exit the system completely.

A flow chart for this system is illustrated below in figure 3.

Figure 3 SYSTEM GENERATOR



SYSTEM GENERATOR/[1] LEARNING SEQUENCE

These parameters allow you to make decisions about what sequence you want the learner to follow in going through the Compu-Read programs. To make your own adjustments in this sequence, press [1]. A sub-menu, giving you three options will appear. The first of these allows you to design the sequence for the learner. The second, which is the defaulted variable, allows the learner to choose his own sequence. The third indicates that you are satisfied with your selection and are ready to return to the SYSTEM GENERATOR menu.

Assume you wish to allow the learner only to do "[1] LETTERS," and "[2] WORDS," since he is ready for neither the SYNONYMS/ANTONYMS nor the SENTENCES unit. Once in the LEARNING SEQUENCE menu, press "[1] DESIGN LEARNING SEQUENCE." A defaulted learning sequence will appear on the screen. To remove the SYNONYMS/ANTONYMS unit and the SENTENCES unit, press "[2] REMOVE UNIT." You are then asked which unit you wish to remove. If you have changed your mind and you don't wish to remove any units, press [0] (Zero Key). To remove the SENTENCES, press [4]. The display will now show the learning sequence with numbers [1], [2], and [3], but without [4]. Now continue to remove the SYNONYMS/ANTONYMS unit by pressing "[2] REMOVE UNIT" again, at which point you will see the question "Remove which unit (0-3)?" Press [3], which will cause the screen to change and display two units.

If you now decide you wish to return the SENTENCES unit, making three units available to the learner, press "[1] ADD UNITS." The two units which have been removed will be shown on the screen on the left hand side. Since you wish to add SENTENCES to the sequence, select "[2] SENTENCES," which allows you to replace the SENTENCES in the learning sequence.

By judicious adding and removal of the units, you are free to place all four units, or three, or two, in any sequence you choose.

After you have completed making all adjustments in the learning sequence, press [0] (Zero Key). This returns you to the LEARNING SEQUENCE menu. Then press [0] (Zero Key), which jumps you to the SYSTEM GENERATOR. All the changes you have made will be stored in memory until you have completed the SYSTEM GENERATOR adjustments.

SYSTEM GENERATOR/[2] LEARNING PARAMETERS.

This section of the SYSTEM GENERATOR allows you to adjust parameters for each of the learning units. They are sequenced in order from LETTERS, WORDS, SYNONYMS/ANTONYMS, to SENTENCES. As soon as you have elected this section of the SYSTEM GENERATOR, the Learning Parameters/LETTERS menu will appear. There are seven choices, plus a "[0] Okay," which returns you to the SYSTEM GENERATOR menu.

[2]/[1] Number of Trials

The number of trials refers to the number of times the learner will attempt the reading task presented in that unit. The preset default is twenty-five. To change this, press "[1] Number of trials." A question at the bottom of the screen will ask you to enter the number of trials. You may enter any number from 1 to 999. When you have entered the number, press [RETURN]. The screen will change, showing the new number that you have entered. You may change this number as often as desired.

[2]/[2] Initial Speed

Initial Speed is that period of time for which

the letters will be displayed on the screen before disappearing. The number which you see in the square is in seconds. The current default is .2 or two tenths of a second. You may display any time from .001 (one thousandth or one millisecond) to ten seconds. To change this initial speed, press "[2] Initial Speed," and answer the question which appears on the bottom of the screen. Then press [RETURN] which will display the new initial speed on the screen.

[2]/[3] Speed Increment

The Speed Increment refers to the amount of change in the display speed that occurs with each trial. The display speed will either decrease or increase by this increment, depending upon whether the learner is correct or incorrect in his previous trial. To use the Speed Increment press "[3] Speed Increment," and input is shown on the screen. You may increment in any amount larger than one thousandth of a second (one millisecond). Enter the incremental number and then press [RETURN] to return to the display.

[2]/[4] Display Delay

After the completion of each trial, the learner is given an instruction to [PRESS SPACE BAR TO CONTINUE]. This variable refers to the time elapsed between test items, or the press of the space bar and the next display of the test item on the screen. To change this default, press "[4] Display Delay," and answer the question at the bottom of the screen. The range is again, from one millisecond to ten seconds. As before, press [RETURN] to return to the parameters display.

[2]/[5] Font Size

Two sizes of letters are available for display. Small letters are standard text screen height (24 lines of 40 characters). Large letters are double this size, giving a character display of 12 lines of 20 characters. The default currently selected is large letters. If you wish to change this, select the LETTERS menu by pressing [5] and then select the number which represents the font size you wish to use. When you have done so, press [0] (Zero Key) and return to the parameter display.

[2]/[6] Data File

For all of the units, but the LETTERS unit, data files are available to the user. These are WORDS, SYNONYMS/ANTONYMS, or SENTENCES. Since no files are used with the LETTERS program, pressing [6] will simply produce a beep and blank the screen for a moment, then return you to the screen.

[2]/[7] View Next Units Parameters

Since there are parameter changes for each unit, you can proceed to additional units by pressing [7] which changes the menu to the rapid WORDS unit. If, on the other hand, you are only adjusting this one unit, press [0] (Zero Key) Okay, which returns you to the SYSTEM GENERATOR unit display.

All the remaining units are set up in the same way, with two exceptions: The pressing of "[6] Data File" in the WORDS, SYNONYMS/ANTONYMS, and SENTENCES calls individual data files. The building of these files will be discussed under the FILE BUILDER section. The default in each of

the three units in which files are found is the EWS data file. That is the file which has been provided as a sample file for your use. As you build other files, you may designate them in the ways that are described in the section on file building.

SYSTEM GENERATOR/[3] LEARNER PROGRESS

After a learner has completed work on one or more units of the system, we have provided a means by which you may review any of his scores, (except the graphic display) for any unit.

To get these scores do the following:

1. Boot the diskette and enter the SYSTEM GENERATOR in the usual way.
2. When the SYSTEM GENERATOR menu appears, select "[3] Learner Progress" and wait for the screen to display the data.
3. Each unit can produce three possible displays:

a. UNIT NOT COMPLETED

If the unit has not been completed, you may view the next unit scores by selecting "[1] NEXT UNIT," or return to the SYSTEM GENERATOR by selecting "[0] OKAY."

b. UNIT IS COMPLETED

When a unit has been completed, the left side of the screen will give you an additional choice. "[2] PURGE" allows you the opportunity to reset the file when you

have viewed the results.

The data on the right hand side of the screen provides you with the numeric data for the learner's performance on that unit.

c. UNIT NOT SEQUENCED

When the sequence has been selected for the learner, and the unit involved has not been included in the sequence, this legend will appear in the upper left of the screen.

SYSTEM GENERATOR/[4] FILE BUILDERS

The FILE BUILDERS represent the very heart of the flexibility built into the COMPU-READ system, and as such, should get your close attention with regards to their use.

There is a file builder available for each of the following units: WORDS, SYNONYMS/ANTONYMS, and SENTENCES. While each is a little different, the principles for operation remain the same.

When the FILE BUILDER menu is selected, first select the desired unit by pressing the appropriate key. All units ask whether you wish to "[1] CREATE NEW FILE" OR "[2] ACCESS EXISTING FILE."

WORDS/BUILDING NEW FILE

1. Select WORDS, then "[1] CREATE NEW FILE."
2. The display on the screen shows an * next to the number of the word being entered. If the word requires lower case letters, simply type in the the characters comprising the word. Immediately after the last letter, press [RETURN] to go to the next word.

3. For each upper case letter do the following: Press [CTRL] [S] (together) which is equivalent to the shift key and then type the desired letter. If the entire word is to be in upper case, type [CTRL] [S] [CTRL] [S], which is equivalent to the shift lock on a typewriter. To release the shift lock, type [CTRL] [S] once again.

4. You may enter as many words as you wish, up to 200 in any file. These words will be randomly called when they appear in the WORDS unit.

5. After completing the list, press [ESC] to enter the file name. In answer to the request for file name, you may enter any file name of up to three characters. Then press [RETURN].

6. Next a menu appears, asking you what you wish to do with the file you have just constructed. Your options are:

[1] EDIT fn (file name)

[2] APPEND fn

[3] SAVE fn

[4] DELETE fn

7. To EDIT the file you have just constructed, do the following:

a. Press [1] for the edit mode.

b. When the screen display appears, notice that an * is next to word #1 on the word list. Use the [U] or [D] keys to move to the word you wish to change.

c. When you have positioned the * next to the desired word, type [E] to allow you to edit the word. Type in the correction, and press [RETURN]. Repeat this process until you have finished with all corrections in the existing number of words.

d. To REMOVE a word in the list, press [R] when the * is next to the word to be removed. This will serve to remove that word completely, and shorten the file by one word. There must be at least two words in the file for this function to operate.

e. After you have completed all editing of the file, press [ESC] to return to the File Action Menu.

8. To APPEND the file press [2] and the * will be seen next to the last word in the previously completed file. Continue to build the file until you have it completed, and return to the editing function menu for the completion of the newly built file.

9. To SAVE the file, simply press [3], which will serve to save it to the diskette.

10. To REMOVE the file press [4]. A series of warning beeps will sound with the caption "PRESS ESC TO ABORT." If this is not done, the file will be deleted.

SYNONYMS AND ANTONYMS/BUILDING NEW FILE

1. Select SYNONYMS AND ANTONYMS, then "[1] CREATE NEW FILE."

2. All functions are exactly the same as with the

WORDS building routines, with one exception. In this file each number represents a root word, while the letters S, A, and D represent synonyms, antonyms, and distractor words respectively.

3. The REMOVE function requires at least two words in the file to operate.

4. SAVEing, APPENDING, and DELETEing are done in the same way as was the WORDS file builder.

SENTENCES/BUILDING NEW FILE

1. Select SENTENCES then "[1] CREATE NEW FILE."

2. The SENTENCES, BUILDING/EDITING system is a little different in that it provides for three kinds of test nouns in the display. NAMES, OBJECTS, and PLACES are provided for in the unit. There are thus four lists to be built in the development of each file.

3. When the SENTENCE building portion of the program is displayed, enter words in the sentence in the usual way until you come to the first person, object, or place which is to be used as a test word. Press [CTRL] [N], [CTRL] [O], or [CTRL] [P] to select one of these three categories for later use in the unit. When you have completed building sentences, exit from this part of the file builder by pressing [ESC].

4. Build the word lists as you have done in the WORDS file builder. You need not have the same number of words in each of the lists, but all must contain more than one word.

5. EDITing is done separately by selecting which list is to be edited. Exit from each list in the usual way.

ACCESSING FILES

For any of the File Builders, you may ACCESS all files in that category by selecting "[2] ACCESS STORED FILE." Doing so provides you with a catalog of all files contained within the category. Simply enter the number of the appropriate file, and then execute any of the functions described under BUILDING NEW FILES.

SYSTEM GENERATOR/[5] RUN COMPU-READ

After all system setting is completed, and you wish to use the programs for yourself, or to test them for use by another learner, select this option to bring you to the COMPU-READ menu. Select the desired program from that menu. If you have set a prescribed sequence, be certain to return to the SYSTEM GENERATOR to purge the LEARNER PROGRESS files. You can quickly do this after unit exit by typing "RUN CR.SYSTEM" and then pressing [RETURN] rather than re-booting the diskette.

IV. ERROR HANDLING

However advanced this computer technology may look, we are still in the dark ages when it comes to reliability of programs and the magnetic media on which they are stored.

For whatever small comfort it may bring, we have installed some error reporting systems that will at least tell you what has gone wrong and what, if anything, you the user can do to fix the problem. If the problem is with your diskette, read the screen display, and follow any directions it gives you, including returning it to us. We also invite you to call us about any difficulties you may experience or any innovative applications you make of these programs. Our number is (213) 346-6783. We look forward to hearing from you.

