

Dale Yocum & Jerry White

BASIC PROGRAM COMPRESSOR

APX-20008

User-Written Software for ATARI Home Computers

		•
		•
		٠
·		•

Dale Yocum & Jerry White

BASIC PROGRAM COMPRESSOR

APX-20008

		•
		•
		٠
·		•

EASIC FROGRAM COMPRESSOR (MASHER)

೬೮

Dale Yocum (modified by Jerry White)

Program and Manual Contents © 1981 Atari, Inc.

Copyright and right to make backup copies. On receipt of this computer program and associated documentation (the software), ATARI grants you a nonexclusive license to execute the enclosed software and to make backup or archival copies of the computer program for your personal use only, and only on the condition that all copies are conspicuously marked with the same copyright notices that appear on the original. This software is copyrighted. You are prohibited from reproducing, translating, or distributing this software in any unauthorized manner.

TRADEMARKS OF ATARI

The following are trademarks of Atari, Inc.


ATARI
ATARI 400 Home Computer
ATARI 800 Home Computer
ATARI 410 Program Recorder
ATARI 810 Disk Drive
ATARI 820 40-Column Printer
ATARI 822 Thermal Printer
ATARI 825 80-Column Printer
ATARI 830 Acoustic Modem
ATARI 850 Interface Module

Distributed by

The ATARI Program Exchange P. O. Box 427 155 Moffett Park Drive, B-1 Sunnyvale, CA 94086

To request an APX Software Catalog, write to the address above, or call toll-free:

800/538-1862 (outside California) 800/672-1850 (within California)



This APX diskette is unnotched to protect the software against accidental erasure. However, this protection also prevents a program from storing information on the diskette. The program you've purchased involves storing information. Therefore, before you can use the program, you must duplicate the contents of the diskette onto a notched diskette that doesn't have a write-protect tab covering the notch.

To duplicate the diskette, call the Disk Operating System (DOS) menu and select option J, Duplicate Disk. You can use this option with a single disk drive by manually swapping source (the APX diskette) and destination (a notched diskette) until the duplication process is complete. You can also use this option with multiple disk drive systems by inserting source and destination diskettes in two separate drives and letting the duplication process proceed automatically. (Note. This option copies sector by sector. Therefore, when the duplication is complete, any files previously stored on the destination diskette will have been destroyed.)

		ř
		•

CONTENTS

INTRODUCTION 1
Overview 1 Required accessories 1 Optional software 1
GETTING STARTED 2
USING MASHER3
Setting up 3 Execution 4 Evaluating the results 4
TROUBLESHOOTING 5
Error message 5 Program operation warnings 5 Suggestions for tracking down faulty program execution 5
ADDITIONAL COMPRESSION TECHNIQUES 6

		·
,		
		i

INTRODUCTION

OVERVIEW

MASHER is a ultility program to help you squeeze every last byte out of your 8K BASIC software. It compresses your BASIC programs into as litle memory as possible by

- (1) Removing all unreferenced REMark statements
- (2) Converting your most frequently used constants into variables
- (3) Packing together several short lines to form longer ones

Don't use line numbers 3 - 9 or assign variable names Q0 - Q999 in your BASIC programs. MASHER uses these lines and variable names to define its variables that replace frequently used constants in your program.

REQUIRED ACCESSORIES

32K RAM ATARI BASIC Language Cartridge ATARI 810 Disk Drive

OPTIONAL SOFTWARE

BASIC CROSS-REFERENCE UTILITY (XREF)

This ATARI Program Exchange (APX) program tells you how many variables you've used in your program (as well as providing other information). (Order No. APX-20009)

VARIABLE CHANGER

This APX program automatically shortens your program's variable names, which often further reduces the program's memory requirements. It also tells you how many variables you've used in your program. (Order No. APX-20012)

GETTING STARTED

- 1. Insert the ATARI BASIC Language Cartridge in the (Left Cartridge) slot of your computer.
- 2. Make sure your BASIC program to be compressed is in LIST format (rather than in SAVE format). See page 10 of the <u>BASIC Reference Manual</u> or see the <u>Disk Operating System Reference Manual</u> for information about LIST format.
- 3. Turn on your disk drive and insert the MASHER diskette.
- 4. Power up your computer and turn on your video screen.
- 5. At the READY prompt, type RUN "D:MASHER" and press the RETURN key. If you're using more than one disk drive, remember to follow the device initial (D) with the number of the drive containing the MASHER diskette (e.g., RUN "D2:MASHER" for disk drive two). The program will load into RAM and start. The first display screen will be the COPYRIGHT 1981 ATARI notice.
- 6. If you're using just one disk drive, remove the MASHER diskette and insert your BASIC program to be compressed.

USING MASHER

SETTING UP

You use MASHER by responding to three prompted questions.

1 COMPLETE INPUT FILE NAME?

Type in the complete name of the file in LIST format containing your BASIC program. Use the format

D:filename.ext

where "D" is the device initial, "filename" stands for the name of your file (use upper case), and ".ext" is the extender, if you used one. An example is D:ADDRESS.BAS. If you're using more than one disk drive, remember to specify the number of the drive containing your file (e.g., D2:ADDRESS.BAS for disk drive two).

2 COMPLETE OUTPUT FILE NAME?

Using the format described in prompt 1, type the complete file name under which you want MASHER to store your compressed program in LIST format. Your output file must have a different name than your input file.

3 NUMBER OF VARIABLES USED IN SOURCE PROGRAM?

Type in the number of variables used in your input file. MASHER uses this information to determine how many constants it has room to define as variables (remember that BASIC is limited to 128).

You can determine this number in three ways.

- (1) Count them! This method is fine if you don't mind spending the time. Increment your count by a small amount as a "fudge factor" against your having missed a few.
- (2) Guess. For small programs, guessing is acceptable. If you guess too high, MASHER might not compress your program as well as it might have with the true count. If you guess too low, MASHER might unknowlingy exceed BASIC's 128-variable limit and your program will generate an ERROR 4- (Too Many Variables) when you run it. It's better to guess high.
- (3) Use the BASIC CROSS-REFERENCE UTILITY (XREF) or VARIALBE NAME CHANGER, available through APX. Both programs give you the exact variable count for your program.

MASHER then takes over and starts compressing your program.

EXECUTION

MASHER displays the message

PLEASE STAND BY

for a short time. It then clears the video screen to go into "attract mode", which allows MASHER to run about 40 percent faster since the screen isn't interrupting the microprocessor.

MASHER can take a <u>long</u> time. A small program might take only a few minutes to compress, but a large program can take hours! As long as the disk drive is read periodically, all is well. Take this opportunity to relax and browse through the latest APX software catalog for gift ideas—for yourself and others!

When MASHER finishes, it reactivates the video screen and displays the number of lines in your input and output files.

EVALUATING THE RESULTS

Occasionally, your output file might have more lines than does your input file. In these cases, check the amount of RAM used by each program before rejecting the compressed version. Because MASHER adds lines to redefine constants, the line count might increase but the compressed program will still require less RAM to run. A compressed program is rarely, if ever, larger than your original BASIC program.

Normally, MASHER saves between 5 and 60 percent of your program's original required RAM. The amount depends on your individual programming style. Programmers who use many remarks and single statement lines will save the greatest amount. In short, the more structured and easy-to-read your input file, the more MASHER can compress!

TROUBLESHOOTING

ERROR MESSAGE

The error message

```
SOURCE CODE ERROR, LAST LINE: "
<last line read>
```

occurs when a file contains some text that is illegal in BASIC (e.g., a line with no line number). This error causes MASHER to abort. Fix the problem in your source program and rerun MASHER.

PROGRAM OPERATION WARNINGS

MASHER is quite demanding of disk drives. Because a long program can take hours to compress, even the best system might stumble. Try rerunning MASHER before throwing in the towel.

MASHER can't resolve variable GOTOs (e.g., GOTO X). Check your compressed program if you used this kind of GOTO.

SUGGESTIONS FOR TRACKING DOWN FAULTY PROGRAM EXECUTION

If you find that your compressed program doesn't run correctly, check these points:

- (1) Did you leave lines 3 9 available for MASHER's use? MASHER will try to use these lines to define its constants
- , even if you use these lines as well. MASHER's constant definitions will be overwritten, causing some strange errors!
- (2) Did you leave variable names Q0 Q999 for MASHER's use?
- (3) Did you use a CLR statement anywhere in your program? This statement clears out MASHER's Q0 Q999 definitions, causing all sorts of problems! In most applications, CLR is unnecessary and you can safely eliminate it. If you include a CLR statement, make sure your program re-executes lines 3 9 afterward.
- (4) Did you use computed line references (e.g., GOTO X)? If so, these may reference lines that don't exist anymore if MASHER merged the statements with other lines. One way to preserve these lines when running MASHER is to place a dummy reference to these lines at the beginning of your program. For example:

```
20 ON I GOTO 1500,2000,2100
:
60 GOTO X
```

ADDITIONAL COMPRESSION TECHNIQUES

MASHER can save you a lot of RAM, but it's not the only method available to you as a programmer. Here are some other techniques.

- (1) Use strings instead of numeric arrays to store data.
- (2) Add two "Q" variables together to form a constant, rather than defining a new constant. For example, the constant I=Q2+Q5 takes less RAM than does the constant I=7 if you've already defined Q2 and Q5.
- (3) Use subroutines for common functions.
- (4) Recode parts of your BASIC program into machine language.
- (5) Reuse variables when they don't interfere with each other. The XREF program, available through APX, can help detect interference.
- (6) Use short variable names. The VARIABLE CHANGER program, available through APX, can help you change variable names in existing programs.
- (7) Chain in parts of your program from disk rather than maintaining your entire program in RAM.
- (8) Use the graphics mode requiring the least amount of RAM but is still suited to your application. For example, Modes 1 and 2 require less RAM than does Mode 0.
- (9) POKE data into unused RAM areas instead of keeping data in arrays. Appendix D of the <u>BASIC Reference Manual</u> shows where some of these areas are. You can also use the printer and cassette buffers for data if you're not using these devices.

DISCLAIMER OF WARRANTY AND LIABILITY ON COMPUTER PROGRAMS

Neither Atari, Inc. ("ATARI"), nor its software supplier, distributor, or dealers make any express or implied warranty of any kind with respect to this computer software program and/or material, including, but not limited to warranties of merchantability and fitness for a particular purpose. This computer program software and/or material is distributed solely on an "as is" basis. The entire risk as to the quality and performance of such programs is with the purchaser. Purchaser accepts and uses this computer program software and/or material upon his/her own inspection of the computer software program and/or material, without reliance upon any representation or description concerning the computer program software and/or material. Should the computer program software and/or material prove defective, purchaser and not ATARI, its software supplier, distributor, or dealer, assumes the entire cost of all necessary servicing, repair, or correction, and any incidental damages.

In no event shall ATARI, or its software supplier, distributor, or dealer be liable or responsible to a purchaser, customer, or any other person or entity with respect to any liability, loss, incidental or consequential damage caused or alleged to be caused, directly or indirectly, by the computer program software and/or material, whether defective or otherwise, even if they have been advised of the possibility of such liability, loss, or damage.

LIMITED WARRANTIES ON MEDIA AND HARDWARE ACCESSORIES

ATARI warrants to the original consumer purchaser that the media on which the computer software program and/or material is recorded, including computer program cassettes or diskettes, and all hardware accessories are free from defects in materials or workmanship for a period of 30 days from the date of purchase. If a defect covered by this limited warranty is discovered during this 30-day warranty period, ATARI will repair or replace the media or hardware accessories, at ATARI's option, provided the media or hardware accessories and proof of date of purchase are delivered or mailed, postage prepaid, to the ATARI Program Exchange.

This warranty shall not apply if the media or hardware accessories (1) have been misused or show signs of excessive wear, (2) have been damaged by playback equipment or by being used with any products not supplied by ATARI, or (3) if the purchaser causes or permits the media or hardware accessories to be serviced or modified by anyone other than an authorized ATARI Service Center. Any applicable implied warranties on media or hardware accessories, including warranties of merchantability and fitness, are hereby limited to 30 days from the date of purchase. Consequential or incidental damages resulting from a breach of any applicable express or implied warranties on media or hardware accessories are hereby excluded. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. Some states also do not allow the exclusion or limitation may not apply to you.

į.

We're interested in your experiences with APX programs and documentation, both favorable and unfavorable. Many software authors are willing and eager to improve their programs if they know what users want. And, of course, we want to know about any bugs that slipped by us, so that the software author can fix them. We also want to know whether our documentation is meeting your needs. You are our best source for suggesting improvements! Please help us by taking a moment to fill in this review sheet. Fold the sheet in thirds and seal it so that the address on the bottom of the back becomes the envelope front. Thank you for helping us!

1. Name and APX number of program
2. If you have problems using the program, please describe them here.
3. What do you especially like about this program?
4. What do you think the program's weaknesses are?
5. How can the catalog description be more accurate and/or comprehensive?
6. On a scale of 1 to 10, 1 being "poor" and 10 being "excellent", please rate the following aspects of this program? Easy to use
User-oriented (e.g., menus, prompts, clear language) Enjoyable Self-instructive Useful (non-game software) Imaginative graphics and sound

7. Describe any technical errors you found in the user instructions (please give page numbers).

· · · · · · · · · · · · · · · · · · ·	<u> </u>
• What did you especially like about the user instructions?	
What revisions or additions would improve these instructions?	
0. On a scale of 1 to 10, 1 representing "poor" and 10 representing "excellent", ho ate the user instructions and why?	wonjq you
1. Other comments about the software or user instructions:	
	I ISTAMI

ATARI Program Exchange P.O. Box 427 155 Moffett Park Drive, B-1 Sunnyvale, CA 94086