

DYNACOMP

# STARTREK 3.2

## STARTREK 3.2

(C) 1980 by DYNACOMP, Inc  
Pittsford, NY 14534

STARTREK 3.2 is an extended and greatly enhanced version of the popular program that many have enjoyed on the larger computers. You will find DYNACOMP's changes and additions to bring new dimensions to this already fascinating game. The required user input and computer response have been designed to make for easy play allowing you, the captain, more freedom to concentrate on the objectives, rather than the mechanics.

Your enemy, the Klingon Empire, has sent a sophisticated task force to invade and conquer the Federation. This task force includes both light and heavy cruisers. Although the light cruisers can inflict significant damage to the Enterprise, they are largely meant as decoys to waste the resources of the Enterprise, such as the all-important photon torpedoes. Before a battle starts, you have no idea of whether the Klingon warship on your screen is a heavy or light cruiser. Once the battle starts, it soon becomes apparent what the armament of the Klingon really is. The situation to fear is a joint encounter with three Klingon heavy cruisers.

Klingon captains have improved their command capabilities during the years of conflict with the Federation. They no longer wait to be attacked before engaging. Rather, they are more aggressive and often open fire first. Sometimes they open with a weak attack, misleading you into thinking phaser fire will be sufficient for destruction. After wasting phaser energy you only then find that you are in battle with a heavy cruiser which, if you are not close enough, can be defeated only with photon torpedoes.

However, even at this point the Klingons are tricky; they move! Chances are that your previous short range scan (made before the last phaser volley) is no longer valid and a new scan is required to establish the photon torpedo trajectory. Yet, while you are getting this scan, the Klingon may be closing in on you and firing!

In addition, a few Klingon cruisers are equipped with a deflection device which partially protects them from photon torpedoes. Thus you may find that even though you know the Klingon's position exactly and have launched a torpedo accordingly, it may miss! An attack from another direction is required. An attack from another direction is also necessary when the Klingons hide behind stars.

Another new feature is that starbases are no longer inviolate. While you are in one quadrant fighting Klingons, their comrades may be attacking a starbase in another quadrant. In time, that starbase will fall unless rescued. If you lose your starbases to the Klingons, it may be difficult to complete the mission within the required time.

So far it may seem that the Enterprise has a formidable challenge; an almost impossible one. However, the Enterprise is the most powerful starship ever built and has superior weaponry and defenses. It outclasses any Klingon warship. It is one against many when three heavy cruisers engage with the Enterprise and only the Enterprise's unique photon torpedoes give it the edge.

The following pages show sample runs of STARTREK 3.2, along with comments. After reviewing these notes, it will become apparent how extensive and exciting this simulation is. DYNACOMP wishes you luck and is sure you will enjoy this program.

Sample run for the North Star version of STARTREK 3.2. All other versions are very similar to this one. The user responses are underlined. All inputs must be completed with a carriage RETURN (or ENTER).

RUN

STARTREK 3.2

COPYRIGHT 1979 BY

DYNACOMP

P.O. BOX 162

WEBSTER, NEW YORK 14580

DO YOU WISH INSTRUCTIONS? Y  
STATUS:

MOST OF THE FEDERATION FLEET IS AT THE FAR SIDE OF THE UNIVERSE ENGAGED IN A STAND-OFF WITH THE ROMULANS. THE KLINGON EMPIRE HAS TAKEN THIS OPPORTUNITY TO ATTACK FROM THE REAR WITH A TASK FORCE. ONLY THE ENTERPRISE IS AVAILABLE TO REPEL THE THREAT. LUCKILY, THE STARBASES ARE STILL INTACT AND ARE AVAILABLE FOR DOCKING, REPAIRS AND OUTFITTING.


THE KLINGON TARGET IS EARTH. IF EARTH FALLS, SO WILL THE EMPIRE.  
CONTINUE? Y

THE ENTERPRISE IS ALSO VITALLY NEEDED AT THE ROMULAN FRONTIER, THUS PLACING A TIME LIMIT AFTER WHICH IF THE ENTERPRISE CAN NOT RETURN TO THE LINE THE ROMULANS MAY BE TEMPTED TO LAUNCH A FULL INVASION. THE ENTERPRISE MUST QUICKLY DESTROY THE KLINGON FORCE AND RETURN TO THE LINE!  
CONTINUE? U

ENTERPRISE COMMAND STRUCTURE:

W: WARP DRIVE. WARP 1 MOVES YOU ONE QUADRANT; WARP 1.5 MOVES YOU 1.5 QUADRANTS; ETC. THE ANGLE IS SPECIFIED USING THE DIAGRAM SHOWN BELOW. DO NOT WARP THROUGH \*RS.  
CONTINUE? U

This is how you move about the universe. Large warp values bring with them the risk of damage to a number of starship functions. Also, attempting to warp into Klingon or Romulan space can lead to damage. The automatic controls on the Enterprise stop it from warping through stars and thereby destroying itself.



The direction of travel is encoded according to the diagram to the left. Intermediate (non-integer) values are permitted, but they must be in the range 1 to 8.9.

CONTINUE? Y

Q: SCAN NEARBY QUADRANTS FOR STARBASES (B), STARS (S) & KLINGONS (K).

P: FIRE PHASERS. THE COMPUTER WILL AIM AND FIRE EQUAL ENERGY BLASTS AT EACH KLINGON IN THE AREA.

T: FIRE PHOTON TORPEDOES. THESE MUST BE AIMED BY EITHER YOU OR THE COMPUTER.

S: CHANGE ENERGY TO SHIELDS.

CONTINUE? Y

R: REPORT ON GENERAL INFORMATION.

- \*OPTION 1. DAMAGE REPORT. VALUES INDICATE FAILURE.
- \*OPTION 2. DIRECTIONS OF SHIPS IN YOUR QUADRANT.
- \*OPTION 3. QUADRANT SCAN.
- \*OPTION 4. DISPLAY OF AVAILABLE COMMANDS.
- \*OPTION 5. STARBASES UNDER ATTACK BY KLINGONS.

CONTINUE? Y

X: QUIT.

CONTINUE? Y

THE ENTERPRISE IS ON STATION IN THE BESEIGED TERRITORY AND ALL SYSTEMS ARE BEING BROUGHT UP TO FULL CAPACITY. TAKE COMMAND.

CONTINUE? Y

You have just arrived in the treated territory and the ships systems are being brought up to power. However, for some reason your shields are slow in coming up and you are a bit vulnerable at this stage.

This gives you a nine quadrant scan for Klingons, stars and starbases. This is very important for locating Klingons.

You may allocate any energy level desired within the bounds of your reserves. Energy can be shifted from the shields even. The effect of photon fire falls off with distance.

If you hit a Klingon with a photon torpedo, he will surely be destroyed. If you hit a starbase, the explosion will obliterate everything in the quadrant, Enterprise also.

The library computer is available for several tasks as shown below.

Damaged functions and the estimated repair times are displayed. The computer will calculate the torpedo trajectories. Quick review of the quadrant. If you forget how to control the Enterprise, the computer will help. This displays the quadrants in which starbases are being attacked by Klingons. If the base is destroyed, it will be dropped from the list.

Resignation.

PICK A CODE NUMBER (1-1000): 746

POWER UP .....

DISPLAY OF QUADRANT ( 3, 3)

```

-----
<*> O >*<
      U
      A
      D
      3 3
-----

```

```

STARDATE: 3500 TIME LEFT: 30
CONDITION: GREEN
KLINGONS: 23
STARBASES: 10 ENERGY: 4000
TORPEDOES: 7 SHIELDS: 100
COMMAND: ?0

```

```

LONG RANGE SCAN: QUADRANT 3 3
1K 0B 1S ! OK 1R 3S ! OK 0B 3S
OK 0B 3S ! OK 1R 4S ! OK 0B 1S
OK 0B 2S ! OK 0B 5S ! OK 0B 3S
S=STARBASE B=STARBASES K=KLINGONS
COMMAND: ?S

```

```

ENERGY AVAILABLE: 4100
ENERGY TO SHIELDS: ?1200
COMMAND: ?W

```

```

COURSE ANGLE: ?0
COMMAND: ?M

```

```

COURSE ANGLE: ?4
WARP FACTOR (0-5): ?0.9
PROCEEDING UNDER ION POWER.

```

```

***** ENEMY IN QUADRANT *****
CONDITION RED

```

```

** S.O.S. **
STARBASE IN QUADRANT ( 2, 5) IS
BEING ATTACKED!

```

DISPLAY OF QUADRANT ( 2, 2)

```

-----
I-I: 0
      U
      A
      D
<*> 0
-----
      2 2

```

```

STARDATE: 3501 TIME LEFT: 29
CONDITION: RED
KLINGONS: 23
STARBASES: 10 ENERGY: 2898
TORPEDOES: 7 SHIELDS: 1200
COMMAND: ?I

```

```

TORPEDO COURSE ANGLE: ?1.8
TORPEDO MISSED.
** ENTERPRISE HIT: 77 UNITS **
COMMAND: ?R

```

```

INFORMATION COMPUTER READY
COMPUTER FUNCTIONS AVAILABLE:
1 = DAMAGE REPORT
2 = TARGET TRAJECTORIES
3 = SHORT RANGE SCAN
4 = LIST COMMAND SUMMARY
5 = STARBASE ATTACK LIST

```

```

OPTION: ?S
STARBASES UNDER ATTACK:
QUADRANT
2, 5

```

```

COMMAND: ?R
INFORMATION COMPUTER READY
COMPUTER FUNCTIONS AVAILABLE:
1 = DAMAGE REPORT
2 = TARGET TRAJECTORIES
3 = SHORT RANGE SCAN
4 = LIST COMMAND SUMMARY
5 = STARBASE ATTACK LIST

```

```

THESE ARE THE LEGAL COMMANDS:
W = COURSE CONTROL 4 3 2
Q = NINE QUADRANT SCAN 1 1
P = PHASER CONTROL 1 1
T = TORPEDO CONTROL 5-----1
S = SHIELDS / /
R = REPORT / /
X = RESIGNATION 6 7 8

```

To make matters worse, Klingons in another quadrant are attacking a starbase. Do we go to the rescue, or take the chance that it can hold out while we do battle in this quadrant?

There is only one Klingon. We should be able to destroy him in short order.

We will shoot a torpedo at him.

Unfortunately, we forgot to consult with the computer for the angle. We will have to guess the trajectory. A moderate hit on the Enterprise. Appears to be a light cruiser. Time to check with the computer.

Where was that starbase?

I forgot the commands!

COMMAND: ?P  
 ENERGY AVAILABLE = 2898  
 PHOTON ENERGY TO FIRE: 2400  
 KLINGON HIT WITH 44 UNITS  
 \*\* ENTERPRISE HIT: 44 UNITS \*\*

COMMAND: ?E  
 \*\* ENTERPRISE HIT: 41 UNITS \*\*  
 \*\* ENTERPRISE HIT: 102 UNITS \*\*

ENERGY AVAILABLE = 2698  
 PHOTON ENERGY TO FIRE: 2400  
 KLINGON HIT WITH 124 UNITS  
 \*\* ENTERPRISE HIT: 152 UNITS \*\*

\*\* ENTERPRISE HIT: 98 UNITS \*\*

COMMAND: ?R  
 INFORMATION COMPUTER READY

COMPUTER FUNCTIONS AVAILABLE:  
 1 = DAMAGE REPORT  
 2 = TARGET TRAJECTORIES  
 3 = SHORT RANGE SCAN  
 4 = LIST COMMAND SUMMARY  
 5 = STARBASE ATTACK LIST  
 OPTION: ?3

DISPLAY OF QUADRANT ( 2, 2 )

```

  -----
  I-I
  <*>
  Q
  U
  A
  D
  -----
  2 2
  
```

STARDATE: 3501 TIME LEFT: 29  
 CONDITION: RED  
 KLINGONS: 23

STARBASES: 10 ENERGY: 2298  
 TORPEDOES: 6 SHIELDS: 686  
 COMMAND: ?I

TORPEDO COURSE ANGLE: ?2  
 KLINGON STARSHIP DESTROYED!  
 COMMAND: ?Q

LONG RANGE SCAN: QUADRANT 2 2  
 OK 1B 2S ! 3K 0B 4S ! OK 0B 5S  
 3K 0B 1S ! OK 0B 1S ! OK 1B 3S  
 OK 0R 3S ! OK 0B 3S ! OK 1B 4S

S=STARBASE B=STARBASES K=KLINGONS  
 COMMAND: ?R

COURSE ANGLE: ?5  
 WARP FACTOR 3): ?1

\*\*\*\*\* ENEMY IN QUADRANT \*\*\*\*\*  
 CONDITION RED

We will save our torpedoes and use phasers. This is usually a reasonable strategy when faced with a lone light cruiser. The phaser fire will not be divided among several targets, and light cruiser have low shield power. Unfortunately, the Klingon had sufficient shield power to withstand our attack. However, his return fire indicates some damage. I think we made him angry. He is attacking! Danger! We have been tricked. By the magnitude of this phaser blast it must be a heavy cruiser.

It certainly is a heavy cruiser. We hit him solid and he returned with an even heavier blast.

Time to change strategy. Let's check his position.

Son-of-a-gun! He is closing in on us and his phasers are becoming more effective.

Got him. It sure took us long enough. Are there other Klingons nearby?

Six Klingons in sight. Also, there are three starbases. We could attack three of the Klingons and then refuel.

We will attack the Klingons in the quadrant to the left.

DISPLAY OF QUADRANT ( 2, 1 )

```

  -----
  I-I
  <*>
  Q
  U
  A
  D
  -----
  2 1
  
```

STARDATE: 3502 TIME LEFT: 28  
 CONDITION: RED  
 KLINGONS: 22

STARBASES: 10 ENERGY: 2295  
 TORPEDOES: 5 SHIELDS: 686  
 COMMAND: ?E

\*\* ENTERPRISE HIT: 60 UNITS \*\*  
 \*\* ENTERPRISE HIT: 239 UNITS \*\*  
 \*\* ENTERPRISE HIT: 59 UNITS \*\*

ENERGY AVAILABLE = 2295  
 PHOTON ENERGY TO FIRE: 21500  
 KLINGON HIT WITH 150 UNITS  
 KLINGON HIT WITH 212 UNITS  
 KLINGON HIT WITH 120 UNITS  
 \*\* ENTERPRISE HIT: 12 UNITS \*\*

\*\* ENTERPRISE HIT: 86 UNITS \*\*  
 \*\* ENTERPRISE HIT: 11 UNITS \*\*  
 \*\* ENTERPRISE HIT: 2 UNITS \*\*  
 \*\* ENTERPRISE HIT: 27 UNITS \*\*  
 \*\* ENTERPRISE HIT: 3 UNITS \*\*  
 \*\* ENTERPRISE HIT: 7 UNITS \*\*  
 \*\* ENTERPRISE HIT: 12 UNITS \*\*  
 \*\* ENTERPRISE HIT: 5 UNITS \*\*

COMMAND: ?R

INFORMATION COMPUTER READY

COMPUTER FUNCTIONS AVAILABLE:  
 1 = DAMAGE REPORT  
 2 = TARGET TRAJECTORIES  
 3 = SHORT RANGE SCAN  
 4 = LIST COMMAND SUMMARY  
 5 = STARBASE ATTACK LIST  
 OPTION: ?2

TARGET VECTOR: 6  
 TARGET VECTOR: 3.4  
 TARGET VECTOR: 6.18  
 COMMAND: ?I

TORPEDO COURSE ANGLE: ?4  
 YOU ARE SHOOTING AT A STAR!  
 TORPEDO MISSED.  
 \*\* ENTERPRISE HIT: 23 UNITS \*\*  
 \*\* ENTERPRISE HIT: 81 UNITS \*\*  
 \*\* ENTERPRISE HIT: 19 UNITS \*\*

COMMAND: ?I  
 TORPEDO COURSE ANGLE: ?3.4  
 KLINGON STARSHIP DESTROYED!  
 \*\* ENTERPRISE HIT: 7 UNITS \*\*  
 \*\* ENTERPRISE HIT: 14 UNITS \*\*  
 \*\* ENTERPRISE HIT: 25 UNITS \*\*

THE ENTERPRISE IS DESTROYED.  
 THE FEDERATION WILL FALL.

There sure are enough of them. It will be difficult destroying the starbase at the lower left as the photon torpedo may not clear the star.

Two of the Klingons are reasonably close. Perhaps phasers will be effective.

They are not waiting to be hit. The battle is on. One of the Klingons is definitely a heavy cruiser.

We may be in trouble with that heavy cruiser. We had better hit hard and fast. Several good, solid hits on the Klingons. But not enough for a kill.

If they ever stop firing, we better do something smart.

Get the torpedo trajectories and start launching.

Curious. Two of the Klingons have almost the same bearing. In the scan above they were widely separated. They are moving!

With two ships in this direction, a hit is assured. The Klingons are out-smarting us. Two of them are now hiding behind that star.

We will pick off the Klingon in the open, and then retreat to refuel.

Got him. Now to pull back.

Our shields were low and the last Klingon attack broke through.